



BARGE "CTC 30112"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.39	0	359.21	0	721.90	0	1,084.36	0	1,446.82	0	1,809.52	0	2,172.23	0	2,534.94	0	2,897.55	0	3,260.12
1/4	25.64	1/4	366.76	1/4	729.46	1/4	1,091.90	1/4	1,454.37	1/4	1,817.08	1/4	2,179.79	1/4	2,542.49	1/4	2,905.10	1/4	3,267.68
1/2	29.89	1/2	374.32	1/2	737.01	1/2	1,099.45	1/2	1,461.93	1/2	1,824.64	1/2	2,187.34	1/2	2,550.05	1/2	2,912.66	1/2	3,275.23
3/4	34.14	3/4	381.87	3/4	744.57	3/4	1,106.99	3/4	1,469.49	3/4	1,832.19	3/4	2,194.90	3/4	2,557.61	3/4	2,920.21	3/4	3,282.78
1	38.39	1	389.43	1	752.12	1	1,114.54	1	1,477.04	1	1,839.75	1	2,202.46	1	2,565.16	1	2,927.77	1	3,290.34
1/4	43.90	1/4	396.99	1/4	759.68	1/4	1,122.08	1/4	1,484.60	1/4	1,847.31	1/4	2,210.01	1/4	2,572.72	1/4	2,935.32	1/4	3,297.89
1/2	49.41	1/2	404.54	1/2	767.24	1/2	1,129.63	1/2	1,492.16	1/2	1,854.86	1/2	2,217.57	1/2	2,580.28	1/2	2,942.87	1/2	3,305.45
3/4	54.92	3/4	412.10	3/4	774.79	3/4	1,137.17	3/4	1,499.71	3/4	1,862.42	3/4	2,225.13	3/4	2,587.83	3/4	2,950.43	3/4	3,313.00
2	60.43	2	419.65	2	782.35	2	1,144.71	2	1,507.27	2	1,869.98	2	2,232.68	2	2,595.39	2	2,957.98	2	3,320.55
1/4	67.20	1/4	427.21	1/4	789.90	1/4	1,152.26	1/4	1,514.82	1/4	1,877.53	1/4	2,240.24	1/4	2,602.95	1/4	2,965.53	1/4	3,328.11
1/2	73.96	1/2	434.77	1/2	797.46	1/2	1,159.80	1/2	1,522.38	1/2	1,885.09	1/2	2,247.80	1/2	2,610.50	1/2	2,973.09	1/2	3,335.66
3/4	80.73	3/4	442.32	3/4	805.02	3/4	1,167.35	3/4	1,529.94	3/4	1,892.64	3/4	2,255.35	3/4	2,618.06	3/4	2,980.64	3/4	3,343.21
3	87.50	3	449.88	3	812.57	3	1,174.89	3	1,537.49	3	1,900.20	3	2,262.91	3	2,625.62	3	2,988.19	3	3,350.77
1/4	94.98	1/4	457.44	1/4	820.13	1/4	1,182.43	1/4	1,545.05	1/4	1,907.76	1/4	2,270.46	1/4	2,633.17	1/4	2,995.75	1/4	3,358.32
1/2	102.46	1/2	464.99	1/2	827.68	1/2	1,189.98	1/2	1,552.61	1/2	1,915.31	1/2	2,278.02	1/2	2,640.73	1/2	3,003.30	1/2	3,365.87
3/4	109.93	3/4	472.55	3/4	835.24	3/4	1,197.52	3/4	1,560.16	3/4	1,922.87	3/4	2,285.58	3/4	2,648.28	3/4	3,010.85	3/4	3,373.43
4	117.41	4	480.10	4	842.80	4	1,205.07	4	1,567.72	4	1,930.43	4	2,293.13	4	2,655.84	4	3,018.41	4	3,380.98
1/4	124.97	1/4	487.66	1/4	850.35	1/4	1,212.61	1/4	1,575.28	1/4	1,937.98	1/4	2,300.69	1/4	2,663.39	1/4	3,025.96	1/4	3,388.53
1/2	132.52	1/2	495.22	1/2	857.91	1/2	1,220.15	1/2	1,582.83	1/2	1,945.54	1/2	2,308.25	1/2	2,670.94	1/2	3,033.52	1/2	3,396.09
3/4	140.08	3/4	502.77	3/4	865.46	3/4	1,227.70	3/4	1,590.39	3/4	1,953.10	3/4	2,315.80	3/4	2,678.50	3/4	3,041.07	3/4	3,403.64
5	147.64	5	510.33	5	873.02	5	1,235.24	5	1,597.94	5	1,960.65	5	2,323.36	5	2,686.05	5	3,048.62	5	3,411.20
1/4	155.19	1/4	517.88	1/4	880.58	1/4	1,242.80	1/4	1,605.50	1/4	1,968.21	1/4	2,330.92	1/4	2,693.60	1/4	3,056.18	1/4	3,418.75
1/2	162.75	1/2	525.44	1/2	888.13	1/2	1,250.35	1/2	1,613.06	1/2	1,975.76	1/2	2,338.47	1/2	2,701.16	1/2	3,063.73	1/2	3,426.30
3/4	170.30	3/4	533.00	3/4	895.69	3/4	1,257.91	3/4	1,620.61	3/4	1,983.32	3/4	2,346.03	3/4	2,708.71	3/4	3,071.28	3/4	3,433.86
6	177.86	6	540.55	6	903.25	6	1,265.46	6	1,628.17	6	1,990.88	6	2,353.58	6	2,716.26	6	3,078.84	6	3,441.41
1/4	185.42	1/4	548.11	1/4	910.80	1/4	1,273.02	1/4	1,635.73	1/4	1,998.43	1/4	2,361.14	1/4	2,723.82	1/4	3,086.39	1/4	3,448.96
1/2	192.97	1/2	555.66	1/2	918.36	1/2	1,280.58	1/2	1,643.28	1/2	2,005.99	1/2	2,368.70	1/2	2,731.37	1/2	3,093.94	1/2	3,456.52
3/4	200.53	3/4	563.22	3/4	925.91	3/4	1,288.13	3/4	1,650.84	3/4	2,013.55	3/4	2,376.25	3/4	2,738.93	3/4	3,101.50	3/4	3,464.07
7	208.08	7	570.78	7	933.47	7	1,295.69	7	1,658.40	7	2,021.10	7	2,383.81	7	2,746.48	7	3,109.05	7	3,471.62
1/4	215.64	1/4	578.33	1/4	941.02	1/4	1,303.25	1/4	1,665.95	1/4	2,028.66	1/4	2,391.37	1/4	2,754.03	1/4	3,116.61	1/4	3,479.18
1/2	223.20	1/2	585.89	1/2	948.56	1/2	1,310.80	1/2	1,673.51	1/2	2,036.22	1/2	2,398.92	1/2	2,761.59	1/2	3,124.16	1/2	3,486.73
3/4	230.75	3/4	593.45	3/4	956.11	3/4	1,318.36	3/4	1,681.07	3/4	2,043.77	3/4	2,406.48	3/4	2,769.14	3/4	3,131.71	3/4	3,494.29
8	238.31	8	601.00	8	963.65	8	1,325.91	8	1,688.62	8	2,051.33	8	2,414.04	8	2,776.69	8	3,139.27	8	3,501.84
1/4	245.86	1/4	608.56	1/4	971.20	1/4	1,333.47	1/4	1,696.18	1/4	2,058.89	1/4	2,421.59	1/4	2,784.25	1/4	3,146.82	1/4	3,509.39
1/2	253.42	1/2	616.11	1/2	978.74	1/2	1,341.03	1/2	1,703.73	1/2	2,066.44	1/2	2,429.15	1/2	2,791.80	1/2	3,154.37	1/2	3,516.95
3/4	260.98	3/4	623.67	3/4	986.29	3/4	1,348.58	3/4	1,711.29	3/4	2,074.00	3/4	2,436.71	3/4	2,799.35	3/4	3,161.93	3/4	3,524.50
9	268.53	9	631.23	9	993.83	9	1,356.14	9	1,718.85	9	2,081.55	9	2,444.26	9	2,806.91	9	3,169.48	9	3,532.05
1/4	276.09	1/4	638.78	1/4	1,001.38	1/4	1,363.70	1/4	1,726.40	1/4	2,089.11	1/4	2,451.82	1/4	2,814.46	1/4	3,177.03	1/4	3,539.61
1/2	283.65	1/2	646.34	1/2	1,008.92	1/2	1,371.25	1/2	1,733.96	1/2	2,096.67	1/2	2,459.37	1/2	2,822.01	1/2	3,184.59	1/2	3,547.16
3/4	291.20	3/4	653.89	3/4	1,016.46	3/4	1,378.81	3/4	1,741.52	3/4	2,104.22	3/4	2,466.93	3/4	2,829.57	3/4	3,192.14	3/4	3,554.71
10	298.76	10	661.45	10	1,024.01	10	1,386.37	10	1,749.07	10	2,111.78	10	2,474.49	10	2,837.12	10	3,199.69	10	3,562.27
1/4	306.31	1/4	669.01	1/4	1,031.55	1/4	1,393.92	1/4	1,756.63	1/4	2,119.34	1/4	2,482.04	1/4	2,844.68	1/4	3,207.25	1/4	3,569.82
1/2	313.87	1/2	676.56	1/2	1,039.10	1/2	1,401.48	1/2	1,764.19	1/2	2,126.89	1/2	2,489.60	1/2	2,852.23	1/2	3,214.80	1/2	3,577.37
3/4	321.43	3/4	684.12	3/4	1,046.64	3/4	1,409.03	3/4	1,771.74	3/4	2,134.45	3/4	2,497.16	3/4	2,859.78	3/4	3,222.36	3/4	3,584.93
11	328.98	11	691.67	11	1,054.18	11	1,416.59	11	1,779.30	11	2,142.01	11	2,504.71	11	2,867.34	11	3,229.91	11	3,592.48
1/4	336.54	1/4	699.23	1/4	1,061.73	1/4	1,424.15	1/4	1,786.85	1/4	2,149.56	1/4	2,512.27	1/4	2,874.89	1/4	3,237.46	1/4	3,600.04
1/2	344.09	1/2	706.79	1/2	1,069.27	1/2	1,431.70	1/2	1,794.41	1/2	2,157.12	1/2	2,519.83	1/2	2,882.44	1/2	3,245.02	1/2	3,607.59
3/4	351.65	3/4	714.34	3/4	1,076.82	3/4	1,439.26	3/4	1,801.97	3/4	2,164.67	3/4	2,527.38	3/4	2,890.00	3/4	3,252.57	3/4	3,615.14

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,622.70	0	3,985.27	0	4,347.84	0	4,710.41	0	5,071.51	0		0		0		0		0	
1/4	3,630.25	1/4	3,992.82	1/4	4,355.40	1/4	4,717.97	1/4	5,078.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,637.80	1/2	4,000.38	1/2	4,362.95	1/2	4,725.52	1/2	5,086.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.36	3/4	4,007.93	3/4	4,370.50	3/4	4,733.08	3/4	5,093.88	3/4		3/4		3/4		3/4		3/4	
1	3,652.91	1	4,015.48	1	4,378.06	1	4,740.63	1	5,101.33	1		1		1		1		1	
1/4	3,660.46	1/4	4,023.04	1/4	4,385.61	1/4	4,748.16	1/4	5,108.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.02	1/2	4,030.59	1/2	4,393.16	1/2	4,755.69	1/2	5,116.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,675.57	3/4	4,038.14	3/4	4,400.72	3/4	4,763.22	3/4	5,123.70	3/4		3/4		3/4		3/4		3/4	
2	3,683.13	2	4,045.70	2	4,408.27	2	4,770.76	2	5,131.16	2		2		2		2		2	
1/4	3,690.68	1/4	4,053.25	1/4	4,415.82	1/4	4,778.28	1/4	5,138.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.23	1/2	4,060.81	1/2	4,423.38	1/2	4,785.80	1/2	5,146.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,705.79	3/4	4,068.36	3/4	4,430.93	3/4	4,793.33	3/4	5,153.52	3/4		3/4		3/4		3/4		3/4	
3	3,713.34	3	4,075.91	3	4,438.49	3	4,800.85	3	5,160.98	3		3		3		3		3	
1/4	3,720.89	1/4	4,083.47	1/4	4,446.04	1/4	4,808.38	1/4	5,168.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,728.45	1/2	4,091.02	1/2	4,453.59	1/2	4,815.90	1/2	5,175.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,736.00	3/4	4,098.57	3/4	4,461.15	3/4	4,823.43	3/4	5,183.34	3/4		3/4		3/4		3/4		3/4	
4	3,743.55	4	4,106.13	4	4,468.70	4	4,830.95	4	5,190.80	4		4		4		4		4	
1/4	3,751.11	1/4	4,113.68	1/4	4,476.25	1/4	4,838.48	1/4	5,198.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,758.66	1/2	4,121.23	1/2	4,483.81	1/2	4,846.00	1/2	5,205.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,766.21	3/4	4,128.79	3/4	4,491.36	3/4	4,853.52	3/4	5,213.16	3/4		3/4		3/4		3/4		3/4	
5	3,773.77	5	4,136.34	5	4,498.91	5	4,861.05	5	5,220.62	5		5		5		5		5	
1/4	3,781.32	1/4	4,143.89	1/4	4,506.47	1/4	4,868.57	1/4	5,227.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,788.88	1/2	4,151.45	1/2	4,514.02	1/2	4,876.10	1/2	5,234.43	1/2		1/2		1/2		1/2		1/2	
3/4	3,796.43	3/4	4,159.00	3/4	4,521.57	3/4	4,883.62	3/4	5,241.33	3/4		3/4		3/4		3/4		3/4	
6	3,803.98	6	4,166.56	6	4,529.13	6	4,891.15	6	5,248.23	6		6		6		6		6	
1/4	3,811.54	1/4	4,174.11	1/4	4,536.68	1/4	4,898.67	1/4	5,253.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,819.09	1/2	4,181.66	1/2	4,544.24	1/2	4,906.20	1/2	5,259.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,826.64	3/4	4,189.22	3/4	4,551.79	3/4	4,913.72	3/4	5,265.40	3/4		3/4		3/4		3/4		3/4	
7	3,834.20	7	4,196.77	7	4,559.34	7	4,921.25	7	5,271.13	7		7		7		7		7	
1/4	3,841.75	1/4	4,204.32	1/4	4,566.90	1/4	4,928.77	1/4	5,275.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,849.30	1/2	4,211.88	1/2	4,574.45	1/2	4,936.29	1/2	5,280.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,856.86	3/4	4,219.43	3/4	4,582.00	3/4	4,943.82	3/4	5,284.59	3/4		3/4		3/4		3/4		3/4	
8	3,864.41	8	4,226.98	8	4,589.56	8	4,951.34	8	5,289.08	8		8		8		8		8	
1/4	3,871.97	1/4	4,234.54	1/4	4,597.11	1/4	4,958.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,879.52	1/2	4,242.09	1/2	4,604.66	1/2	4,966.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,887.07	3/4	4,249.65	3/4	4,612.22	3/4	4,973.92	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,894.63	9	4,257.20	9	4,619.77	9	4,981.44	9		9		9		9		9		9	
1/4	3,902.18	1/4	4,264.75	1/4	4,627.33	1/4	4,988.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,909.73	1/2	4,272.31	1/2	4,634.88	1/2	4,996.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,917.29	3/4	4,279.86	3/4	4,642.43	3/4	5,004.02	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,924.84	10	4,287.41	10	4,649.99	10	5,011.55	10		10		10		10		10		10	
1/4	3,932.39	1/4	4,294.97	1/4	4,657.54	1/4	5,019.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,939.95	1/2	4,302.52	1/2	4,665.09	1/2	5,026.60	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,947.50	3/4	4,310.07	3/4	4,672.65	3/4	5,034.13	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,955.05	11	4,317.63	11	4,680.20	11	5,041.66	11		11		11		11		11		11	
1/4	3,962.61	1/4	4,325.18	1/4	4,687.75	1/4	5,049.12	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,970.16	1/2	4,332.73	1/2	4,695.31	1/2	5,056.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,977.72	3/4	4,340.29	3/4	4,702.86	3/4	5,064.05	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.38	0	358.99	0	721.47	0	1,082.78	0	1,444.06	0	1,806.55	0	2,169.04	0	2,531.53	0	2,893.92	0	3,256.28
1/4	25.63	1/4	366.54	1/4	729.02	1/4	1,090.28	1/4	1,451.61	1/4	1,814.10	1/4	2,176.59	1/4	2,539.08	1/4	2,901.47	1/4	3,263.83
1/2	29.87	1/2	374.09	1/2	736.57	1/2	1,097.78	1/2	1,459.16	1/2	1,821.65	1/2	2,184.14	1/2	2,546.63	1/2	2,909.02	1/2	3,271.38
3/4	34.12	3/4	381.65	3/4	744.12	3/4	1,105.28	3/4	1,466.71	3/4	1,829.20	3/4	2,191.69	3/4	2,554.19	3/4	2,916.57	3/4	3,278.93
1	38.37	1	389.20	1	751.67	1	1,112.78	1	1,474.26	1	1,836.76	1	2,199.25	1	2,561.74	1	2,924.12	1	3,286.48
1/4	43.87	1/4	396.75	1/4	759.23	1/4	1,120.28	1/4	1,481.82	1/4	1,844.31	1/4	2,206.80	1/4	2,569.29	1/4	2,931.67	1/4	3,294.02
1/2	49.38	1/2	404.30	1/2	766.78	1/2	1,127.78	1/2	1,489.37	1/2	1,851.86	1/2	2,214.35	1/2	2,576.84	1/2	2,939.22	1/2	3,301.57
3/4	54.88	3/4	411.85	3/4	774.33	3/4	1,135.28	3/4	1,496.92	3/4	1,859.41	3/4	2,221.90	3/4	2,584.39	3/4	2,946.77	3/4	3,309.12
2	60.39	2	419.40	2	781.88	2	1,142.78	2	1,504.47	2	1,866.96	2	2,229.45	2	2,591.95	2	2,954.32	2	3,316.67
1/4	67.15	1/4	426.96	1/4	789.43	1/4	1,150.28	1/4	1,512.02	1/4	1,874.52	1/4	2,237.01	1/4	2,599.50	1/4	2,961.86	1/4	3,324.22
1/2	73.92	1/2	434.51	1/2	796.98	1/2	1,157.78	1/2	1,519.58	1/2	1,882.07	1/2	2,244.56	1/2	2,607.05	1/2	2,969.41	1/2	3,331.77
3/4	80.68	3/4	442.06	3/4	804.54	3/4	1,165.28	3/4	1,527.13	3/4	1,889.62	3/4	2,252.11	3/4	2,614.60	3/4	2,976.96	3/4	3,339.32
3	87.45	3	449.61	3	812.09	3	1,172.78	3	1,534.68	3	1,897.17	3	2,259.66	3	2,622.15	3	2,984.51	3	3,346.87
1/4	94.92	1/4	457.16	1/4	819.64	1/4	1,180.28	1/4	1,542.23	1/4	1,904.72	1/4	2,267.21	1/4	2,629.70	1/4	2,992.06	1/4	3,354.42
1/2	102.39	1/2	464.71	1/2	827.19	1/2	1,187.78	1/2	1,549.78	1/2	1,912.27	1/2	2,274.77	1/2	2,637.25	1/2	2,999.61	1/2	3,361.97
3/4	109.87	3/4	472.27	3/4	834.74	3/4	1,195.28	3/4	1,557.34	3/4	1,919.83	3/4	2,282.32	3/4	2,644.80	3/4	3,007.16	3/4	3,369.52
4	117.34	4	479.82	4	842.29	4	1,202.78	4	1,564.89	4	1,927.38	4	2,289.87	4	2,652.35	4	3,014.71	4	3,377.06
1/4	124.89	1/4	487.37	1/4	849.85	1/4	1,210.29	1/4	1,572.44	1/4	1,934.93	1/4	2,297.42	1/4	2,659.90	1/4	3,022.26	1/4	3,384.61
1/2	132.44	1/2	494.92	1/2	857.40	1/2	1,217.79	1/2	1,579.99	1/2	1,942.48	1/2	2,304.97	1/2	2,667.45	1/2	3,029.81	1/2	3,392.16
3/4	140.00	3/4	502.47	3/4	864.95	3/4	1,225.29	3/4	1,587.54	3/4	1,950.03	3/4	2,312.53	3/4	2,675.00	3/4	3,037.36	3/4	3,399.71
5	147.55	5	510.02	5	872.50	5	1,232.79	5	1,595.09	5	1,957.59	5	2,320.08	5	2,682.55	5	3,044.90	5	3,407.26
1/4	155.10	1/4	517.58	1/4	880.05	1/4	1,240.30	1/4	1,602.65	1/4	1,965.14	1/4	2,327.63	1/4	2,690.10	1/4	3,052.45	1/4	3,414.81
1/2	162.65	1/2	525.13	1/2	887.60	1/2	1,247.81	1/2	1,610.20	1/2	1,972.69	1/2	2,335.18	1/2	2,697.65	1/2	3,060.00	1/2	3,422.36
3/4	170.20	3/4	532.68	3/4	895.16	3/4	1,255.32	3/4	1,617.75	3/4	1,980.24	3/4	2,342.73	3/4	2,705.19	3/4	3,067.55	3/4	3,429.91
6	177.75	6	540.23	6	902.71	6	1,262.83	6	1,625.30	6	1,987.79	6	2,350.28	6	2,712.74	6	3,075.10	6	3,437.46
1/4	185.30	1/4	547.78	1/4	910.22	1/4	1,270.38	1/4	1,632.85	1/4	1,995.35	1/4	2,357.84	1/4	2,720.29	1/4	3,082.65	1/4	3,445.01
1/2	192.86	1/2	555.33	1/2	917.74	1/2	1,277.92	1/2	1,640.41	1/2	2,002.90	1/2	2,365.39	1/2	2,727.84	1/2	3,090.20	1/2	3,452.56
3/4	200.41	3/4	562.88	3/4	925.26	3/4	1,285.47	3/4	1,647.96	3/4	2,010.45	3/4	2,372.94	3/4	2,735.39	3/4	3,097.75	3/4	3,460.11
7	207.96	7	570.44	7	932.77	7	1,293.02	7	1,655.51	7	2,018.00	7	2,380.49	7	2,742.94	7	3,105.30	7	3,467.65
1/4	215.51	1/4	577.99	1/4	940.28	1/4	1,300.57	1/4	1,663.06	1/4	2,025.55	1/4	2,388.04	1/4	2,750.49	1/4	3,112.85	1/4	3,475.20
1/2	223.06	1/2	585.54	1/2	947.78	1/2	1,308.12	1/2	1,670.61	1/2	2,033.11	1/2	2,395.60	1/2	2,758.04	1/2	3,120.40	1/2	3,482.75
3/4	230.61	3/4	593.09	3/4	955.28	3/4	1,315.67	3/4	1,678.17	3/4	2,040.66	3/4	2,403.15	3/4	2,765.59	3/4	3,127.94	3/4	3,490.30
8	238.17	8	600.64	8	962.78	8	1,323.23	8	1,685.72	8	2,048.21	8	2,410.70	8	2,773.14	8	3,135.49	8	3,497.85
1/4	245.72	1/4	608.19	1/4	970.28	1/4	1,330.78	1/4	1,693.27	1/4	2,055.76	1/4	2,418.25	1/4	2,780.69	1/4	3,143.04	1/4	3,505.40
1/2	253.27	1/2	615.75	1/2	977.78	1/2	1,338.33	1/2	1,700.82	1/2	2,063.31	1/2	2,425.80	1/2	2,788.24	1/2	3,150.59	1/2	3,512.95
3/4	260.82	3/4	623.30	3/4	985.28	3/4	1,345.88	3/4	1,708.37	3/4	2,070.86	3/4	2,433.36	3/4	2,795.78	3/4	3,158.14	3/4	3,520.50
9	268.37	9	630.85	9	992.78	9	1,353.43	9	1,715.93	9	2,078.42	9	2,440.91	9	2,803.33	9	3,165.69	9	3,528.05
1/4	275.92	1/4	638.40	1/4	1,000.28	1/4	1,360.99	1/4	1,723.48	1/4	2,085.97	1/4	2,448.46	1/4	2,810.88	1/4	3,173.24	1/4	3,535.60
1/2	283.48	1/2	645.95	1/2	1,007.78	1/2	1,368.54	1/2	1,731.03	1/2	2,093.52	1/2	2,456.01	1/2	2,818.43	1/2	3,180.79	1/2	3,543.15
3/4	291.03	3/4	653.50	3/4	1,015.28	3/4	1,376.09	3/4	1,738.58	3/4	2,101.07	3/4	2,463.56	3/4	2,825.98	3/4	3,188.34	3/4	3,550.69
10	298.58	10	661.06	10	1,022.78	10	1,383.64	10	1,746.13	10	2,108.62	10	2,471.12	10	2,833.53	10	3,195.89	10	3,558.24
1/4	306.13	1/4	668.61	1/4	1,030.28	1/4	1,391.19	1/4	1,753.68	1/4	2,116.18	1/4	2,478.67	1/4	2,841.08	1/4	3,203.44	1/4	3,565.79
1/2	313.68	1/2	676.16	1/2	1,037.78	1/2	1,398.75	1/2	1,761.24	1/2	2,123.73	1/2	2,486.22	1/2	2,848.63	1/2	3,210.98	1/2	3,573.34
3/4	321.23	3/4	683.71	3/4	1,045.28	3/4	1,406.30	3/4	1,768.79	3/4	2,131.28	3/4	2,493.77	3/4	2,856.18	3/4	3,218.53	3/4	3,580.89
11	328.79	11	691.26	11	1,052.78	11	1,413.85	11	1,776.34	11	2,138.83	11	2,501.32	11	2,863.73	11	3,226.08	11	3,588.44
1/4	336.34	1/4	698.81	1/4	1,060.28	1/4	1,421.40	1/4	1,783.89	1/4	2,146.38	1/4	2,508.87	1/4	2,871.28	1/4	3,233.63	1/4	3,595.99
1/2	343.89	1/2	706.37	1/2	1,067.78	1/2	1,428.95	1/2	1,791.44	1/2	2,153.94	1/2	2,516.43	1/2	2,878.82	1/2	3,241.18	1/2	3,603.54
3/4	351.44	3/4	713.92	3/4	1,075.28	3/4	1,436.51	3/4	1,799.00	3/4	2,161.49	3/4	2,523.98	3/4	2,886.37	3/4	3,248.73	3/4	3,611.09

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30112"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,618.64	0	3,980.99	0	4,343.35	0	4,705.71	0	5,066.58	0		0		0		0		0	
1/4	3,626.19	1/4	3,988.54	1/4	4,350.90	1/4	4,713.26	1/4	5,074.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,633.73	1/2	3,996.09	1/2	4,358.45	1/2	4,720.80	1/2	5,081.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,641.28	3/4	4,003.64	3/4	4,366.00	3/4	4,728.35	3/4	5,088.94	3/4		3/4		3/4		3/4		3/4	
1	3,648.83	1	4,011.19	1	4,373.55	1	4,735.90	1	5,096.39	1		1		1		1		1	
1/4	3,656.38	1/4	4,018.74	1/4	4,381.10	1/4	4,743.43	1/4	5,103.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,663.93	1/2	4,026.29	1/2	4,388.64	1/2	4,750.95	1/2	5,111.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,671.48	3/4	4,033.84	3/4	4,396.19	3/4	4,758.48	3/4	5,118.74	3/4		3/4		3/4		3/4		3/4	
2	3,679.03	2	4,041.39	2	4,403.74	2	4,766.00	2	5,126.19	2		2		2		2		2	
1/4	3,686.58	1/4	4,048.93	1/4	4,411.29	1/4	4,773.52	1/4	5,133.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,694.13	1/2	4,056.48	1/2	4,418.84	1/2	4,781.04	1/2	5,141.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,701.68	3/4	4,064.03	3/4	4,426.39	3/4	4,788.56	3/4	5,148.54	3/4		3/4		3/4		3/4		3/4	
3	3,709.23	3	4,071.58	3	4,433.94	3	4,796.08	3	5,155.99	3		3		3		3		3	
1/4	3,716.77	1/4	4,079.13	1/4	4,441.49	1/4	4,803.60	1/4	5,163.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,724.32	1/2	4,086.68	1/2	4,449.04	1/2	4,811.12	1/2	5,170.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,731.87	3/4	4,094.23	3/4	4,456.59	3/4	4,818.64	3/4	5,178.34	3/4		3/4		3/4		3/4		3/4	
4	3,739.42	4	4,101.78	4	4,464.14	4	4,826.16	4	5,185.80	4		4		4		4		4	
1/4	3,746.97	1/4	4,109.33	1/4	4,471.68	1/4	4,833.68	1/4	5,193.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,754.52	1/2	4,116.88	1/2	4,479.23	1/2	4,841.20	1/2	5,200.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,762.07	3/4	4,124.43	3/4	4,486.78	3/4	4,848.72	3/4	5,208.15	3/4		3/4		3/4		3/4		3/4	
5	3,769.62	5	4,131.97	5	4,494.33	5	4,856.24	5	5,215.60	5		5		5		5		5	
1/4	3,777.17	1/4	4,139.52	1/4	4,501.88	1/4	4,863.76	1/4	5,222.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,784.72	1/2	4,147.07	1/2	4,509.43	1/2	4,871.28	1/2	5,229.40	1/2		1/2		1/2		1/2		1/2	
3/4	3,792.27	3/4	4,154.62	3/4	4,516.98	3/4	4,878.80	3/4	5,236.30	3/4		3/4		3/4		3/4		3/4	
6	3,799.81	6	4,162.17	6	4,524.53	6	4,886.32	6	5,243.20	6		6		6		6		6	
1/4	3,807.36	1/4	4,169.72	1/4	4,532.08	1/4	4,893.84	1/4	5,248.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,814.91	1/2	4,177.27	1/2	4,539.63	1/2	4,901.36	1/2	5,254.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,822.46	3/4	4,184.82	3/4	4,547.18	3/4	4,908.88	3/4	5,260.36	3/4		3/4		3/4		3/4		3/4	
7	3,830.01	7	4,192.37	7	4,554.72	7	4,916.40	7	5,266.08	7		7		7		7		7	
1/4	3,837.56	1/4	4,199.92	1/4	4,562.27	1/4	4,923.92	1/4	5,270.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,845.11	1/2	4,207.47	1/2	4,569.82	1/2	4,931.44	1/2	5,275.05	1/2		1/2		1/2		1/2		1/2	
3/4	3,852.66	3/4	4,215.02	3/4	4,577.37	3/4	4,938.96	3/4	5,279.54	3/4		3/4		3/4		3/4		3/4	
8	3,860.21	8	4,222.56	8	4,584.92	8	4,946.48	8	5,284.02	8		8		8		8		8	
1/4	3,867.76	1/4	4,230.11	1/4	4,592.47	1/4	4,954.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,875.31	1/2	4,237.66	1/2	4,600.02	1/2	4,961.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,882.85	3/4	4,245.21	3/4	4,607.57	3/4	4,969.04	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,890.40	9	4,252.76	9	4,615.12	9	4,976.56	9		9		9		9		9		9	
1/4	3,897.95	1/4	4,260.31	1/4	4,622.67	1/4	4,984.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,905.50	1/2	4,267.86	1/2	4,630.22	1/2	4,991.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,913.05	3/4	4,275.41	3/4	4,637.76	3/4	4,999.13	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,920.60	10	4,282.96	10	4,645.31	10	5,006.65	10		10		10		10		10		10	
1/4	3,928.15	1/4	4,290.51	1/4	4,652.86	1/4	5,014.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,935.70	1/2	4,298.06	1/2	4,660.41	1/2	5,021.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,943.25	3/4	4,305.60	3/4	4,667.96	3/4	5,029.22	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,950.80	11	4,313.15	11	4,675.51	11	5,036.74	11		11		11		11		11		11	
1/4	3,958.35	1/4	4,320.70	1/4	4,683.06	1/4	5,044.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,965.89	1/2	4,328.25	1/2	4,690.61	1/2	5,051.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,973.44	3/4	4,335.80	3/4	4,698.16	3/4	5,059.12	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.32	0	357.87	0	719.22	0	1,080.33	0	1,441.44	0	1,802.81	0	2,164.17	0	2,525.53	0	2,886.79	0	3,248.02
1/4	25.55	1/4	365.40	1/4	726.75	1/4	1,087.85	1/4	1,448.97	1/4	1,810.33	1/4	2,171.70	1/4	2,533.06	1/4	2,894.31	1/4	3,255.54
1/2	29.78	1/2	372.93	1/2	734.28	1/2	1,095.37	1/2	1,456.50	1/2	1,817.86	1/2	2,179.23	1/2	2,540.59	1/2	2,901.84	1/2	3,263.07
3/4	34.02	3/4	380.46	3/4	741.81	3/4	1,102.88	3/4	1,464.03	3/4	1,825.39	3/4	2,186.75	3/4	2,548.12	3/4	2,909.36	3/4	3,270.59
1	38.25	1	387.99	1	749.34	1	1,110.40	1	1,471.56	1	1,832.92	1	2,194.28	1	2,555.65	1	2,916.89	1	3,278.12
1/4	43.74	1/4	395.51	1/4	756.86	1/4	1,117.91	1/4	1,479.08	1/4	1,840.45	1/4	2,201.81	1/4	2,563.17	1/4	2,924.42	1/4	3,285.64
1/2	49.23	1/2	403.04	1/2	764.39	1/2	1,125.43	1/2	1,486.61	1/2	1,847.98	1/2	2,209.34	1/2	2,570.70	1/2	2,931.94	1/2	3,293.17
3/4	54.71	3/4	410.57	3/4	771.92	3/4	1,132.95	3/4	1,494.14	3/4	1,855.50	3/4	2,216.87	3/4	2,578.23	3/4	2,939.47	3/4	3,300.70
2	60.20	2	418.10	2	779.45	2	1,140.46	2	1,501.67	2	1,863.03	2	2,224.40	2	2,585.76	2	2,946.99	2	3,308.22
1/4	66.95	1/4	425.63	1/4	786.98	1/4	1,147.98	1/4	1,509.20	1/4	1,870.56	1/4	2,231.92	1/4	2,593.29	1/4	2,954.52	1/4	3,315.75
1/2	73.69	1/2	433.16	1/2	794.50	1/2	1,155.49	1/2	1,516.73	1/2	1,878.09	1/2	2,239.45	1/2	2,600.82	1/2	2,962.04	1/2	3,323.27
3/4	80.43	3/4	440.68	3/4	802.03	3/4	1,163.01	3/4	1,524.26	3/4	1,885.62	3/4	2,246.98	3/4	2,608.34	3/4	2,969.57	3/4	3,330.80
3	87.18	3	448.21	3	809.56	3	1,170.53	3	1,531.78	3	1,893.15	3	2,254.51	3	2,615.87	3	2,977.09	3	3,338.32
1/4	94.63	1/4	455.74	1/4	817.09	1/4	1,178.04	1/4	1,539.31	1/4	1,900.68	1/4	2,262.04	1/4	2,623.40	1/4	2,984.62	1/4	3,345.85
1/2	102.08	1/2	463.27	1/2	824.62	1/2	1,185.56	1/2	1,546.84	1/2	1,908.20	1/2	2,269.57	1/2	2,630.92	1/2	2,992.15	1/2	3,353.37
3/4	109.53	3/4	470.80	3/4	832.14	3/4	1,193.07	3/4	1,554.37	3/4	1,915.73	3/4	2,277.10	3/4	2,638.44	3/4	2,999.67	3/4	3,360.90
4	116.98	4	478.32	4	839.67	4	1,200.59	4	1,561.90	4	1,923.26	4	2,284.62	4	2,645.97	4	3,007.20	4	3,368.43
1/4	124.50	1/4	485.85	1/4	847.20	1/4	1,208.11	1/4	1,569.43	1/4	1,930.79	1/4	2,292.15	1/4	2,653.49	1/4	3,014.72	1/4	3,375.95
1/2	132.03	1/2	493.38	1/2	854.73	1/2	1,215.62	1/2	1,576.95	1/2	1,938.32	1/2	2,299.68	1/2	2,661.02	1/2	3,022.25	1/2	3,383.48
3/4	139.56	3/4	500.91	3/4	862.26	3/4	1,223.14	3/4	1,584.48	3/4	1,945.85	3/4	2,307.21	3/4	2,668.54	3/4	3,029.77	3/4	3,391.00
5	147.09	5	508.44	5	869.79	5	1,230.65	5	1,592.01	5	1,953.37	5	2,314.74	5	2,676.07	5	3,037.30	5	3,398.53
1/4	154.62	1/4	515.96	1/4	877.31	1/4	1,238.18	1/4	1,599.54	1/4	1,960.90	1/4	2,322.27	1/4	2,683.60	1/4	3,044.82	1/4	3,406.05
1/2	162.14	1/2	523.49	1/2	884.84	1/2	1,245.71	1/2	1,607.07	1/2	1,968.43	1/2	2,329.79	1/2	2,691.12	1/2	3,052.35	1/2	3,413.58
3/4	169.67	3/4	531.02	3/4	892.37	3/4	1,253.23	3/4	1,614.60	3/4	1,975.96	3/4	2,337.32	3/4	2,698.65	3/4	3,059.88	3/4	3,421.10
6	177.20	6	538.55	6	899.90	6	1,260.76	6	1,622.12	6	1,983.49	6	2,344.85	6	2,706.17	6	3,067.40	6	3,428.63
1/4	184.73	1/4	546.08	1/4	907.43	1/4	1,268.29	1/4	1,629.65	1/4	1,991.02	1/4	2,352.38	1/4	2,713.70	1/4	3,074.93	1/4	3,436.16
1/2	192.26	1/2	553.61	1/2	914.95	1/2	1,275.82	1/2	1,637.18	1/2	1,998.54	1/2	2,359.91	1/2	2,721.22	1/2	3,082.45	1/2	3,443.68
3/4	199.78	3/4	561.13	3/4	922.48	3/4	1,283.35	3/4	1,644.71	3/4	2,006.07	3/4	2,367.44	3/4	2,728.75	3/4	3,089.98	3/4	3,451.21
7	207.31	7	568.66	7	930.01	7	1,290.87	7	1,652.24	7	2,013.60	7	2,374.96	7	2,736.28	7	3,097.50	7	3,458.73
1/4	214.84	1/4	576.19	1/4	937.53	1/4	1,298.40	1/4	1,659.77	1/4	2,021.13	1/4	2,382.49	1/4	2,743.80	1/4	3,105.03	1/4	3,466.26
1/2	222.37	1/2	583.72	1/2	945.04	1/2	1,305.93	1/2	1,667.29	1/2	2,028.66	1/2	2,390.02	1/2	2,751.33	1/2	3,112.56	1/2	3,473.78
3/4	229.90	3/4	591.25	3/4	952.56	3/4	1,313.46	3/4	1,674.82	3/4	2,036.19	3/4	2,397.55	3/4	2,758.85	3/4	3,120.08	3/4	3,481.31
8	237.42	8	598.77	8	960.08	8	1,320.99	8	1,682.35	8	2,043.71	8	2,405.08	8	2,766.38	8	3,127.61	8	3,488.84
1/4	244.95	1/4	606.30	1/4	967.59	1/4	1,328.52	1/4	1,689.88	1/4	2,051.24	1/4	2,412.61	1/4	2,773.90	1/4	3,135.13	1/4	3,496.36
1/2	252.48	1/2	613.83	1/2	975.11	1/2	1,336.05	1/2	1,697.41	1/2	2,058.77	1/2	2,420.13	1/2	2,781.43	1/2	3,142.66	1/2	3,503.89
3/4	260.01	3/4	621.36	3/4	982.62	3/4	1,343.57	3/4	1,704.94	3/4	2,066.30	3/4	2,427.66	3/4	2,788.95	3/4	3,150.18	3/4	3,511.41
9	267.54	9	628.89	9	990.14	9	1,351.10	9	1,712.47	9	2,073.83	9	2,435.19	9	2,796.48	9	3,157.71	9	3,518.94
1/4	275.07	1/4	636.41	1/4	997.66	1/4	1,358.63	1/4	1,719.99	1/4	2,081.36	1/4	2,442.72	1/4	2,804.01	1/4	3,165.23	1/4	3,526.46
1/2	282.59	1/2	643.94	1/2	1,005.17	1/2	1,366.16	1/2	1,727.52	1/2	2,088.89	1/2	2,450.25	1/2	2,811.53	1/2	3,172.76	1/2	3,533.99
3/4	290.12	3/4	651.47	3/4	1,012.69	3/4	1,373.69	3/4	1,735.05	3/4	2,096.41	3/4	2,457.78	3/4	2,819.06	3/4	3,180.29	3/4	3,541.51
10	297.65	10	659.00	10	1,020.20	10	1,381.22	10	1,742.58	10	2,103.94	10	2,465.31	10	2,826.58	10	3,187.81	10	3,549.04
1/4	305.18	1/4	666.53	1/4	1,027.72	1/4	1,388.74	1/4	1,750.11	1/4	2,111.47	1/4	2,472.83	1/4	2,834.11	1/4	3,195.34	1/4	3,556.57
1/2	312.71	1/2	674.05	1/2	1,035.24	1/2	1,396.27	1/2	1,757.64	1/2	2,119.00	1/2	2,480.36	1/2	2,841.63	1/2	3,202.86	1/2	3,564.09
3/4	320.23	3/4	681.58	3/4	1,042.75	3/4	1,403.80	3/4	1,765.16	3/4	2,126.53	3/4	2,487.89	3/4	2,849.16	3/4	3,210.39	3/4	3,571.62
11	327.76	11	689.11	11	1,050.27	11	1,411.33	11	1,772.69	11	2,134.06	11	2,495.42	11	2,856.68	11	3,217.91	11	3,579.14
1/4	335.29	1/4	696.64	1/4	1,057.78	1/4	1,418.86	1/4	1,780.22	1/4	2,141.58	1/4	2,502.95	1/4	2,864.21	1/4	3,225.44	1/4	3,586.67
1/2	342.82	1/2	704.17	1/2	1,065.30	1/2	1,426.39	1/2	1,787.75	1/2	2,149.11	1/2	2,510.48	1/2	2,871.74	1/2	3,232.96	1/2	3,594.19
3/4	350.35	3/4	711.70	3/4	1,072.82	3/4	1,433.91	3/4	1,795.28	3/4	2,156.64	3/4	2,518.00	3/4	2,879.26	3/4	3,240.49	3/4	3,601.72

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	3,609.24	0	3,970.47	0	4,331.70	0	4,692.93	0	5,052.66	0		0		0		0		0	
1/4	3,616.77	1/4	3,978.00	1/4	4,339.23	1/4	4,700.46	1/4	5,060.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,624.30	1/2	3,985.52	1/2	4,346.75	1/2	4,707.98	1/2	5,067.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,631.82	3/4	3,993.05	3/4	4,354.28	3/4	4,715.51	3/4	5,074.95	3/4		3/4		3/4		3/4		3/4	
1	3,639.35	1	4,000.58	1	4,361.80	1	4,723.03	1	5,082.37	1		1		1		1		1	
1/4	3,646.87	1/4	4,008.10	1/4	4,369.33	1/4	4,730.53	1/4	5,089.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,654.40	1/2	4,015.63	1/2	4,376.86	1/2	4,738.03	1/2	5,097.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,661.92	3/4	4,023.15	3/4	4,384.38	3/4	4,745.53	3/4	5,104.65	3/4		3/4		3/4		3/4		3/4	
2	3,669.45	2	4,030.68	2	4,391.91	2	4,753.03	2	5,112.08	2		2		2		2		2	
1/4	3,676.98	1/4	4,038.20	1/4	4,399.43	1/4	4,760.52	1/4	5,119.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,684.50	1/2	4,045.73	1/2	4,406.96	1/2	4,768.02	1/2	5,126.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.03	3/4	4,053.26	3/4	4,414.48	3/4	4,775.52	3/4	5,134.36	3/4		3/4		3/4		3/4		3/4	
3	3,699.55	3	4,060.78	3	4,422.01	3	4,783.01	3	5,141.79	3		3		3		3		3	
1/4	3,707.08	1/4	4,068.31	1/4	4,429.54	1/4	4,790.51	1/4	5,149.22	1/4		1/4		1/4		1/4		1/4	
1/2	3,714.60	1/2	4,075.83	1/2	4,437.06	1/2	4,798.01	1/2	5,156.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,722.13	3/4	4,083.36	3/4	4,444.59	3/4	4,805.50	3/4	5,164.07	3/4		3/4		3/4		3/4		3/4	
4	3,729.65	4	4,090.88	4	4,452.11	4	4,813.00	4	5,171.50	4		4		4		4		4	
1/4	3,737.18	1/4	4,098.41	1/4	4,459.64	1/4	4,820.50	1/4	5,178.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,744.71	1/2	4,105.93	1/2	4,467.16	1/2	4,827.99	1/2	5,186.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,752.23	3/4	4,113.46	3/4	4,474.69	3/4	4,835.49	3/4	5,193.78	3/4		3/4		3/4		3/4		3/4	
5	3,759.76	5	4,120.99	5	4,482.21	5	4,842.99	5	5,201.21	5		5		5		5		5	
1/4	3,767.28	1/4	4,128.51	1/4	4,489.74	1/4	4,850.48	1/4	5,208.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,774.81	1/2	4,136.04	1/2	4,497.27	1/2	4,857.98	1/2	5,214.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,782.33	3/4	4,143.56	3/4	4,504.79	3/4	4,865.47	3/4	5,221.84	3/4		3/4		3/4		3/4		3/4	
6	3,789.86	6	4,151.09	6	4,512.32	6	4,872.97	6	5,228.72	6		6		6		6		6	
1/4	3,797.38	1/4	4,158.61	1/4	4,519.84	1/4	4,880.47	1/4	5,234.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,804.91	1/2	4,166.14	1/2	4,527.37	1/2	4,887.96	1/2	5,240.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,812.44	3/4	4,173.66	3/4	4,534.89	3/4	4,895.46	3/4	5,245.82	3/4		3/4		3/4		3/4		3/4	
7	3,819.96	7	4,181.19	7	4,542.42	7	4,902.96	7	5,251.52	7		7		7		7		7	
1/4	3,827.49	1/4	4,188.72	1/4	4,549.94	1/4	4,910.45	1/4	5,256.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,835.01	1/2	4,196.24	1/2	4,557.47	1/2	4,917.95	1/2	5,260.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,842.54	3/4	4,203.77	3/4	4,565.00	3/4	4,925.45	3/4	5,264.94	3/4		3/4		3/4		3/4		3/4	
8	3,850.06	8	4,211.29	8	4,572.52	8	4,932.94	8	5,269.41	8		8		8		8		8	
1/4	3,857.59	1/4	4,218.82	1/4	4,580.05	1/4	4,940.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,865.12	1/2	4,226.34	1/2	4,587.57	1/2	4,947.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,872.64	3/4	4,233.87	3/4	4,595.10	3/4	4,955.43	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,880.17	9	4,241.40	9	4,602.62	9	4,962.93	9		9		9		9		9		9	
1/4	3,887.69	1/4	4,248.92	1/4	4,610.15	1/4	4,970.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,895.22	1/2	4,256.45	1/2	4,617.68	1/2	4,977.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,902.74	3/4	4,263.97	3/4	4,625.20	3/4	4,985.42	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,910.27	10	4,271.50	10	4,632.73	10	4,992.92	10		10		10		10		10		10	
1/4	3,917.79	1/4	4,279.02	1/4	4,640.25	1/4	5,000.42	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,925.32	1/2	4,286.55	1/2	4,647.78	1/2	5,007.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,932.85	3/4	4,294.07	3/4	4,655.30	3/4	5,015.42	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,940.37	11	4,301.60	11	4,662.83	11	5,022.92	11		11		11		11		11		11	
1/4	3,947.90	1/4	4,309.13	1/4	4,670.35	1/4	5,030.36	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,955.42	1/2	4,316.65	1/2	4,677.88	1/2	5,037.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,962.95	3/4	4,324.18	3/4	4,685.41	3/4	5,045.23	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHNAGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.33	0	358.09	0	719.65	0	1,073.20	0	1,426.40	0	1,787.98	0	2,149.55	0	2,511.12	0	2,872.62	0	3,234.06
1/4	25.56	1/4	365.62	1/4	727.19	1/4	1,080.39	1/4	1,433.93	1/4	1,795.51	1/4	2,157.08	1/4	2,518.66	1/4	2,880.15	1/4	3,241.59
1/2	29.80	1/2	373.15	1/2	734.72	1/2	1,087.57	1/2	1,441.47	1/2	1,803.04	1/2	2,164.62	1/2	2,526.19	1/2	2,887.68	1/2	3,249.12
3/4	34.04	3/4	380.69	3/4	742.25	3/4	1,094.76	3/4	1,449.00	3/4	1,810.57	3/4	2,172.15	3/4	2,533.72	3/4	2,895.21	3/4	3,256.65
1	38.27	1	388.22	1	749.78	1	1,101.95	1	1,456.53	1	1,818.11	1	2,179.68	1	2,541.26	1	2,902.74	1	3,264.18
1/4	43.76	1/4	395.75	1/4	757.32	1/4	1,109.14	1/4	1,464.07	1/4	1,825.64	1/4	2,187.21	1/4	2,548.79	1/4	2,910.27	1/4	3,271.71
1/2	49.26	1/2	403.28	1/2	764.85	1/2	1,116.33	1/2	1,471.60	1/2	1,833.17	1/2	2,194.75	1/2	2,556.32	1/2	2,917.80	1/2	3,279.24
3/4	54.75	3/4	410.82	3/4	772.38	3/4	1,123.52	3/4	1,479.13	3/4	1,840.71	3/4	2,202.28	3/4	2,563.85	3/4	2,925.33	3/4	3,286.77
2	60.24	2	418.35	2	779.91	2	1,130.71	2	1,486.66	2	1,848.24	2	2,209.81	2	2,571.39	2	2,932.86	2	3,294.30
1/4	66.99	1/4	425.88	1/4	787.45	1/4	1,137.90	1/4	1,494.20	1/4	1,855.77	1/4	2,217.35	1/4	2,578.92	1/4	2,940.39	1/4	3,301.83
1/2	73.73	1/2	433.41	1/2	794.98	1/2	1,145.09	1/2	1,501.73	1/2	1,863.30	1/2	2,224.88	1/2	2,586.45	1/2	2,947.92	1/2	3,309.36
3/4	80.48	3/4	440.95	3/4	802.51	3/4	1,152.28	3/4	1,509.26	3/4	1,870.84	3/4	2,232.41	3/4	2,593.99	3/4	2,955.45	3/4	3,316.89
3	87.23	3	448.48	3	810.04	3	1,159.47	3	1,516.79	3	1,878.37	3	2,239.94	3	2,601.52	3	2,962.98	3	3,324.42
1/4	94.68	1/4	456.01	1/4	817.58	1/4	1,166.66	1/4	1,524.33	1/4	1,885.90	1/4	2,247.48	1/4	2,609.05	1/4	2,970.51	1/4	3,331.95
1/2	102.14	1/2	463.55	1/2	825.11	1/2	1,173.85	1/2	1,531.86	1/2	1,893.43	1/2	2,255.01	1/2	2,616.59	1/2	2,978.04	1/2	3,339.48
3/4	109.59	3/4	471.08	3/4	832.64	3/4	1,181.04	3/4	1,539.39	3/4	1,900.97	3/4	2,262.54	3/4	2,624.12	3/4	2,985.57	3/4	3,347.01
4	117.05	4	478.61	4	840.18	4	1,188.22	4	1,546.93	4	1,908.50	4	2,270.07	4	2,631.65	4	2,992.10	4	3,354.54
1/4	124.58	1/4	486.14	1/4	847.71	1/4	1,195.41	1/4	1,554.46	1/4	1,916.03	1/4	2,277.61	1/4	2,639.18	1/4	3,000.63	1/4	3,362.07
1/2	132.11	1/2	493.68	1/2	855.24	1/2	1,202.60	1/2	1,561.99	1/2	1,923.57	1/2	2,285.14	1/2	2,646.71	1/2	3,008.16	1/2	3,369.60
3/4	139.64	3/4	501.21	3/4	862.77	3/4	1,209.79	3/4	1,569.52	3/4	1,931.10	3/4	2,292.67	3/4	2,654.24	3/4	3,015.69	3/4	3,377.13
5	147.18	5	508.74	5	870.31	5	1,216.98	5	1,577.06	5	1,938.63	5	2,300.21	5	2,661.77	5	3,023.22	5	3,384.66
1/4	154.71	1/4	516.27	1/4	877.84	1/4	1,224.18	1/4	1,584.59	1/4	1,946.16	1/4	2,307.74	1/4	2,669.30	1/4	3,030.75	1/4	3,392.19
1/2	162.24	1/2	523.81	1/2	885.37	1/2	1,231.38	1/2	1,592.12	1/2	1,953.70	1/2	2,315.27	1/2	2,676.83	1/2	3,038.28	1/2	3,399.72
3/4	169.77	3/4	531.34	3/4	892.90	3/4	1,238.58	3/4	1,599.66	3/4	1,961.23	3/4	2,322.80	3/4	2,684.36	3/4	3,045.81	3/4	3,407.25
6	177.31	6	538.87	6	900.44	6	1,245.78	6	1,607.19	6	1,968.76	6	2,330.34	6	2,691.89	6	3,053.34	6	3,414.78
1/4	184.84	1/4	546.40	1/4	907.68	1/4	1,253.27	1/4	1,614.72	1/4	1,976.30	1/4	2,337.87	1/4	2,699.42	1/4	3,060.87	1/4	3,422.31
1/2	192.37	1/2	553.94	1/2	914.92	1/2	1,260.76	1/2	1,622.25	1/2	1,983.83	1/2	2,345.40	1/2	2,706.95	1/2	3,068.40	1/2	3,429.84
3/4	199.90	3/4	561.47	3/4	922.16	3/4	1,268.25	3/4	1,629.79	3/4	1,991.36	3/4	2,352.94	3/4	2,714.48	3/4	3,075.93	3/4	3,437.37
7	207.44	7	569.00	7	929.40	7	1,275.75	7	1,637.32	7	1,998.89	7	2,360.47	7	2,722.01	7	3,083.46	7	3,444.90
1/4	214.97	1/4	576.53	1/4	936.59	1/4	1,283.28	1/4	1,644.85	1/4	2,006.43	1/4	2,368.00	1/4	2,729.54	1/4	3,090.99	1/4	3,452.43
1/2	222.50	1/2	584.07	1/2	943.79	1/2	1,290.81	1/2	1,652.39	1/2	2,013.96	1/2	2,375.53	1/2	2,737.07	1/2	3,098.52	1/2	3,459.96
3/4	230.03	3/4	591.60	3/4	950.98	3/4	1,298.34	3/4	1,659.92	3/4	2,021.49	3/4	2,383.07	3/4	2,744.60	3/4	3,106.05	3/4	3,467.49
8	237.57	8	599.13	8	958.17	8	1,305.88	8	1,667.45	8	2,029.03	8	2,390.60	8	2,752.13	8	3,113.58	8	3,475.02
1/4	245.10	1/4	606.66	1/4	965.36	1/4	1,313.41	1/4	1,674.98	1/4	2,036.56	1/4	2,398.13	1/4	2,759.66	1/4	3,121.11	1/4	3,482.55
1/2	252.63	1/2	614.20	1/2	972.55	1/2	1,320.94	1/2	1,682.52	1/2	2,044.09	1/2	2,405.67	1/2	2,767.19	1/2	3,128.64	1/2	3,490.08
3/4	260.17	3/4	621.73	3/4	979.74	3/4	1,328.47	3/4	1,690.05	3/4	2,051.62	3/4	2,413.20	3/4	2,774.72	3/4	3,136.17	3/4	3,497.61
9	267.70	9	629.26	9	986.92	9	1,336.01	9	1,697.58	9	2,059.16	9	2,420.73	9	2,782.25	9	3,143.70	9	3,505.14
1/4	275.23	1/4	636.80	1/4	994.11	1/4	1,343.54	1/4	1,705.11	1/4	2,066.69	1/4	2,428.26	1/4	2,789.78	1/4	3,151.23	1/4	3,512.67
1/2	282.76	1/2	644.33	1/2	1,001.30	1/2	1,351.07	1/2	1,712.65	1/2	2,074.22	1/2	2,435.80	1/2	2,797.31	1/2	3,158.76	1/2	3,520.20
3/4	290.30	3/4	651.86	3/4	1,008.49	3/4	1,358.61	3/4	1,720.18	3/4	2,081.75	3/4	2,443.33	3/4	2,804.84	3/4	3,166.29	3/4	3,527.73
10	297.83	10	659.39	10	1,015.68	10	1,366.14	10	1,727.71	10	2,089.29	10	2,450.86	10	2,812.37	10	3,173.82	10	3,535.26
1/4	305.36	1/4	666.93	1/4	1,022.87	1/4	1,373.67	1/4	1,735.25	1/4	2,096.82	1/4	2,458.39	1/4	2,819.90	1/4	3,181.35	1/4	3,542.79
1/2	312.89	1/2	674.46	1/2	1,030.06	1/2	1,381.20	1/2	1,742.78	1/2	2,104.35	1/2	2,465.93	1/2	2,827.43	1/2	3,188.88	1/2	3,550.32
3/4	320.43	3/4	681.99	3/4	1,037.25	3/4	1,388.74	3/4	1,750.31	3/4	2,111.89	3/4	2,473.46	3/4	2,834.97	3/4	3,196.41	3/4	3,557.85
11	327.96	11	689.52	11	1,044.44	11	1,396.27	11	1,757.84	11	2,119.42	11	2,480.99	11	2,842.50	11	3,203.94	11	3,565.38
1/4	335.49	1/4	697.06	1/4	1,051.63	1/4	1,403.80	1/4	1,765.38	1/4	2,126.95	1/4	2,488.53	1/4	2,850.03	1/4	3,211.47	1/4	3,572.91
1/2	343.02	1/2	704.59	1/2	1,058.82	1/2	1,411.34	1/2	1,772.91	1/2	2,134.48	1/2	2,496.06	1/2	2,857.56	1/2	3,219.00	1/2	3,580.44
3/4	350.56	3/4	712.12	3/4	1,066.01	3/4	1,418.87	3/4	1,780.44	3/4	2,142.02	3/4	2,503.59	3/4	2,865.09	3/4	3,226.53	3/4	3,587.98

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,595.51	0	3,956.95	0	4,318.39	0	4,679.84	0	5,039.79	0		0		0		0		0	
1/4	3,603.04	1/4	3,964.48	1/4	4,325.92	1/4	4,687.37	1/4	5,047.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,610.57	1/2	3,972.01	1/2	4,333.45	1/2	4,694.90	1/2	5,054.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,618.10	3/4	3,979.54	3/4	4,340.99	3/4	4,702.43	3/4	5,062.09	3/4		3/4		3/4		3/4		3/4	
1	3,625.63	1	3,987.07	1	4,348.52	1	4,709.96	1	5,069.52	1		1		1		1		1	
1/4	3,633.16	1/4	3,994.60	1/4	4,356.05	1/4	4,717.46	1/4	5,076.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,640.69	1/2	4,002.13	1/2	4,363.58	1/2	4,724.97	1/2	5,084.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.22	3/4	4,009.66	3/4	4,371.11	3/4	4,732.47	3/4	5,091.82	3/4		3/4		3/4		3/4		3/4	
2	3,655.75	2	4,017.19	2	4,378.64	2	4,739.98	2	5,099.25	2		2		2		2		2	
1/4	3,663.28	1/4	4,024.72	1/4	4,386.17	1/4	4,747.48	1/4	5,106.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,670.81	1/2	4,032.25	1/2	4,393.70	1/2	4,754.98	1/2	5,114.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,678.34	3/4	4,039.78	3/4	4,401.23	3/4	4,762.48	3/4	5,121.54	3/4		3/4		3/4		3/4		3/4	
3	3,685.87	3	4,047.31	3	4,408.76	3	4,769.98	3	5,128.98	3		3		3		3		3	
1/4	3,693.40	1/4	4,054.84	1/4	4,416.29	1/4	4,777.48	1/4	5,136.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,700.93	1/2	4,062.37	1/2	4,423.82	1/2	4,784.98	1/2	5,143.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,708.46	3/4	4,069.90	3/4	4,431.35	3/4	4,792.48	3/4	5,151.27	3/4		3/4		3/4		3/4		3/4	
4	3,715.99	4	4,077.43	4	4,438.88	4	4,799.99	4	5,158.70	4		4		4		4		4	
1/4	3,723.52	1/4	4,084.96	1/4	4,446.41	1/4	4,807.49	1/4	5,166.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.05	1/2	4,092.49	1/2	4,453.94	1/2	4,814.99	1/2	5,173.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.58	3/4	4,100.02	3/4	4,461.47	3/4	4,822.49	3/4	5,181.00	3/4		3/4		3/4		3/4		3/4	
5	3,746.11	5	4,107.55	5	4,469.00	5	4,829.99	5	5,188.43	5		5		5		5		5	
1/4	3,753.64	1/4	4,115.08	1/4	4,476.53	1/4	4,837.49	1/4	5,195.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,761.17	1/2	4,122.61	1/2	4,484.06	1/2	4,844.99	1/2	5,202.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,768.70	3/4	4,130.14	3/4	4,491.59	3/4	4,852.49	3/4	5,209.07	3/4		3/4		3/4		3/4		3/4	
6	3,776.23	6	4,137.67	6	4,499.12	6	4,859.99	6	5,215.96	6		6		6		6		6	
1/4	3,783.76	1/4	4,145.20	1/4	4,506.65	1/4	4,867.49	1/4	5,221.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,791.29	1/2	4,152.73	1/2	4,514.18	1/2	4,875.00	1/2	5,227.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.82	3/4	4,160.26	3/4	4,521.71	3/4	4,882.50	3/4	5,233.07	3/4		3/4		3/4		3/4		3/4	
7	3,806.35	7	4,167.79	7	4,529.24	7	4,890.00	7	5,238.77	7		7		7		7		7	
1/4	3,813.88	1/4	4,175.32	1/4	4,536.77	1/4	4,897.50	1/4	5,243.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,821.41	1/2	4,182.85	1/2	4,544.30	1/2	4,905.00	1/2	5,247.72	1/2		1/2		1/2		1/2		1/2	
3/4	3,828.94	3/4	4,190.38	3/4	4,551.83	3/4	4,912.50	3/4	5,252.20	3/4		3/4		3/4		3/4		3/4	
8	3,836.47	8	4,197.91	8	4,559.36	8	4,920.00	8	5,256.67	8		8		8		8		8	
1/4	3,844.00	1/4	4,205.44	1/4	4,566.89	1/4	4,927.50	1/4	5,261.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,851.53	1/2	4,212.97	1/2	4,574.42	1/2	4,935.00	1/2	5,265.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,859.06	3/4	4,220.50	3/4	4,581.95	3/4	4,942.50	3/4	5,270.10	3/4		3/4		3/4		3/4		3/4	
9	3,866.59	9	4,228.03	9	4,589.48	9	4,950.01	9	5,274.57	9		9		9		9		9	
1/4	3,874.12	1/4	4,235.56	1/4	4,597.01	1/4	4,957.51	1/4	5,279.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,881.65	1/2	4,243.09	1/2	4,604.54	1/2	4,965.01	1/2	5,283.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,889.18	3/4	4,250.62	3/4	4,612.07	3/4	4,972.51	3/4	5,288.00	3/4		3/4		3/4		3/4		3/4	
10	3,896.71	10	4,258.15	10	4,619.60	10	4,980.02	10	5,292.47	10		10		10		10		10	
1/4	3,904.24	1/4	4,265.68	1/4	4,627.13	1/4	4,987.52	1/4	5,296.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,911.77	1/2	4,273.21	1/2	4,634.66	1/2	4,995.02	1/2	5,301.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,919.30	3/4	4,280.74	3/4	4,642.19	3/4	5,002.53	3/4	5,305.90	3/4		3/4		3/4		3/4		3/4	
11	3,926.83	11	4,288.27	11	4,649.72	11	5,010.03	11	5,310.37	11		11		11		11		11	
1/4	3,934.36	1/4	4,295.80	1/4	4,657.25	1/4	5,017.47	1/4	5,314.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,941.89	1/2	4,303.33	1/2	4,664.78	1/2	5,024.91	1/2	5,319.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,949.42	3/4	4,310.86	3/4	4,672.31	3/4	5,032.35	3/4	5,323.80	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.24	0	356.51	0	716.47	0	1,076.23	0	1,436.04	0	1,796.02	0	2,155.97	0	2,515.86	0	2,875.57	0	3,234.39
1/4	25.45	1/4	364.01	1/4	723.97	1/4	1,083.72	1/4	1,443.54	1/4	1,803.52	1/4	2,163.47	1/4	2,523.36	1/4	2,883.05	1/4	3,241.83
1/2	29.67	1/2	371.50	1/2	731.47	1/2	1,091.21	1/2	1,451.04	1/2	1,811.02	1/2	2,170.97	1/2	2,530.86	1/2	2,890.53	1/2	3,249.28
3/4	33.89	3/4	379.00	3/4	738.97	3/4	1,098.70	3/4	1,458.54	3/4	1,818.52	3/4	2,178.46	3/4	2,538.35	3/4	2,898.02	3/4	3,256.73
1	38.11	1	386.50	1	746.46	1	1,106.19	1	1,466.04	1	1,826.01	1	2,185.96	1	2,545.85	1	2,905.50	1	3,264.18
1/4	43.57	1/4	394.00	1/4	753.96	1/4	1,113.68	1/4	1,473.54	1/4	1,833.51	1/4	2,193.46	1/4	2,553.35	1/4	2,912.98	1/4	3,271.63
1/2	49.04	1/2	401.50	1/2	761.46	1/2	1,121.17	1/2	1,481.04	1/2	1,841.01	1/2	2,200.96	1/2	2,560.85	1/2	2,920.47	1/2	3,279.08
3/4	54.51	3/4	409.00	3/4	768.96	3/4	1,128.66	3/4	1,488.54	3/4	1,848.51	3/4	2,208.45	3/4	2,568.34	3/4	2,927.95	3/4	3,286.53
2	59.98	2	416.50	2	776.46	2	1,136.15	2	1,496.04	2	1,856.01	2	2,215.95	2	2,575.84	2	2,935.43	2	3,293.98
1/4	66.69	1/4	424.00	1/4	783.96	1/4	1,143.64	1/4	1,503.54	1/4	1,863.51	1/4	2,223.45	1/4	2,583.34	1/4	2,942.92	1/4	3,301.43
1/2	73.41	1/2	431.50	1/2	791.46	1/2	1,151.13	1/2	1,511.04	1/2	1,871.01	1/2	2,230.95	1/2	2,590.84	1/2	2,950.40	1/2	3,308.88
3/4	80.13	3/4	439.00	3/4	798.96	3/4	1,158.62	3/4	1,518.54	3/4	1,878.51	3/4	2,238.45	3/4	2,598.33	3/4	2,957.89	3/4	3,316.33
3	86.85	3	446.50	3	806.46	3	1,166.11	3	1,526.03	3	1,886.01	3	2,245.94	3	2,605.83	3	2,965.37	3	3,323.78
1/4	94.27	1/4	454.00	1/4	813.96	1/4	1,173.60	1/4	1,533.53	1/4	1,893.51	1/4	2,253.44	1/4	2,613.33	1/4	2,972.85	1/4	3,331.24
1/2	101.69	1/2	461.49	1/2	821.46	1/2	1,181.09	1/2	1,541.03	1/2	1,901.01	1/2	2,260.94	1/2	2,620.83	1/2	2,980.34	1/2	3,338.70
3/4	109.11	3/4	468.99	3/4	828.96	3/4	1,188.58	3/4	1,548.53	3/4	1,908.51	3/4	2,268.44	3/4	2,628.32	3/4	2,987.82	3/4	3,346.17
4	116.53	4	476.49	4	836.45	4	1,196.07	4	1,556.03	4	1,916.01	4	2,275.93	4	2,635.82	4	2,995.30	4	3,353.63
1/4	124.03	1/4	483.99	1/4	843.95	1/4	1,203.57	1/4	1,563.53	1/4	1,923.51	1/4	2,283.43	1/4	2,643.32	1/4	3,002.79	1/4	3,361.10
1/2	131.53	1/2	491.49	1/2	851.45	1/2	1,211.06	1/2	1,571.03	1/2	1,931.01	1/2	2,290.93	1/2	2,650.81	1/2	3,010.27	1/2	3,368.56
3/4	139.03	3/4	498.99	3/4	858.95	3/4	1,218.56	3/4	1,578.53	3/4	1,938.51	3/4	2,298.43	3/4	2,658.31	3/4	3,017.75	3/4	3,376.03
5	146.53	5	506.49	5	866.45	5	1,226.06	5	1,586.03	5	1,946.01	5	2,305.92	5	2,665.81	5	3,025.24	5	3,383.49
1/4	154.03	1/4	513.99	1/4	873.95	1/4	1,233.56	1/4	1,593.53	1/4	1,953.51	1/4	2,313.42	1/4	2,673.30	1/4	3,032.72	1/4	3,390.96
1/2	161.53	1/2	521.49	1/2	881.45	1/2	1,241.05	1/2	1,601.03	1/2	1,961.01	1/2	2,320.92	1/2	2,680.80	1/2	3,040.20	1/2	3,398.42
3/4	169.03	3/4	528.99	3/4	888.95	3/4	1,248.55	3/4	1,608.53	3/4	1,968.51	3/4	2,328.42	3/4	2,688.30	3/4	3,047.69	3/4	3,405.89
6	176.53	6	536.49	6	896.45	6	1,256.05	6	1,616.03	6	1,976.00	6	2,335.92	6	2,695.79	6	3,055.17	6	3,413.35
1/4	184.02	1/4	543.99	1/4	903.94	1/4	1,263.55	1/4	1,623.53	1/4	1,983.50	1/4	2,343.41	1/4	2,703.29	1/4	3,062.66	1/4	3,420.82
1/2	191.52	1/2	551.49	1/2	911.44	1/2	1,271.05	1/2	1,631.03	1/2	1,991.00	1/2	2,350.91	1/2	2,710.79	1/2	3,070.14	1/2	3,428.28
3/4	199.02	3/4	558.98	3/4	918.93	3/4	1,278.55	3/4	1,638.53	3/4	1,998.50	3/4	2,358.41	3/4	2,718.28	3/4	3,077.62	3/4	3,435.75
7	206.52	7	566.48	7	926.43	7	1,286.05	7	1,646.03	7	2,006.00	7	2,365.91	7	2,725.78	7	3,085.11	7	3,443.21
1/4	214.02	1/4	573.98	1/4	933.92	1/4	1,293.55	1/4	1,653.53	1/4	2,013.50	1/4	2,373.40	1/4	2,733.27	1/4	3,092.59	1/4	3,450.68
1/2	221.52	1/2	581.48	1/2	941.41	1/2	1,301.05	1/2	1,661.03	1/2	2,021.00	1/2	2,380.90	1/2	2,740.77	1/2	3,100.07	1/2	3,458.14
3/4	229.02	3/4	588.98	3/4	948.90	3/4	1,308.55	3/4	1,668.53	3/4	2,028.50	3/4	2,388.40	3/4	2,748.27	3/4	3,107.56	3/4	3,465.61
8	236.52	8	596.48	8	956.39	8	1,316.05	8	1,676.02	8	2,036.00	8	2,395.90	8	2,755.76	8	3,115.04	8	3,473.07
1/4	244.02	1/4	603.98	1/4	963.88	1/4	1,323.55	1/4	1,683.52	1/4	2,043.50	1/4	2,403.39	1/4	2,763.26	1/4	3,122.52	1/4	3,480.54
1/2	251.52	1/2	611.48	1/2	971.37	1/2	1,331.05	1/2	1,691.02	1/2	2,051.00	1/2	2,410.89	1/2	2,770.76	1/2	3,130.01	1/2	3,488.00
3/4	259.02	3/4	618.98	3/4	978.86	3/4	1,338.55	3/4	1,698.52	3/4	2,058.50	3/4	2,418.39	3/4	2,778.26	3/4	3,137.49	3/4	3,495.47
9	266.52	9	626.48	9	986.35	9	1,346.05	9	1,706.02	9	2,066.00	9	2,425.89	9	2,785.76	9	3,144.98	9	3,502.93
1/4	274.01	1/4	633.98	1/4	993.84	1/4	1,353.55	1/4	1,713.52	1/4	2,073.50	1/4	2,433.39	1/4	2,793.24	1/4	3,152.43	1/4	3,507.39
1/2	281.51	1/2	641.48	1/2	1,001.33	1/2	1,361.05	1/2	1,721.02	1/2	2,080.99	1/2	2,440.88	1/2	2,800.73	1/2	3,159.88	1/2	3,511.86
3/4	289.01	3/4	648.97	3/4	1,008.82	3/4	1,368.55	3/4	1,728.52	3/4	2,088.49	3/4	2,448.38	3/4	2,808.21	3/4	3,167.34	3/4	3,516.32
10	296.51	10	656.47	10	1,016.31	10	1,376.04	10	1,736.02	10	2,095.99	10	2,455.88	10	2,815.70	10	3,174.79	10	3,520.78
1/4	304.01	1/4	663.97	1/4	1,023.80	1/4	1,383.54	1/4	1,743.52	1/4	2,103.49	1/4	2,463.38	1/4	2,823.18	1/4	3,182.24	1/4	3,524.82
1/2	311.51	1/2	671.47	1/2	1,031.29	1/2	1,391.04	1/2	1,751.02	1/2	2,110.98	1/2	2,470.87	1/2	2,830.66	1/2	3,189.69	1/2	3,528.85
3/4	319.01	3/4	678.97	3/4	1,038.78	3/4	1,398.54	3/4	1,758.52	3/4	2,118.48	3/4	2,478.37	3/4	2,838.15	3/4	3,197.14	3/4	3,532.89
11	326.51	11	686.47	11	1,046.27	11	1,406.04	11	1,766.02	11	2,125.98	11	2,485.87	11	2,845.63	11	3,204.59	11	3,536.92
1/4	334.01	1/4	693.97	1/4	1,053.76	1/4	1,413.54	1/4	1,773.52	1/4	2,133.48	1/4	2,493.37	1/4	2,853.11	1/4	3,212.04	1/4	3,540.96
1/2	341.51	1/2	701.47	1/2	1,061.25	1/2	1,421.04	1/2	1,781.02	1/2	2,140.98	1/2	2,500.86	1/2	2,860.60	1/2	3,219.49	1/2	3,544.99
3/4	349.01	3/4	708.97	3/4	1,068.74	3/4	1,428.54	3/4	1,788.52	3/4	2,148.47	3/4	2,508.36	3/4	2,868.08	3/4	3,226.94	3/4	3,549.03

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 55'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,553.06	0	3,746.74	0	3,940.42	0	4,134.10	0	4,327.01	0		0		0		0		0	
1/4	3,557.10	1/4	3,750.78	1/4	3,944.46	1/4	4,138.14	1/4	4,330.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,561.13	1/2	3,754.81	1/2	3,948.49	1/2	4,142.17	1/2	4,334.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,565.17	3/4	3,758.85	3/4	3,952.53	3/4	4,146.21	3/4	4,338.96	3/4		3/4		3/4		3/4		3/4	
1	3,569.20	1	3,762.88	1	3,956.56	1	4,150.24	1	4,342.94	1		1		1		1		1	
1/4	3,573.24	1/4	3,766.92	1/4	3,960.60	1/4	4,154.27	1/4	4,346.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,577.27	1/2	3,770.95	1/2	3,964.63	1/2	4,158.29	1/2	4,350.90	1/2		1/2		1/2		1/2		1/2	
3/4	3,581.31	3/4	3,774.99	3/4	3,968.67	3/4	4,162.31	3/4	4,354.89	3/4		3/4		3/4		3/4		3/4	
2	3,585.34	2	3,779.02	2	3,972.70	2	4,166.33	2	4,358.87	2		2		2		2		2	
1/4	3,589.38	1/4	3,783.06	1/4	3,976.74	1/4	4,170.35	1/4	4,362.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,593.41	1/2	3,787.09	1/2	3,980.77	1/2	4,174.37	1/2	4,366.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,597.45	3/4	3,791.13	3/4	3,984.81	3/4	4,178.39	3/4	4,370.81	3/4		3/4		3/4		3/4		3/4	
3	3,601.48	3	3,795.16	3	3,988.84	3	4,182.41	3	4,374.80	3		3		3		3		3	
1/4	3,605.52	1/4	3,799.20	1/4	3,992.88	1/4	4,186.43	1/4	4,378.78	1/4		1/4		1/4		1/4		1/4	
1/2	3,609.55	1/2	3,803.23	1/2	3,996.91	1/2	4,190.45	1/2	4,382.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,613.59	3/4	3,807.27	3/4	4,000.95	3/4	4,194.47	3/4	4,386.74	3/4		3/4		3/4		3/4		3/4	
4	3,617.62	4	3,811.30	4	4,004.98	4	4,198.49	4	4,390.72	4		4		4		4		4	
1/4	3,621.66	1/4	3,815.34	1/4	4,009.02	1/4	4,202.51	1/4	4,394.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,625.69	1/2	3,819.37	1/2	4,013.05	1/2	4,206.53	1/2	4,398.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,629.73	3/4	3,823.41	3/4	4,017.09	3/4	4,210.55	3/4	4,402.67	3/4		3/4		3/4		3/4		3/4	
5	3,633.76	5	3,827.44	5	4,021.12	5	4,214.57	5	4,406.65	5		5		5		5		5	
1/4	3,637.80	1/4	3,831.48	1/4	4,025.16	1/4	4,218.59	1/4	4,410.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,641.83	1/2	3,835.51	1/2	4,029.19	1/2	4,222.61	1/2	4,413.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.87	3/4	3,839.55	3/4	4,033.23	3/4	4,226.63	3/4	4,416.96	3/4		3/4		3/4		3/4		3/4	
6	3,649.90	6	3,843.58	6	4,037.26	6	4,230.66	6	4,420.39	6		6		6		6		6	
1/4	3,653.94	1/4	3,847.62	1/4	4,041.30	1/4	4,234.68	1/4	4,422.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,657.97	1/2	3,851.65	1/2	4,045.33	1/2	4,238.70	1/2	4,424.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,662.01	3/4	3,855.69	3/4	4,049.37	3/4	4,242.72	3/4	4,427.19	3/4		3/4		3/4		3/4		3/4	
7	3,666.04	7	3,859.72	7	4,053.40	7	4,246.74	7	4,429.45	7		7		7		7		7	
1/4	3,670.08	1/4	3,863.76	1/4	4,057.44	1/4	4,250.76	1/4	4,430.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,674.11	1/2	3,867.79	1/2	4,061.47	1/2	4,254.78	1/2	4,431.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,678.15	3/4	3,871.83	3/4	4,065.51	3/4	4,258.80	3/4	4,432.53	3/4		3/4		3/4		3/4		3/4	
8	3,682.18	8	3,875.86	8	4,069.54	8	4,262.82	8	4,433.56	8		8		8		8		8	
1/4	3,686.22	1/4	3,879.90	1/4	4,073.58	1/4	4,266.84	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,690.25	1/2	3,883.93	1/2	4,077.61	1/2	4,270.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,694.29	3/4	3,887.97	3/4	4,081.65	3/4	4,274.88	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,698.32	9	3,892.00	9	4,085.68	9	4,278.90	9		9		9		9		9		9	
1/4	3,702.36	1/4	3,896.04	1/4	4,089.72	1/4	4,282.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,706.39	1/2	3,900.07	1/2	4,093.75	1/2	4,286.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,710.43	3/4	3,904.11	3/4	4,097.79	3/4	4,290.96	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,714.46	10	3,908.14	10	4,101.82	10	4,294.98	10		10		10		10		10		10	
1/4	3,718.50	1/4	3,912.18	1/4	4,105.86	1/4	4,299.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,722.53	1/2	3,916.21	1/2	4,109.89	1/2	4,303.02	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,726.57	3/4	3,920.25	3/4	4,113.93	3/4	4,307.04	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,730.60	11	3,924.28	11	4,117.96	11	4,311.06	11		11		11		11		11		11	
1/4	3,734.64	1/4	3,928.32	1/4	4,122.00	1/4	4,315.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,738.67	1/2	3,932.35	1/2	4,126.03	1/2	4,319.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,742.71	3/4	3,936.39	3/4	4,130.07	3/4	4,323.02	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.24	0	355.99	0	715.39	0	1,063.25	0	1,416.07	0	1,774.85	0	2,134.13	0	2,493.35	0	2,852.38	0	3,210.35
1/4	25.45	1/4	363.48	1/4	722.88	1/4	1,070.40	1/4	1,423.49	1/4	1,782.33	1/4	2,141.61	1/4	2,500.83	1/4	2,859.85	1/4	3,217.78
1/2	29.67	1/2	370.96	1/2	730.37	1/2	1,077.55	1/2	1,430.92	1/2	1,789.82	1/2	2,149.10	1/2	2,508.31	1/2	2,867.32	1/2	3,225.22
3/4	33.89	3/4	378.45	3/4	737.86	3/4	1,084.70	3/4	1,438.34	3/4	1,797.31	3/4	2,156.58	3/4	2,515.80	3/4	2,874.79	3/4	3,232.65
1	38.11	1	385.94	1	745.34	1	1,091.85	1	1,445.76	1	1,804.79	1	2,164.06	1	2,523.28	1	2,882.26	1	3,240.09
1/4	43.56	1/4	393.43	1/4	752.83	1/4	1,099.00	1/4	1,453.19	1/4	1,812.28	1/4	2,171.55	1/4	2,530.76	1/4	2,889.72	1/4	3,247.52
1/2	49.02	1/2	400.91	1/2	760.32	1/2	1,106.15	1/2	1,460.61	1/2	1,819.76	1/2	2,179.03	1/2	2,538.25	1/2	2,897.18	1/2	3,254.96
3/4	54.48	3/4	408.40	3/4	767.81	3/4	1,113.30	3/4	1,468.04	3/4	1,827.25	3/4	2,186.51	3/4	2,545.73	3/4	2,904.65	3/4	3,262.39
2	59.94	2	415.89	2	775.29	2	1,120.45	2	1,475.46	2	1,834.73	2	2,194.00	2	2,553.22	2	2,912.11	2	3,269.83
1/4	66.63	1/4	423.38	1/4	782.78	1/4	1,127.60	1/4	1,482.94	1/4	1,842.22	1/4	2,201.48	1/4	2,560.70	1/4	2,919.57	1/4	3,277.27
1/2	73.33	1/2	430.86	1/2	790.27	1/2	1,134.75	1/2	1,490.42	1/2	1,849.70	1/2	2,208.97	1/2	2,568.18	1/2	2,927.03	1/2	3,284.70
3/4	80.03	3/4	438.35	3/4	797.76	3/4	1,141.90	3/4	1,497.89	3/4	1,857.19	3/4	2,216.45	3/4	2,575.67	3/4	2,934.50	3/4	3,292.14
3	86.73	3	445.84	3	805.24	3	1,149.05	3	1,505.37	3	1,864.67	3	2,223.93	3	2,583.15	3	2,941.96	3	3,299.57
1/4	94.14	1/4	453.33	1/4	812.48	1/4	1,156.45	1/4	1,512.86	1/4	1,872.16	1/4	2,231.42	1/4	2,590.63	1/4	2,949.42	1/4	3,307.02
1/2	101.54	1/2	460.81	1/2	819.72	1/2	1,163.85	1/2	1,520.34	1/2	1,879.65	1/2	2,238.90	1/2	2,598.12	1/2	2,956.88	1/2	3,314.47
3/4	108.95	3/4	468.30	3/4	826.96	3/4	1,171.25	3/4	1,527.83	3/4	1,887.13	3/4	2,246.38	3/4	2,605.60	3/4	2,964.35	3/4	3,321.92
4	116.36	4	475.79	4	834.20	4	1,178.65	4	1,535.31	4	1,894.62	4	2,253.87	4	2,613.08	4	2,971.81	4	3,329.37
1/4	123.85	1/4	483.28	1/4	841.38	1/4	1,186.05	1/4	1,542.80	1/4	1,902.10	1/4	2,261.35	1/4	2,620.57	1/4	2,979.27	1/4	3,336.82
1/2	131.35	1/2	490.77	1/2	848.56	1/2	1,193.46	1/2	1,550.28	1/2	1,909.59	1/2	2,268.84	1/2	2,628.05	1/2	2,986.73	1/2	3,344.27
3/4	138.84	3/4	498.25	3/4	855.74	3/4	1,200.87	3/4	1,557.77	3/4	1,917.07	3/4	2,276.32	3/4	2,635.53	3/4	2,994.19	3/4	3,351.72
5	146.33	5	505.74	5	862.92	5	1,208.28	5	1,565.25	5	1,924.56	5	2,283.80	5	2,643.01	5	3,001.66	5	3,359.17
1/4	153.82	1/4	513.23	1/4	870.09	1/4	1,215.69	1/4	1,572.74	1/4	1,932.04	1/4	2,291.29	1/4	2,650.50	1/4	3,009.12	1/4	3,366.62
1/2	161.31	1/2	520.72	1/2	877.27	1/2	1,223.09	1/2	1,580.23	1/2	1,939.53	1/2	2,298.77	1/2	2,657.98	1/2	3,016.58	1/2	3,374.07
3/4	168.80	3/4	528.20	3/4	884.45	3/4	1,230.50	3/4	1,587.71	3/4	1,947.02	3/4	2,306.25	3/4	2,665.46	3/4	3,024.04	3/4	3,381.52
6	176.29	6	535.69	6	891.62	6	1,237.91	6	1,595.20	6	1,954.50	6	2,313.74	6	2,672.94	6	3,031.50	6	3,388.97
1/4	183.77	1/4	543.18	1/4	898.78	1/4	1,245.33	1/4	1,602.68	1/4	1,961.99	1/4	2,321.22	1/4	2,680.43	1/4	3,038.97	1/4	3,396.43
1/2	191.26	1/2	550.67	1/2	905.93	1/2	1,252.75	1/2	1,610.17	1/2	1,969.47	1/2	2,328.70	1/2	2,687.91	1/2	3,046.43	1/2	3,403.88
3/4	198.75	3/4	558.15	3/4	913.09	3/4	1,260.17	3/4	1,617.65	3/4	1,976.96	3/4	2,336.19	3/4	2,695.39	3/4	3,053.89	3/4	3,411.33
7	206.24	7	565.64	7	920.25	7	1,267.59	7	1,625.14	7	1,984.44	7	2,343.67	7	2,702.87	7	3,061.35	7	3,418.78
1/4	213.72	1/4	573.13	1/4	927.40	1/4	1,275.02	1/4	1,632.62	1/4	1,991.93	1/4	2,351.16	1/4	2,710.36	1/4	3,068.82	1/4	3,426.23
1/2	221.21	1/2	580.62	1/2	934.55	1/2	1,282.44	1/2	1,640.11	1/2	1,999.41	1/2	2,358.64	1/2	2,717.84	1/2	3,076.29	1/2	3,433.68
3/4	228.70	3/4	588.10	3/4	941.70	3/4	1,289.86	3/4	1,647.60	3/4	2,006.90	3/4	2,366.12	3/4	2,725.32	3/4	3,083.76	3/4	3,441.13
8	236.19	8	595.59	8	948.85	8	1,297.29	8	1,655.08	8	2,014.38	8	2,373.61	8	2,732.80	8	3,091.23	8	3,448.58
1/4	243.67	1/4	603.08	1/4	956.00	1/4	1,304.71	1/4	1,662.57	1/4	2,021.87	1/4	2,381.09	1/4	2,740.29	1/4	3,098.70	1/4	3,456.03
1/2	251.16	1/2	610.57	1/2	963.15	1/2	1,312.14	1/2	1,670.05	1/2	2,029.35	1/2	2,388.57	1/2	2,747.77	1/2	3,106.17	1/2	3,463.48
3/4	258.65	3/4	618.05	3/4	970.30	3/4	1,319.56	3/4	1,677.54	3/4	2,036.84	3/4	2,396.06	3/4	2,755.25	3/4	3,113.64	3/4	3,470.93
9	266.14	9	625.54	9	977.45	9	1,326.98	9	1,685.02	9	2,044.32	9	2,403.54	9	2,762.74	9	3,121.10	9	3,478.39
1/4	273.62	1/4	633.03	1/4	984.60	1/4	1,334.41	1/4	1,692.51	1/4	2,051.81	1/4	2,411.03	1/4	2,770.21	1/4	3,128.54	1/4	3,482.84
1/2	281.11	1/2	640.52	1/2	991.75	1/2	1,341.83	1/2	1,699.99	1/2	2,059.29	1/2	2,418.51	1/2	2,777.68	1/2	3,135.98	1/2	3,487.29
3/4	288.60	3/4	648.00	3/4	998.90	3/4	1,349.25	3/4	1,707.48	3/4	2,066.78	3/4	2,425.99	3/4	2,785.15	3/4	3,143.42	3/4	3,491.74
10	296.09	10	655.49	10	1,006.05	10	1,356.68	10	1,714.96	10	2,074.26	10	2,433.48	10	2,792.62	10	3,150.86	10	3,496.19
1/4	303.58	1/4	662.98	1/4	1,013.20	1/4	1,364.10	1/4	1,722.45	1/4	2,081.74	1/4	2,440.96	1/4	2,800.09	1/4	3,158.30	1/4	3,500.21
1/2	311.06	1/2	670.47	1/2	1,020.35	1/2	1,371.53	1/2	1,729.94	1/2	2,089.23	1/2	2,448.44	1/2	2,807.56	1/2	3,165.73	1/2	3,504.23
3/4	318.55	3/4	677.96	3/4	1,027.50	3/4	1,378.95	3/4	1,737.42	3/4	2,096.71	3/4	2,455.93	3/4	2,815.03	3/4	3,173.17	3/4	3,508.25
11	326.04	11	685.44	11	1,034.65	11	1,386.37	11	1,744.91	11	2,104.19	11	2,463.41	11	2,822.50	11	3,180.61	11	3,512.27
1/4	333.53	1/4	692.93	1/4	1,041.80	1/4	1,393.80	1/4	1,752.39	1/4	2,111.68	1/4	2,470.90	1/4	2,829.97	1/4	3,188.04	1/4	3,516.29
1/2	341.01	1/2	700.42	1/2	1,048.95	1/2	1,401.22	1/2	1,759.88	1/2	2,119.16	1/2	2,478.38	1/2	2,837.44	1/2	3,195.48	1/2	3,520.31
3/4	348.50	3/4	707.91	3/4	1,056.10	3/4	1,408.65	3/4	1,767.36	3/4	2,126.64	3/4	2,485.86	3/4	2,844.91	3/4	3,202.91	3/4	3,524.33

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 4" DIAMETER STANDPIPE.
 GAUGE POINT: (4" PIPE) LOCATED 10'-06" OFF CENTERLINE AND 55'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 16'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,528.35	0	3,721.36	0	3,914.37	0	4,107.38	0	4,299.61	0		0		0		0		0	
1/4	3,532.37	1/4	3,725.38	1/4	3,918.39	1/4	4,111.40	1/4	4,303.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,536.40	1/2	3,729.40	1/2	3,922.41	1/2	4,115.42	1/2	4,307.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,540.42	3/4	3,733.42	3/4	3,926.43	3/4	4,119.44	3/4	4,311.52	3/4		3/4		3/4		3/4		3/4	
1	3,544.44	1	3,737.45	1	3,930.45	1	4,123.46	1	4,315.48	1		1		1		1		1	
1/4	3,548.46	1/4	3,741.47	1/4	3,934.47	1/4	4,127.47	1/4	4,319.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,552.48	1/2	3,745.49	1/2	3,938.50	1/2	4,131.48	1/2	4,323.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,556.50	3/4	3,749.51	3/4	3,942.52	3/4	4,135.48	3/4	4,327.39	3/4		3/4		3/4		3/4		3/4	
2	3,560.52	2	3,753.53	2	3,946.54	2	4,139.49	2	4,331.36	2		2		2		2		2	
1/4	3,564.54	1/4	3,757.55	1/4	3,950.56	1/4	4,143.50	1/4	4,335.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,568.56	1/2	3,761.57	1/2	3,954.58	1/2	4,147.50	1/2	4,339.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,572.58	3/4	3,765.59	3/4	3,958.60	3/4	4,151.51	3/4	4,343.26	3/4		3/4		3/4		3/4		3/4	
3	3,576.61	3	3,769.61	3	3,962.62	3	4,155.52	3	4,347.23	3		3		3		3		3	
1/4	3,580.63	1/4	3,773.63	1/4	3,966.64	1/4	4,159.52	1/4	4,351.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,584.65	1/2	3,777.66	1/2	3,970.66	1/2	4,163.53	1/2	4,355.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,588.67	3/4	3,781.68	3/4	3,974.68	3/4	4,167.54	3/4	4,359.13	3/4		3/4		3/4		3/4		3/4	
4	3,592.69	4	3,785.70	4	3,978.71	4	4,171.54	4	4,363.10	4		4		4		4		4	
1/4	3,596.71	1/4	3,789.72	1/4	3,982.73	1/4	4,175.55	1/4	4,367.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,600.73	1/2	3,793.74	1/2	3,986.75	1/2	4,179.55	1/2	4,371.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,604.75	3/4	3,797.76	3/4	3,990.77	3/4	4,183.56	3/4	4,375.00	3/4		3/4		3/4		3/4		3/4	
5	3,608.77	5	3,801.78	5	3,994.79	5	4,187.57	5	4,378.97	5		5		5		5		5	
1/4	3,612.79	1/4	3,805.80	1/4	3,998.81	1/4	4,191.57	1/4	4,382.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,616.82	1/2	3,809.82	1/2	4,002.83	1/2	4,195.58	1/2	4,385.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.84	3/4	3,813.84	3/4	4,006.85	3/4	4,199.59	3/4	4,389.24	3/4		3/4		3/4		3/4		3/4	
6	3,624.86	6	3,817.87	6	4,010.87	6	4,203.59	6	4,392.66	6		6		6		6		6	
1/4	3,628.88	1/4	3,821.89	1/4	4,014.89	1/4	4,207.60	1/4	4,394.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.90	1/2	3,825.91	1/2	4,018.92	1/2	4,211.61	1/2	4,397.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.92	3/4	3,829.93	3/4	4,022.94	3/4	4,215.61	3/4	4,399.41	3/4		3/4		3/4		3/4		3/4	
7	3,640.94	7	3,833.95	7	4,026.96	7	4,219.62	7	4,401.66	7		7		7		7		7	
1/4	3,644.96	1/4	3,837.97	1/4	4,030.98	1/4	4,223.62	1/4	4,402.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.98	1/2	3,841.99	1/2	4,035.00	1/2	4,227.63	1/2	4,403.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,653.00	3/4	3,846.01	3/4	4,039.02	3/4	4,231.64	3/4	4,404.70	3/4		3/4		3/4		3/4		3/4	
8	3,657.03	8	3,850.03	8	4,043.04	8	4,235.64	8	4,405.71	8		8		8		8		8	
1/4	3,661.05	1/4	3,854.05	1/4	4,047.06	1/4	4,239.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,665.07	1/2	3,858.08	1/2	4,051.08	1/2	4,243.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,669.09	3/4	3,862.10	3/4	4,055.10	3/4	4,247.66	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,673.11	9	3,866.12	9	4,059.13	9	4,251.67	9		9		9		9		9		9	
1/4	3,677.13	1/4	3,870.14	1/4	4,063.15	1/4	4,255.68	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,681.15	1/2	3,874.16	1/2	4,067.17	1/2	4,259.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,685.17	3/4	3,878.18	3/4	4,071.19	3/4	4,263.69	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,689.19	10	3,882.20	10	4,075.21	10	4,267.70	10		10		10		10		10		10	
1/4	3,693.21	1/4	3,886.22	1/4	4,079.23	1/4	4,271.70	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,697.24	1/2	3,890.24	1/2	4,083.25	1/2	4,275.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,701.26	3/4	3,894.26	3/4	4,087.27	3/4	4,279.71	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,705.28	11	3,898.29	11	4,091.29	11	4,283.72	11		11		11		11		11		11	
1/4	3,709.30	1/4	3,902.31	1/4	4,095.31	1/4	4,287.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,713.32	1/2	3,906.33	1/2	4,099.34	1/2	4,291.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,717.34	3/4	3,910.35	3/4	4,103.36	3/4	4,295.64	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 10/10/2012 CL - SW
CALCULATED: 10/11/2012 CL
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

INNAGE TRIM TABLE
FORMERLY "ALLISON JANE"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-3/8	02-3/8	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-3/8	02-3/8	- 02-7/8	02-7/8	- 03-1/2	03-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 253'-03"

March 29, 2023

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30112"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0		0		0		0	5,146.06	0	4,785.80	0	4,423.38	0	4,060.80	0	3,698.23	0	3,335.66	0	2,973.08		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,138.61	1/4	4,778.28	1/4	4,415.82	1/4	4,053.25	1/4	3,690.68	1/4	3,328.10	1/4	2,965.53		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,131.15	1/2	4,770.75	1/2	4,408.27	1/2	4,045.70	1/2	3,683.12	1/2	3,320.55	1/2	2,957.98		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,123.70	3/4	4,763.22	3/4	4,400.72	3/4	4,038.14	3/4	3,675.57	3/4	3,313.00	3/4	2,950.42		
1		1		1		1	5,116.24	1	4,755.69	1	4,393.16	1	4,030.59	1	3,668.02	1	3,305.44	1	2,942.87		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,108.79	1/4	4,748.16	1/4	4,385.61	1/4	4,023.04	1/4	3,660.46	1/4	3,297.89	1/4	2,935.32		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,101.33	1/2	4,740.63	1/2	4,378.05	1/2	4,015.48	1/2	3,652.91	1/2	3,290.34	1/2	2,927.76		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,093.88	3/4	4,733.07	3/4	4,370.50	3/4	4,007.93	3/4	3,645.36	3/4	3,282.78	3/4	2,920.21		
2		2		2		2	5,086.42	2	4,725.52	2	4,362.95	2	4,000.37	2	3,637.80	2	3,275.23	2	2,912.66		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,078.97	1/4	4,717.97	1/4	4,355.39	1/4	3,992.82	1/4	3,630.25	1/4	3,267.68	1/4	2,905.10		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,071.51	1/2	4,710.41	1/2	4,347.84	1/2	3,985.27	1/2	3,622.69	1/2	3,260.12	1/2	2,897.55		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,064.05	3/4	4,702.86	3/4	4,340.29	3/4	3,977.71	3/4	3,615.14	3/4	3,252.57	3/4	2,890.00		
3		3		3		3	5,056.58	3	4,695.31	3	4,332.73	3	3,970.16	3	3,607.59	3	3,245.01	3	2,882.44		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,049.12	1/4	4,687.75	1/4	4,325.18	1/4	3,962.61	1/4	3,600.03	1/4	3,237.46	1/4	2,874.89		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,041.65	1/2	4,680.20	1/2	4,317.63	1/2	3,955.05	1/2	3,592.48	1/2	3,229.91	1/2	2,867.33		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,034.13	3/4	4,672.64	3/4	4,310.07	3/4	3,947.50	3/4	3,584.93	3/4	3,222.35	3/4	2,859.78		
4		4		4		4	5,026.60	4	4,665.09	4	4,302.52	4	3,939.95	4	3,577.37	4	3,214.80	4	2,852.23		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,019.07	1/4	4,657.54	1/4	4,294.96	1/4	3,932.39	1/4	3,569.82	1/4	3,207.25	1/4	2,844.67		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,011.55	1/2	4,649.98	1/2	4,287.41	1/2	3,924.84	1/2	3,562.27	1/2	3,199.69	1/2	2,837.12		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,004.02	3/4	4,642.43	3/4	4,279.86	3/4	3,917.28	3/4	3,554.71	3/4	3,192.14	3/4	2,829.57		
5		5		5		5	4,996.49	5	4,634.88	5	4,272.30	5	3,909.73	5	3,547.16	5	3,184.59	5	2,822.01		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,988.97	1/4	4,627.32	1/4	4,264.75	1/4	3,902.18	1/4	3,539.60	1/4	3,177.03	1/4	2,814.46		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,981.44	1/2	4,619.77	1/2	4,257.20	1/2	3,894.62	1/2	3,532.05	1/2	3,169.48	1/2	2,806.91		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,973.91	3/4	4,612.22	3/4	4,249.64	3/4	3,887.07	3/4	3,524.50	3/4	3,161.92	3/4	2,799.35		
6		6		6		6	4,966.39	6	4,604.66	6	4,242.09	6	3,879.52	6	3,516.94	6	3,154.37	6	2,791.80		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,958.87	1/4	4,597.11	1/4	4,234.54	1/4	3,871.96	1/4	3,509.39	1/4	3,146.82	1/4	2,784.24		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,289.08	1/2	4,951.34	1/2	4,589.56	1/2	4,226.98	1/2	3,864.41	1/2	3,501.84	1/2	3,139.26	1/2	2,776.69
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,284.59	3/4	4,943.82	3/4	4,582.00	3/4	4,219.43	3/4	3,856.86	3/4	3,494.28	3/4	3,131.71	3/4	2,769.14
7		7		7		7	5,280.10	7	4,936.29	7	4,574.45	7	4,211.88	7	3,849.30	7	3,486.73	7	3,124.16	7	2,761.58
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,275.61	1/4	4,928.77	1/4	4,566.89	1/4	4,204.32	1/4	3,841.75	1/4	3,479.18	1/4	3,116.60	1/4	2,754.03
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,271.13	1/2	4,921.24	1/2	4,559.34	1/2	4,196.77	1/2	3,834.20	1/2	3,471.62	1/2	3,109.05	1/2	2,746.48
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,265.40	3/4	4,913.72	3/4	4,551.79	3/4	4,189.21	3/4	3,826.64	3/4	3,464.07	3/4	3,101.50	3/4	2,738.92
8		8		8		8	5,259.68	8	4,906.19	8	4,544.23	8	4,181.66	8	3,819.09	8	3,456.52	8	3,093.94	8	2,731.37
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,253.96	1/4	4,898.67	1/4	4,536.68	1/4	4,174.11	1/4	3,811.53	1/4	3,448.96	1/4	3,086.39	1/4	2,723.82
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,248.23	1/2	4,891.15	1/2	4,529.13	1/2	4,166.55	1/2	3,803.98	1/2	3,441.41	1/2	3,078.84	1/2	2,716.26
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,241.33	3/4	4,883.62	3/4	4,521.57	3/4	4,159.00	3/4	3,796.43	3/4	3,433.85	3/4	3,071.28	3/4	2,708.71
9		9		9		9	5,234.43	9	4,876.10	9	4,514.02	9	4,151.45	9	3,788.87	9	3,426.30	9	3,063.73	9	2,701.16
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,227.52	1/4	4,868.57	1/4	4,506.47	1/4	4,143.89	1/4	3,781.32	1/4	3,418.75	1/4	3,056.17	1/4	2,693.60
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,220.62	1/2	4,861.05	1/2	4,498.91	1/2	4,136.34	1/2	3,773.77	1/2	3,411.19	1/2	3,048.62	1/2	2,686.05
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,213.16	3/4	4,853.52	3/4	4,491.36	3/4	4,128.79	3/4	3,766.21	3/4	3,403.64	3/4	3,041.07	3/4	2,678.49
10		10		10		10	5,205.71	10	4,846.00	10	4,483.80	10	4,121.23	10	3,758.66	10	3,396.09	10	3,033.51	10	2,670.94
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,198.25	1/4	4,838.47	1/4	4,476.25	1/4	4,113.68	1/4	3,751.11	1/4	3,388.53	1/4	3,025.96	1/4	2,663.39
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,190.80	1/2	4,830.95	1/2	4,468.70	1/2	4,106.12	1/2	3,743.55	1/2	3,380.98	1/2	3,018.41	1/2	2,655.83
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,183.34	3/4	4,823.42	3/4	4,461.14	3/4	4,098.57	3/4	3,736.00	3/4	3,373.43	3/4	3,010.85	3/4	2,648.28
11		11		11		11	5,175.89	11	4,815.90	11	4,453.59	11	4,091.02	11	3,728.44	11	3,365.87	11	3,003.30	11	2,640.72
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,168.43	1/4	4,808.38	1/4	4,446.04	1/4	4,083.46	1/4	3,720.89	1/4	3,358.32	1/4	2,995.75	1/4	2,633.17
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,160.98	1/2	4,800.85	1/2	4,438.48	1/2	4,075.91	1/2	3,713.34	1/2	3,350.76	1/2	2,988.19	1/2	2,625.61
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,153.52	3/4	4,793.33	3/4	4,430.93	3/4	4,068.36	3/4	3,705.78	3/4	3,343.21	3/4	2,980.64	3/4	2,618.06

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).

GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 39'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30112"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,610.50	0	2,247.79	0	1,885.09	0	1,522.38	0	1,159.80	0	797.46	0	434.76	0	73.96	0		0	
1/4	2,602.94	1/4	2,240.24	1/4	1,877.53	1/4	1,514.82	1/4	1,152.26	1/4	789.90	1/4	427.21	1/4	67.19	1/4		1/4	
1/2	2,595.39	1/2	2,232.68	1/2	1,869.97	1/2	1,507.27	1/2	1,144.71	1/2	782.35	1/2	419.65	1/2	60.42	1/2		1/2	
3/4	2,587.83	3/4	2,225.12	3/4	1,862.42	3/4	1,499.71	3/4	1,137.17	3/4	774.79	3/4	412.10	3/4	54.92	3/4		3/4	
1	2,580.27	1	2,217.57	1	1,854.86	1	1,492.15	1	1,129.62	1	767.23	1	404.54	1	49.41	1		1	
1/4	2,572.72	1/4	2,210.01	1/4	1,847.30	1/4	1,484.60	1/4	1,122.08	1/4	759.68	1/4	396.98	1/4	43.90	1/4		1/4	
1/2	2,565.16	1/2	2,202.45	1/2	1,839.75	1/2	1,477.04	1/2	1,114.53	1/2	752.12	1/2	389.43	1/2	38.39	1/2		1/2	
3/4	2,557.61	3/4	2,194.90	3/4	1,832.19	3/4	1,469.48	3/4	1,106.99	3/4	744.57	3/4	381.87	3/4	34.14	3/4		3/4	
2	2,550.05	2	2,187.34	2	1,824.63	2	1,461.93	2	1,099.45	2	737.01	2	374.32	2	29.89	2		2	
1/4	2,542.49	1/4	2,179.79	1/4	1,817.08	1/4	1,454.37	1/4	1,091.90	1/4	729.45	1/4	366.76	1/4	25.64	1/4		1/4	
1/2	2,534.94	1/2	2,172.23	1/2	1,809.52	1/2	1,446.81	1/2	1,084.36	1/2	721.90	1/2	359.20	1/2	21.39	1/2		1/2	
3/4	2,527.38	3/4	2,164.67	3/4	1,801.97	3/4	1,439.26	3/4	1,076.81	3/4	714.34	3/4	351.65	3/4		3/4		3/4	
3	2,519.82	3	2,157.12	3	1,794.41	3	1,431.70	3	1,069.27	3	706.78	3	344.09	3		3		3	
1/4	2,512.27	1/4	2,149.56	1/4	1,786.85	1/4	1,424.15	1/4	1,061.73	1/4	699.23	1/4	336.54	1/4		1/4		1/4	
1/2	2,504.71	1/2	2,142.00	1/2	1,779.30	1/2	1,416.59	1/2	1,054.18	1/2	691.67	1/2	328.98	1/2		1/2		1/2	
3/4	2,497.15	3/4	2,134.45	3/4	1,771.74	3/4	1,409.03	3/4	1,046.64	3/4	684.12	3/4	321.42	3/4		3/4		3/4	
4	2,489.60	4	2,126.89	4	1,764.18	4	1,401.48	4	1,039.09	4	676.56	4	313.87	4		4		4	
1/4	2,482.04	1/4	2,119.33	1/4	1,756.63	1/4	1,393.92	1/4	1,031.55	1/4	669.00	1/4	306.31	1/4		1/4		1/4	
1/2	2,474.49	1/2	2,111.78	1/2	1,749.07	1/2	1,386.36	1/2	1,024.01	1/2	661.45	1/2	298.76	1/2		1/2		1/2	
3/4	2,466.93	3/4	2,104.22	3/4	1,741.51	3/4	1,378.81	3/4	1,016.46	3/4	653.89	3/4	291.20	3/4		3/4		3/4	
5	2,459.37	5	2,096.67	5	1,733.96	5	1,371.25	5	1,008.92	5	646.34	5	283.64	5		5		5	
1/4	2,451.82	1/4	2,089.11	1/4	1,726.40	1/4	1,363.69	1/4	1,001.37	1/4	638.78	1/4	276.09	1/4		1/4		1/4	
1/2	2,444.26	1/2	2,081.55	1/2	1,718.85	1/2	1,356.14	1/2	993.83	1/2	631.22	1/2	268.53	1/2		1/2		1/2	
3/4	2,436.70	3/4	2,074.00	3/4	1,711.29	3/4	1,348.58	3/4	986.29	3/4	623.67	3/4	260.97	3/4		3/4		3/4	
6	2,429.15	6	2,066.44	6	1,703.73	6	1,341.03	6	978.74	6	616.11	6	253.42	6		6		6	
1/4	2,421.59	1/4	2,058.88	1/4	1,696.18	1/4	1,333.47	1/4	971.20	1/4	608.56	1/4	245.86	1/4		1/4		1/4	
1/2	2,414.03	1/2	2,051.33	1/2	1,688.62	1/2	1,325.91	1/2	963.65	1/2	601.00	1/2	238.31	1/2		1/2		1/2	
3/4	2,406.48	3/4	2,043.77	3/4	1,681.06	3/4	1,318.36	3/4	956.11	3/4	593.44	3/4	230.75	3/4		3/4		3/4	
7	2,398.92	7	2,036.21	7	1,673.51	7	1,310.80	7	948.56	7	585.89	7	223.19	7		7		7	
1/4	2,391.36	1/4	2,028.66	1/4	1,665.95	1/4	1,303.24	1/4	941.01	1/4	578.33	1/4	215.64	1/4		1/4		1/4	
1/2	2,383.81	1/2	2,021.10	1/2	1,658.39	1/2	1,295.69	1/2	933.47	1/2	570.77	1/2	208.08	1/2		1/2		1/2	
3/4	2,376.25	3/4	2,013.54	3/4	1,650.84	3/4	1,288.13	3/4	925.91	3/4	563.22	3/4	200.53	3/4		3/4		3/4	
8	2,368.70	8	2,005.99	8	1,643.28	8	1,280.57	8	918.36	8	555.66	8	192.97	8		8		8	
1/4	2,361.14	1/4	1,998.43	1/4	1,635.72	1/4	1,273.02	1/4	910.80	1/4	548.11	1/4	185.41	1/4		1/4		1/4	
1/2	2,353.58	1/2	1,990.88	1/2	1,628.17	1/2	1,265.46	1/2	903.24	1/2	540.55	1/2	177.86	1/2		1/2		1/2	
3/4	2,346.03	3/4	1,983.32	3/4	1,620.61	3/4	1,257.91	3/4	895.69	3/4	532.99	3/4	170.30	3/4		3/4		3/4	
9	2,338.47	9	1,975.76	9	1,613.06	9	1,250.35	9	888.13	9	525.44	9	162.75	9		9		9	
1/4	2,330.91	1/4	1,968.21	1/4	1,605.50	1/4	1,242.80	1/4	880.57	1/4	517.88	1/4	155.19	1/4		1/4		1/4	
1/2	2,323.36	1/2	1,960.65	1/2	1,597.94	1/2	1,235.24	1/2	873.02	1/2	510.33	1/2	147.63	1/2		1/2		1/2	
3/4	2,315.80	3/4	1,953.09	3/4	1,590.39	3/4	1,227.70	3/4	865.46	3/4	502.77	3/4	140.08	3/4		3/4		3/4	
10	2,308.24	10	1,945.54	10	1,582.83	10	1,220.15	10	857.91	10	495.21	10	132.52	10		10		10	
1/4	2,300.69	1/4	1,937.98	1/4	1,575.27	1/4	1,212.61	1/4	850.35	1/4	487.66	1/4	124.96	1/4		1/4		1/4	
1/2	2,293.13	1/2	1,930.42	1/2	1,567.72	1/2	1,205.06	1/2	842.79	1/2	480.10	1/2	117.41	1/2		1/2		1/2	
3/4	2,285.58	3/4	1,922.87	3/4	1,560.16	3/4	1,197.52	3/4	835.24	3/4	472.55	3/4	109.93	3/4		3/4		3/4	
11	2,278.02	11	1,915.31	11	1,552.60	11	1,189.98	11	827.68	11	464.99	11	102.45	11		11		11	
1/4	2,270.46	1/4	1,907.76	1/4	1,545.05	1/4	1,182.43	1/4	820.13	1/4	457.43	1/4	94.98	1/4		1/4		1/4	
1/2	2,262.91	1/2	1,900.20	1/2	1,537.49	1/2	1,174.89	1/2	812.57	1/2	449.88	1/2	87.50	1/2		1/2		1/2	
3/4	2,255.35	3/4	1,892.64	3/4	1,529.94	3/4	1,167.34	3/4	805.01	3/4	442.32	3/4	80.73	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
							5,148.54		4,788.56		4,426.39		4,064.03		3,701.67		3,339.32		2,976.96		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,141.09	1/4	4,781.04	1/4	4,418.84	1/4	4,056.48	1/4	3,694.13	1/4	3,331.77	1/4	2,969.41		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,133.64	1/2	4,773.52	1/2	4,411.29	1/2	4,048.93	1/2	3,686.58	1/2	3,324.22	1/2	2,961.86		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,126.19	3/4	4,766.00	3/4	4,403.74	3/4	4,041.38	3/4	3,679.03	3/4	3,316.67	3/4	2,954.31		
1	1	1	1	1	1	1	5,118.74	1	4,758.48	1	4,396.19	1	4,033.84	1	3,671.48	1	3,309.12	1	2,946.76		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,111.29	1/4	4,750.95	1/4	4,388.64	1/4	4,026.29	1/4	3,663.93	1/4	3,301.57	1/4	2,939.22		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,103.84	1/2	4,743.43	1/2	4,381.09	1/2	4,018.74	1/2	3,656.38	1/2	3,294.02	1/2	2,931.67		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,096.38	3/4	4,735.90	3/4	4,373.54	3/4	4,011.19	3/4	3,648.83	3/4	3,286.47	3/4	2,924.12		
2	2	2	2	2	2	2	5,088.93	2	4,728.35	2	4,366.00	2	4,003.64	2	3,641.28	2	3,278.93	2	2,916.57		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,081.48	1/4	4,720.80	1/4	4,358.45	1/4	3,996.09	1/4	3,633.73	1/4	3,271.38	1/4	2,909.02		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,074.03	1/2	4,713.25	1/2	4,350.90	1/2	3,988.54	1/2	3,626.18	1/2	3,263.83	1/2	2,901.47		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,066.58	3/4	4,705.71	3/4	4,343.35	3/4	3,980.99	3/4	3,618.63	3/4	3,256.28	3/4	2,893.92		
3	3	3	3	3	3	3	5,059.12	3	4,698.16	3	4,335.80	3	3,973.44	3	3,611.09	3	3,248.73	3	2,886.37		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,051.66	1/4	4,690.61	1/4	4,328.25	1/4	3,965.89	1/4	3,603.54	1/4	3,241.18	1/4	2,878.82		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,044.20	1/2	4,683.06	1/2	4,320.70	1/2	3,958.34	1/2	3,595.99	1/2	3,233.63	1/2	2,871.27		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,036.74	3/4	4,675.51	3/4	4,313.15	3/4	3,950.80	3/4	3,588.44	3/4	3,226.08	3/4	2,863.72		
4	4	4	4	4	4	4	5,029.22	4	4,667.96	4	4,305.60	4	3,943.25	4	3,580.89	4	3,218.53	4	2,856.18		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,021.70	1/4	4,660.41	1/4	4,298.05	1/4	3,935.70	1/4	3,573.34	1/4	3,210.98	1/4	2,848.63		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,014.18	1/2	4,652.86	1/2	4,290.50	1/2	3,928.15	1/2	3,565.79	1/2	3,203.43	1/2	2,841.08		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,006.65	3/4	4,645.31	3/4	4,282.96	3/4	3,920.60	3/4	3,558.24	3/4	3,195.89	3/4	2,833.53		
5	5	5	5	5	5	5	4,999.13	5	4,637.76	5	4,275.41	5	3,913.05	5	3,550.69	5	3,188.34	5	2,825.98		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,991.61	1/4	4,630.21	1/4	4,267.86	1/4	3,905.50	1/4	3,543.14	1/4	3,180.79	1/4	2,818.43		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,984.09	1/2	4,622.67	1/2	4,260.31	1/2	3,897.95	1/2	3,535.59	1/2	3,173.24	1/2	2,810.88		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,976.56	3/4	4,615.12	3/4	4,252.76	3/4	3,890.40	3/4	3,528.05	3/4	3,165.69	3/4	2,803.33		
6	6	6	6	6	6	6	4,969.04	6	4,607.57	6	4,245.21	6	3,882.85	6	3,520.50	6	3,158.14	6	2,795.78		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,961.52	1/4	4,600.02	1/4	4,237.66	1/4	3,875.30	1/4	3,512.95	1/4	3,150.59	1/4	2,788.23		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,954.00	1/2	4,592.47	1/2	4,230.11	1/2	3,867.76	1/2	3,505.40	1/2	3,143.04	1/2	2,780.68		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,284.02	3/4	4,946.48	3/4	4,584.92	3/4	4,222.56	3/4	3,860.21	3/4	3,497.85	3/4	3,135.49	3/4	2,773.14
7	7	7	7	7	7	7	5,279.53	7	4,938.96	7	4,577.37	7	4,215.01	7	3,852.66	7	3,490.30	7	3,127.94	7	2,765.59
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,275.05	1/4	4,931.44	1/4	4,569.82	1/4	4,207.46	1/4	3,845.11	1/4	3,482.75	1/4	3,120.39	1/4	2,758.04
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,270.56	1/2	4,923.92	1/2	4,562.27	1/2	4,199.92	1/2	3,837.56	1/2	3,475.20	1/2	3,112.85	1/2	2,750.49
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,266.08	3/4	4,916.40	3/4	4,554.72	3/4	4,192.37	3/4	3,830.01	3/4	3,467.65	3/4	3,105.30	3/4	2,742.94
8	8	8	8	8	8	8	5,260.36	8	4,908.88	8	4,547.17	8	4,184.82	8	3,822.46	8	3,460.10	8	3,097.75	8	2,735.39
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,254.64	1/4	4,901.36	1/4	4,539.62	1/4	4,177.27	1/4	3,814.91	1/4	3,452.55	1/4	3,090.20	1/4	2,727.84
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,248.92	1/2	4,893.84	1/2	4,532.08	1/2	4,169.72	1/2	3,807.36	1/2	3,445.01	1/2	3,082.65	1/2	2,720.29
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,243.20	3/4	4,886.32	3/4	4,524.53	3/4	4,162.17	3/4	3,799.81	3/4	3,437.46	3/4	3,075.10	3/4	2,712.74
9	9	9	9	9	9	9	5,236.30	9	4,878.80	9	4,516.98	9	4,154.62	9	3,792.26	9	3,429.91	9	3,067.55	9	2,705.19
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,229.40	1/4	4,871.28	1/4	4,509.43	1/4	4,147.07	1/4	3,784.71	1/4	3,422.36	1/4	3,060.00	1/4	2,697.64
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,222.50	1/2	4,863.76	1/2	4,501.88	1/2	4,139.52	1/2	3,777.17	1/2	3,414.81	1/2	3,052.45	1/2	2,690.10
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,215.60	3/4	4,856.24	3/4	4,494.33	3/4	4,131.97	3/4	3,769.62	3/4	3,407.26	3/4	3,044.90	3/4	2,682.55
10	10	10	10	10	10	10	5,208.15	10	4,848.72	10	4,486.78	10	4,124.42	10	3,762.07	10	3,399.71	10	3,037.35	10	2,675.00
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,200.70	1/4	4,841.20	1/4	4,479.23	1/4	4,116.88	1/4	3,754.52	1/4	3,392.16	1/4	3,029.80	1/4	2,667.45
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,193.25	1/2	4,833.68	1/2	4,471.68	1/2	4,109.33	1/2	3,746.97	1/2	3,384.61	1/2	3,022.26	1/2	2,659.90
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,185.79	3/4	4,826.16	3/4	4,464.13	3/4	4,101.78	3/4	3,739.42	3/4	3,377.06	3/4	3,014.71	3/4	2,652.35
11	11	11	11	11	11	11	5,178.34	11	4,818.64	11	4,456.58	11	4,094.23	11	3,731.87	11	3,369.51	11	3,007.16	11	2,644.80
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,170.89	1/4	4,811.12	1/4	4,449.04	1/4	4,086.68	1/4	3,724.32	1/4	3,361.97	1/4	2,999.61	1/4	2,637.25
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,163.44	1/2	4,803.60	1/2	4,441.49	1/2	4,079.13	1/2	3,716.77	1/2	3,354.42	1/2	2,992.06	1/2	2,629.70
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,155.99	3/4	4,796.08	3/4	4,433.94	3/4	4,071.58	3/4	3,709.22	3/4	3,346.87	3/4	2,984.51	3/4	2,622.15

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 39'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,614.60	0	2,252.11	0	1,889.62	0	1,527.13	0	1,165.28	0	804.53	0	442.06	0	80.68	0		0	
1/4	2,607.05	1/4	2,244.56	1/4	1,882.07	1/4	1,519.57	1/4	1,157.78	1/4	796.98	1/4	434.51	1/4	73.92	1/4		1/4	
1/2	2,599.50	1/2	2,237.01	1/2	1,874.51	1/2	1,512.02	1/2	1,150.28	1/2	789.43	1/2	426.95	1/2	67.15	1/2		1/2	
3/4	2,591.94	3/4	2,229.45	3/4	1,866.96	3/4	1,504.47	3/4	1,142.78	3/4	781.88	3/4	419.40	3/4	60.39	3/4		3/4	
1	2,584.39	1	2,221.90	1	1,859.41	1	1,496.92	1	1,135.28	1	774.33	1	411.85	1	54.88	1		1	
1/4	2,576.84	1/4	2,214.35	1/4	1,851.86	1/4	1,489.37	1/4	1,127.78	1/4	766.78	1/4	404.30	1/4	49.38	1/4		1/4	
1/2	2,569.29	1/2	2,206.80	1/2	1,844.31	1/2	1,481.82	1/2	1,120.28	1/2	759.23	1/2	396.75	1/2	43.87	1/2		1/2	
3/4	2,561.74	3/4	2,199.25	3/4	1,836.75	3/4	1,474.26	3/4	1,112.78	3/4	751.67	3/4	389.20	3/4	38.37	3/4		3/4	
2	2,554.18	2	2,191.69	2	1,829.20	2	1,466.71	2	1,105.28	2	744.12	2	381.65	2	34.12	2		2	
1/4	2,546.63	1/4	2,184.14	1/4	1,821.65	1/4	1,459.16	1/4	1,097.78	1/4	736.57	1/4	374.09	1/4	29.87	1/4		1/4	
1/2	2,539.08	1/2	2,176.59	1/2	1,814.10	1/2	1,451.61	1/2	1,090.28	1/2	729.02	1/2	366.54	1/2	25.63	1/2		1/2	
3/4	2,531.53	3/4	2,169.04	3/4	1,806.55	3/4	1,444.06	3/4	1,082.78	3/4	721.47	3/4	358.99	3/4	21.38	3/4		3/4	
3	2,523.98	3	2,161.49	3	1,798.99	3	1,436.50	3	1,075.28	3	713.92	3	351.44	3		3		3	
1/4	2,516.43	1/4	2,153.93	1/4	1,791.44	1/4	1,428.95	1/4	1,067.78	1/4	706.36	1/4	343.89	1/4		1/4		1/4	
1/2	2,508.87	1/2	2,146.38	1/2	1,783.89	1/2	1,421.40	1/2	1,060.28	1/2	698.81	1/2	336.34	1/2		1/2		1/2	
3/4	2,501.32	3/4	2,138.83	3/4	1,776.34	3/4	1,413.85	3/4	1,052.78	3/4	691.26	3/4	328.78	3/4		3/4		3/4	
4	2,493.77	4	2,131.28	4	1,768.79	4	1,406.30	4	1,045.28	4	683.71	4	321.23	4		4		4	
1/4	2,486.22	1/4	2,123.73	1/4	1,761.24	1/4	1,398.74	1/4	1,037.78	1/4	676.16	1/4	313.68	1/4		1/4		1/4	
1/2	2,478.67	1/2	2,116.17	1/2	1,753.68	1/2	1,391.19	1/2	1,030.28	1/2	668.61	1/2	306.13	1/2		1/2		1/2	
3/4	2,471.11	3/4	2,108.62	3/4	1,746.13	3/4	1,383.64	3/4	1,022.78	3/4	661.05	3/4	298.58	3/4		3/4		3/4	
5	2,463.56	5	2,101.07	5	1,738.58	5	1,376.09	5	1,015.28	5	653.50	5	291.03	5		5		5	
1/4	2,456.01	1/4	2,093.52	1/4	1,731.03	1/4	1,368.54	1/4	1,007.78	1/4	645.95	1/4	283.47	1/4		1/4		1/4	
1/2	2,448.46	1/2	2,085.97	1/2	1,723.48	1/2	1,360.98	1/2	1,000.28	1/2	638.40	1/2	275.92	1/2		1/2		1/2	
3/4	2,440.91	3/4	2,078.42	3/4	1,715.92	3/4	1,353.43	3/4	992.78	3/4	630.85	3/4	268.37	3/4		3/4		3/4	
6	2,433.35	6	2,070.86	6	1,708.37	6	1,345.88	6	985.28	6	623.30	6	260.82	6		6		6	
1/4	2,425.80	1/4	2,063.31	1/4	1,700.82	1/4	1,338.33	1/4	977.78	1/4	615.74	1/4	253.27	1/4		1/4		1/4	
1/2	2,418.25	1/2	2,055.76	1/2	1,693.27	1/2	1,330.78	1/2	970.28	1/2	608.19	1/2	245.72	1/2		1/2		1/2	
3/4	2,410.70	3/4	2,048.21	3/4	1,685.72	3/4	1,323.23	3/4	962.78	3/4	600.64	3/4	238.16	3/4		3/4		3/4	
7	2,403.15	7	2,040.66	7	1,678.16	7	1,315.67	7	955.28	7	593.09	7	230.61	7		7		7	
1/4	2,395.59	1/4	2,033.10	1/4	1,670.61	1/4	1,308.12	1/4	947.78	1/4	585.54	1/4	223.06	1/4		1/4		1/4	
1/2	2,388.04	1/2	2,025.55	1/2	1,663.06	1/2	1,300.57	1/2	940.28	1/2	577.99	1/2	215.51	1/2		1/2		1/2	
3/4	2,380.49	3/4	2,018.00	3/4	1,655.51	3/4	1,293.02	3/4	932.77	3/4	570.44	3/4	207.96	3/4		3/4		3/4	
8	2,372.94	8	2,010.45	8	1,647.96	8	1,285.47	8	925.26	8	562.88	8	200.41	8		8		8	
1/4	2,365.39	1/4	2,002.90	1/4	1,640.40	1/4	1,277.92	1/4	917.74	1/4	555.33	1/4	192.86	1/4		1/4		1/4	
1/2	2,357.84	1/2	1,995.34	1/2	1,632.85	1/2	1,270.38	1/2	910.22	1/2	547.78	1/2	185.30	1/2		1/2		1/2	
3/4	2,350.28	3/4	1,987.79	3/4	1,625.30	3/4	1,262.83	3/4	902.71	3/4	540.23	3/4	177.75	3/4		3/4		3/4	
9	2,342.73	9	1,980.24	9	1,617.75	9	1,255.32	9	895.15	9	532.68	9	170.20	9		9		9	
1/4	2,335.18	1/4	1,972.69	1/4	1,610.20	1/4	1,247.81	1/4	887.60	1/4	525.13	1/4	162.65	1/4		1/4		1/4	
1/2	2,327.63	1/2	1,965.14	1/2	1,602.65	1/2	1,240.30	1/2	880.05	1/2	517.57	1/2	155.10	1/2		1/2		1/2	
3/4	2,320.08	3/4	1,957.58	3/4	1,595.09	3/4	1,232.78	3/4	872.50	3/4	510.02	3/4	147.55	3/4		3/4		3/4	
10	2,312.52	10	1,950.03	10	1,587.54	10	1,225.28	10	864.95	10	502.47	10	139.99	10		10		10	
1/4	2,304.97	1/4	1,942.48	1/4	1,579.99	1/4	1,217.78	1/4	857.40	1/4	494.92	1/4	132.44	1/4		1/4		1/4	
1/2	2,297.42	1/2	1,934.93	1/2	1,572.44	1/2	1,210.28	1/2	849.84	1/2	487.37	1/2	124.89	1/2		1/2		1/2	
3/4	2,289.87	3/4	1,927.38	3/4	1,564.89	3/4	1,202.78	3/4	842.29	3/4	479.82	3/4	117.34	3/4		3/4		3/4	
11	2,282.32	11	1,919.83	11	1,557.33	11	1,195.28	11	834.74	11	472.26	11	109.87	11		11		11	
1/4	2,274.76	1/4	1,912.27	1/4	1,549.78	1/4	1,187.78	1/4	827.19	1/4	464.71	1/4	102.39	1/4		1/4		1/4	
1/2	2,267.21	1/2	1,904.72	1/2	1,542.23	1/2	1,180.28	1/2	819.64	1/2	457.16	1/2	94.92	1/2		1/2		1/2	
3/4	2,259.66	3/4	1,897.17	3/4	1,534.68	3/4	1,172.78	3/4	812.09	3/4	449.61	3/4	87.45	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTTC 30112"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0		0		0		0	5,126.93	0	4,768.02	0	4,406.96	0	4,045.73	0	3,684.50	0	3,323.27	0	2,962.04		
1/4		1/4		1/4		1/4	5,119.51	1/4	4,760.52	1/4	4,399.43	1/4	4,038.20	1/4	3,676.97	1/4	3,315.74	1/4	2,954.52		
1/2		1/2		1/2		1/2	5,112.08	1/2	4,753.03	1/2	4,391.91	1/2	4,030.68	1/2	3,669.45	1/2	3,308.22	1/2	2,946.99		
3/4		3/4		3/4		3/4	5,104.65	3/4	4,745.53	3/4	4,384.38	3/4	4,023.15	3/4	3,661.92	3/4	3,300.69	3/4	2,939.46		
1		1		1		1	5,097.23	1	4,738.03	1	4,376.85	1	4,015.63	1	3,654.40	1	3,293.17	1	2,931.94		
1/4		1/4		1/4		1/4	5,089.80	1/4	4,730.53	1/4	4,369.33	1/4	4,008.10	1/4	3,646.87	1/4	3,285.64	1/4	2,924.41		
1/2		1/2		1/2		1/2	5,082.37	1/2	4,723.03	1/2	4,361.80	1/2	4,000.57	1/2	3,639.35	1/2	3,278.12	1/2	2,916.89		
3/4		3/4		3/4		3/4	5,074.94	3/4	4,715.51	3/4	4,354.28	3/4	3,993.05	3/4	3,631.82	3/4	3,270.59	3/4	2,909.36		
2		2		2		2	5,067.52	2	4,707.98	2	4,346.75	2	3,985.52	2	3,624.29	2	3,263.07	2	2,901.84		
1/4		1/4		1/4		1/4	5,060.09	1/4	4,700.45	1/4	4,339.23	1/4	3,978.00	1/4	3,616.77	1/4	3,255.54	1/4	2,894.31		
1/2		1/2		1/2		1/2	5,052.66	1/2	4,692.93	1/2	4,331.70	1/2	3,970.47	1/2	3,609.24	1/2	3,248.01	1/2	2,886.79		
3/4		3/4		3/4		3/4	5,045.23	3/4	4,685.40	3/4	4,324.17	3/4	3,962.95	3/4	3,601.72	3/4	3,240.49	3/4	2,879.26		
3		3		3		3	5,037.79	3	4,677.88	3	4,316.65	3	3,955.42	3	3,594.19	3	3,232.96	3	2,871.73		
1/4		1/4		1/4		1/4	5,030.35	1/4	4,670.35	1/4	4,309.12	1/4	3,947.89	1/4	3,586.67	1/4	3,225.44	1/4	2,864.21		
1/2		1/2		1/2		1/2	5,022.92	1/2	4,662.83	1/2	4,301.60	1/2	3,940.37	1/2	3,579.14	1/2	3,217.91	1/2	2,856.68		
3/4		3/4		3/4		3/4	5,015.42	3/4	4,655.30	3/4	4,294.07	3/4	3,932.84	3/4	3,571.61	3/4	3,210.39	3/4	2,849.16		
4		4		4		4	5,007.92	4	4,647.78	4	4,286.55	4	3,925.32	4	3,564.09	4	3,202.86	4	2,841.63		
1/4		1/4		1/4		1/4	5,000.42	1/4	4,640.25	1/4	4,279.02	1/4	3,917.79	1/4	3,556.56	1/4	3,195.33	1/4	2,834.11		
1/2		1/2		1/2		1/2	4,992.92	1/2	4,632.72	1/2	4,271.50	1/2	3,910.27	1/2	3,549.04	1/2	3,187.81	1/2	2,826.58		
3/4		3/4		3/4		3/4	4,985.42	3/4	4,625.20	3/4	4,263.97	3/4	3,902.74	3/4	3,541.51	3/4	3,180.28	3/4	2,819.05		
5		5		5		5	4,977.92	5	4,617.67	5	4,256.44	5	3,895.22	5	3,533.99	5	3,172.76	5	2,811.53		
1/4		1/4		1/4		1/4	4,970.43	1/4	4,610.15	1/4	4,248.92	1/4	3,887.69	1/4	3,526.46	1/4	3,165.23	1/4	2,804.00		
1/2		1/2		1/2		1/2	4,962.93	1/2	4,602.62	1/2	4,241.39	1/2	3,880.16	1/2	3,518.94	1/2	3,157.71	1/2	2,796.48		
3/4		3/4		3/4		3/4	4,955.43	3/4	4,595.10	3/4	4,233.87	3/4	3,872.64	3/4	3,511.41	3/4	3,150.18	3/4	2,788.95		
6		6		6		6	4,947.93	6	4,587.57	6	4,226.34	6	3,865.11	6	3,503.88	6	3,142.66	6	2,781.43		
1/4		1/4		1/4		1/4	4,940.44	1/4	4,580.05	1/4	4,218.82	1/4	3,857.59	1/4	3,496.36	1/4	3,135.13	1/4	2,773.90		
1/2		1/2		1/2		1/2	5,269.41	1/2	4,932.94	1/2	4,572.52	1/2	4,211.29	1/2	3,850.06	1/2	3,488.83	1/2	3,127.60	1/2	2,766.38
3/4		3/4		3/4		3/4	5,264.94	3/4	4,925.44	3/4	4,564.99	3/4	4,203.77	3/4	3,842.54	3/4	3,481.31	3/4	3,120.08	3/4	2,758.85
7		7		7		7	5,260.47	7	4,917.95	7	4,557.47	7	4,196.24	7	3,835.01	7	3,473.78	7	3,112.55	7	2,751.32
1/4		1/4		1/4		1/4	5,255.99	1/4	4,910.45	1/4	4,549.94	1/4	4,188.71	1/4	3,827.49	1/4	3,466.26	1/4	3,105.03	1/4	2,743.80
1/2		1/2		1/2		1/2	5,251.52	1/2	4,902.96	1/2	4,542.42	1/2	4,181.19	1/2	3,819.96	1/2	3,458.73	1/2	3,097.50	1/2	2,736.27
3/4		3/4		3/4		3/4	5,245.82	3/4	4,895.46	3/4	4,534.89	3/4	4,173.66	3/4	3,812.43	3/4	3,451.21	3/4	3,089.98	3/4	2,728.75
8		8		8		8	5,240.12	8	4,887.96	8	4,527.37	8	4,166.14	8	3,804.91	8	3,443.68	8	3,082.45	8	2,721.22
1/4		1/4		1/4		1/4	5,234.42	1/4	4,880.47	1/4	4,519.84	1/4	4,158.61	1/4	3,797.38	1/4	3,436.15	1/4	3,074.93	1/4	2,713.70
1/2		1/2		1/2		1/2	5,228.72	1/2	4,872.97	1/2	4,512.31	1/2	4,151.09	1/2	3,789.86	1/2	3,428.63	1/2	3,067.40	1/2	2,706.17
3/4		3/4		3/4		3/4	5,221.84	3/4	4,865.47	3/4	4,504.79	3/4	4,143.56	3/4	3,782.33	3/4	3,421.10	3/4	3,059.87	3/4	2,698.65
9		9		9		9	5,214.96	9	4,857.98	9	4,497.26	9	4,136.03	9	3,774.81	9	3,413.58	9	3,052.35	9	2,691.12
1/4		1/4		1/4		1/4	5,208.09	1/4	4,850.48	1/4	4,489.74	1/4	4,128.51	1/4	3,767.28	1/4	3,406.05	1/4	3,044.82	1/4	2,683.59
1/2		1/2		1/2		1/2	5,201.21	1/2	4,842.98	1/2	4,482.21	1/2	4,120.98	1/2	3,759.75	1/2	3,398.53	1/2	3,037.30	1/2	2,676.07
3/4		3/4		3/4		3/4	5,193.78	3/4	4,835.49	3/4	4,474.69	3/4	4,113.46	3/4	3,752.23	3/4	3,391.00	3/4	3,029.77	3/4	2,668.54
10		10		10		10	5,186.35	10	4,827.99	10	4,467.16	10	4,105.93	10	3,744.70	10	3,383.47	10	3,022.25	10	2,661.02
1/4		1/4		1/4		1/4	5,178.93	1/4	4,820.49	1/4	4,459.64	1/4	4,098.41	1/4	3,737.18	1/4	3,375.95	1/4	3,014.72	1/4	2,653.49
1/2		1/2		1/2		1/2	5,171.50	1/2	4,813.00	1/2	4,452.11	1/2	4,090.88	1/2	3,729.65	1/2	3,368.42	1/2	3,007.19	1/2	2,645.97
3/4		3/4		3/4		3/4	5,164.07	3/4	4,805.50	3/4	4,444.58	3/4	4,083.36	3/4	3,722.13	3/4	3,360.90	3/4	2,999.67	3/4	2,638.44
11		11		11		11	5,156.64	11	4,798.00	11	4,437.06	11	4,075.83	11	3,714.60	11	3,353.37	11	2,992.14	11	2,630.92
1/4		1/4		1/4		1/4	5,149.22	1/4	4,790.51	1/4	4,429.53	1/4	4,068.30	1/4	3,707.08	1/4	3,345.85	1/4	2,984.62	1/4	2,623.39
1/2		1/2		1/2		1/2	5,141.79	1/2	4,783.01	1/2	4,422.01	1/2	4,060.78	1/2	3,699.55	1/2	3,338.32	1/2	2,977.09	1/2	2,615.87
3/4		3/4		3/4		3/4	5,134.36	3/4	4,775.51	3/4	4,414.48	3/4	4,053.25	3/4	3,692.02	3/4	3,330.80	3/4	2,969.57	3/4	2,608.34

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).

GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 39'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30112"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,600.81	0	2,239.45	0	1,878.09	0	1,516.72	0	1,155.49	0	794.50	0	433.15	0	73.69	0		0	
1/4	2,593.29	1/4	2,231.92	1/4	1,870.56	1/4	1,509.20	1/4	1,147.98	1/4	786.97	1/4	425.63	1/4	66.94	1/4		1/4	
1/2	2,585.76	1/2	2,224.39	1/2	1,863.03	1/2	1,501.67	1/2	1,140.46	1/2	779.45	1/2	418.10	1/2	60.20	1/2		1/2	
3/4	2,578.23	3/4	2,216.87	3/4	1,855.50	3/4	1,494.14	3/4	1,132.94	3/4	771.92	3/4	410.57	3/4	54.71	3/4		3/4	
1	2,570.70	1	2,209.34	1	1,847.97	1	1,486.61	1	1,125.43	1	764.39	1	403.04	1	49.22	1		1	
1/4	2,563.17	1/4	2,201.81	1/4	1,840.45	1/4	1,479.08	1/4	1,117.91	1/4	756.86	1/4	395.51	1/4	43.74	1/4		1/4	
1/2	2,555.64	1/2	2,194.28	1/2	1,832.92	1/2	1,471.55	1/2	1,110.40	1/2	749.33	1/2	387.98	1/2	38.25	1/2		1/2	
3/4	2,548.12	3/4	2,186.75	3/4	1,825.39	3/4	1,464.03	3/4	1,102.88	3/4	741.81	3/4	380.46	3/4	34.01	3/4		3/4	
2	2,540.59	2	2,179.22	2	1,817.86	2	1,456.50	2	1,095.36	2	734.28	2	372.93	2	29.78	2		2	
1/4	2,533.06	1/4	2,171.70	1/4	1,810.33	1/4	1,448.97	1/4	1,087.85	1/4	726.75	1/4	365.40	1/4	25.55	1/4		1/4	
1/2	2,525.53	1/2	2,164.17	1/2	1,802.80	1/2	1,441.44	1/2	1,080.33	1/2	719.22	1/2	357.87	1/2	21.32	1/2		1/2	
3/4	2,518.00	3/4	2,156.64	3/4	1,795.28	3/4	1,433.91	3/4	1,072.81	3/4	711.69	3/4	350.34	3/4		3/4		3/4	
3	2,510.47	3	2,149.11	3	1,787.75	3	1,426.38	3	1,065.30	3	704.16	3	342.82	3		3		3	
1/4	2,502.95	1/4	2,141.58	1/4	1,780.22	1/4	1,418.86	1/4	1,057.78	1/4	696.64	1/4	335.29	1/4		1/4		1/4	
1/2	2,495.42	1/2	2,134.05	1/2	1,772.69	1/2	1,411.33	1/2	1,050.27	1/2	689.11	1/2	327.76	1/2		1/2		1/2	
3/4	2,487.89	3/4	2,126.53	3/4	1,765.16	3/4	1,403.80	3/4	1,042.75	3/4	681.58	3/4	320.23	3/4		3/4		3/4	
4	2,480.36	4	2,119.00	4	1,757.63	4	1,396.27	4	1,035.23	4	674.05	4	312.70	4		4		4	
1/4	2,472.83	1/4	2,111.47	1/4	1,750.11	1/4	1,388.74	1/4	1,027.72	1/4	666.52	1/4	305.18	1/4		1/4		1/4	
1/2	2,465.30	1/2	2,103.94	1/2	1,742.58	1/2	1,381.21	1/2	1,020.20	1/2	659.00	1/2	297.65	1/2		1/2		1/2	
3/4	2,457.77	3/4	2,096.41	3/4	1,735.05	3/4	1,373.69	3/4	1,012.69	3/4	651.47	3/4	290.12	3/4		3/4		3/4	
5	2,450.25	5	2,088.88	5	1,727.52	5	1,366.16	5	1,005.17	5	643.94	5	282.59	5		5		5	
1/4	2,442.72	1/4	2,081.35	1/4	1,719.99	1/4	1,358.63	1/4	997.65	1/4	636.41	1/4	275.06	1/4		1/4		1/4	
1/2	2,435.19	1/2	2,073.83	1/2	1,712.46	1/2	1,351.10	1/2	990.14	1/2	628.88	1/2	267.54	1/2		1/2		1/2	
3/4	2,427.66	3/4	2,066.30	3/4	1,704.93	3/4	1,343.57	3/4	982.62	3/4	621.36	3/4	260.01	3/4		3/4		3/4	
6	2,420.13	6	2,058.77	6	1,697.41	6	1,336.04	6	975.11	6	613.83	6	252.48	6		6		6	
1/4	2,412.60	1/4	2,051.24	1/4	1,689.88	1/4	1,328.51	1/4	967.59	1/4	606.30	1/4	244.95	1/4		1/4		1/4	
1/2	2,405.08	1/2	2,043.71	1/2	1,682.35	1/2	1,320.99	1/2	960.07	1/2	598.77	1/2	237.42	1/2		1/2		1/2	
3/4	2,397.55	3/4	2,036.18	3/4	1,674.82	3/4	1,313.46	3/4	952.56	3/4	591.24	3/4	229.89	3/4		3/4		3/4	
7	2,390.02	7	2,028.66	7	1,667.29	7	1,305.93	7	945.04	7	583.72	7	222.37	7		7		7	
1/4	2,382.49	1/4	2,021.13	1/4	1,659.76	1/4	1,298.40	1/4	937.52	1/4	576.19	1/4	214.84	1/4		1/4		1/4	
1/2	2,374.96	1/2	2,013.60	1/2	1,652.24	1/2	1,290.87	1/2	930.01	1/2	568.66	1/2	207.31	1/2		1/2		1/2	
3/4	2,367.43	3/4	2,006.07	3/4	1,644.71	3/4	1,283.34	3/4	922.48	3/4	561.13	3/4	199.78	3/4		3/4		3/4	
8	2,359.91	8	1,998.54	8	1,637.18	8	1,275.82	8	914.95	8	553.60	8	192.25	8		8		8	
1/4	2,352.38	1/4	1,991.01	1/4	1,629.65	1/4	1,268.29	1/4	907.42	1/4	546.07	1/4	184.73	1/4		1/4		1/4	
1/2	2,344.85	1/2	1,983.49	1/2	1,622.12	1/2	1,260.76	1/2	899.90	1/2	538.55	1/2	177.20	1/2		1/2		1/2	
3/4	2,337.32	3/4	1,975.96	3/4	1,614.59	3/4	1,253.23	3/4	892.37	3/4	531.02	3/4	169.67	3/4		3/4		3/4	
9	2,329.79	9	1,968.43	9	1,607.07	9	1,245.71	9	884.84	9	523.49	9	162.14	9		9		9	
1/4	2,322.26	1/4	1,960.90	1/4	1,599.54	1/4	1,238.18	1/4	877.31	1/4	515.96	1/4	154.61	1/4		1/4		1/4	
1/2	2,314.74	1/2	1,953.37	1/2	1,592.01	1/2	1,230.65	1/2	869.78	1/2	508.43	1/2	147.09	1/2		1/2		1/2	
3/4	2,307.21	3/4	1,945.84	3/4	1,584.48	3/4	1,223.14	3/4	862.26	3/4	500.91	3/4	139.56	3/4		3/4		3/4	
10	2,299.68	10	1,938.32	10	1,576.95	10	1,215.62	10	854.73	10	493.38	10	132.03	10		10		10	
1/4	2,292.15	1/4	1,930.79	1/4	1,569.42	1/4	1,208.10	1/4	847.20	1/4	485.85	1/4	124.50	1/4		1/4		1/4	
1/2	2,284.62	1/2	1,923.26	1/2	1,561.90	1/2	1,200.59	1/2	839.67	1/2	478.32	1/2	116.97	1/2		1/2		1/2	
3/4	2,277.09	3/4	1,915.73	3/4	1,554.37	3/4	1,193.07	3/4	832.14	3/4	470.79	3/4	109.52	3/4		3/4		3/4	
11	2,269.56	11	1,908.20	11	1,546.84	11	1,185.56	11	824.61	11	463.27	11	102.07	11		11		11	
1/4	2,262.04	1/4	1,900.67	1/4	1,539.31	1/4	1,178.04	1/4	817.09	1/4	455.74	1/4	94.62	1/4		1/4		1/4	
1/2	2,254.51	1/2	1,893.14	1/2	1,531.78	1/2	1,170.52	1/2	809.56	1/2	448.21	1/2	87.17	1/2		1/2		1/2	
3/4	2,246.98	3/4	1,885.62	3/4	1,524.25	3/4	1,163.01	3/4	802.03	3/4	440.68	3/4	80.43	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0		0		0		0	5,114.11	0	4,754.98	0	4,393.69	0	4,032.25	0	3,670.80	0	3,309.36	0	2,947.91		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,106.68	1/4	4,747.48	1/4	4,386.16	1/4	4,024.72	1/4	3,663.27	1/4	3,301.83	1/4	2,940.38		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,099.25	1/2	4,739.98	1/2	4,378.63	1/2	4,017.19	1/2	3,655.74	1/2	3,294.30	1/2	2,932.85		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,091.81	3/4	4,732.47	3/4	4,371.10	3/4	4,009.66	3/4	3,648.21	3/4	3,286.77	3/4	2,925.32		
1		1		1		1	5,084.38	1	4,724.97	1	4,363.57	1	4,002.13	1	3,640.68	1	3,279.24	1	2,917.79		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,076.95	1/4	4,717.46	1/4	4,356.04	1/4	3,994.60	1/4	3,633.15	1/4	3,271.71	1/4	2,910.26		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,069.52	1/2	4,709.96	1/2	4,348.51	1/2	3,987.07	1/2	3,625.62	1/2	3,264.18	1/2	2,902.73		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,062.09	3/4	4,702.43	3/4	4,340.98	3/4	3,979.54	3/4	3,618.09	3/4	3,256.65	3/4	2,895.20		
2		2		2		2	5,054.65	2	4,694.90	2	4,333.45	2	3,972.01	2	3,610.56	2	3,249.12	2	2,887.67		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,047.22	1/4	4,687.37	1/4	4,325.92	1/4	3,964.48	1/4	3,603.03	1/4	3,241.59	1/4	2,880.14		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,039.79	1/2	4,679.84	1/2	4,318.39	1/2	3,956.95	1/2	3,595.50	1/2	3,234.06	1/2	2,872.61		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,032.35	3/4	4,672.31	3/4	4,310.86	3/4	3,949.42	3/4	3,587.97	3/4	3,226.53	3/4	2,865.08		
3		3		3		3	5,024.91	3	4,664.78	3	4,303.33	3	3,941.89	3	3,580.44	3	3,219.00	3	2,857.55		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,017.47	1/4	4,657.25	1/4	4,295.80	1/4	3,934.36	1/4	3,572.91	1/4	3,211.47	1/4	2,850.02		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,010.03	1/2	4,649.72	1/2	4,288.27	1/2	3,926.83	1/2	3,565.38	1/2	3,203.94	1/2	2,842.49		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,002.53	3/4	4,642.19	3/4	4,280.74	3/4	3,919.30	3/4	3,557.85	3/4	3,196.41	3/4	2,834.96		
4		4		4		4	4,995.02	4	4,634.66	4	4,273.21	4	3,911.77	4	3,550.32	4	3,188.88	4	2,827.43		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,987.52	1/4	4,627.13	1/4	4,265.68	1/4	3,904.24	1/4	3,542.79	1/4	3,181.35	1/4	2,819.90		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,980.02	1/2	4,619.60	1/2	4,258.15	1/2	3,896.71	1/2	3,535.26	1/2	3,173.82	1/2	2,812.37		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,972.51	3/4	4,612.07	3/4	4,250.62	3/4	3,889.18	3/4	3,527.73	3/4	3,166.29	3/4	2,804.84		
5		5		5		5	4,965.01	5	4,604.54	5	4,243.09	5	3,881.65	5	3,520.20	5	3,158.76	5	2,797.31		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,957.51	1/4	4,597.01	1/4	4,235.56	1/4	3,874.12	1/4	3,512.67	1/4	3,151.23	1/4	2,789.78		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,950.00	1/2	4,589.48	1/2	4,228.03	1/2	3,866.59	1/2	3,505.14	1/2	3,143.70	1/2	2,782.25		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,942.50	3/4	4,581.95	3/4	4,220.50	3/4	3,859.06	3/4	3,497.61	3/4	3,136.17	3/4	2,774.72		
6		6		6		6	4,935.00	6	4,574.42	6	4,212.97	6	3,851.53	6	3,490.08	6	3,128.64	6	2,767.19		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,927.50	1/4	4,566.89	1/4	4,205.44	1/4	3,844.00	1/4	3,482.55	1/4	3,121.11	1/4	2,759.66		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,256.67	1/2	4,920.00	1/2	4,559.36	1/2	4,197.91	1/2	3,836.47	1/2	3,475.02	1/2	3,113.58	1/2	2,752.13
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,252.20	3/4	4,912.50	3/4	4,551.83	3/4	4,190.38	3/4	3,828.94	3/4	3,467.49	3/4	3,106.05	3/4	2,744.60
7		7		7		7	5,247.72	7	4,905.00	7	4,544.29	7	4,182.85	7	3,821.41	7	3,459.96	7	3,098.52	7	2,737.07
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,243.25	1/4	4,897.50	1/4	4,536.76	1/4	4,175.32	1/4	3,813.88	1/4	3,452.43	1/4	3,090.99	1/4	2,729.54
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,238.77	1/2	4,890.00	1/2	4,529.23	1/2	4,167.79	1/2	3,806.35	1/2	3,444.90	1/2	3,083.46	1/2	2,722.01
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,233.07	3/4	4,882.49	3/4	4,521.70	3/4	4,160.26	3/4	3,798.82	3/4	3,437.37	3/4	3,075.93	3/4	2,714.48
8		8		8		8	5,227.36	8	4,874.99	8	4,514.17	8	4,152.73	8	3,791.28	8	3,429.84	8	3,068.40	8	2,706.95
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,221.66	1/4	4,867.49	1/4	4,506.64	1/4	4,145.20	1/4	3,783.75	1/4	3,422.31	1/4	3,060.87	1/4	2,699.42
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,215.95	1/2	4,859.99	1/2	4,499.11	1/2	4,137.67	1/2	3,776.22	1/2	3,414.78	1/2	3,053.34	1/2	2,691.89
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,209.07	3/4	4,852.49	3/4	4,491.58	3/4	4,130.14	3/4	3,768.69	3/4	3,407.25	3/4	3,045.81	3/4	2,684.36
9		9		9		9	5,202.19	9	4,844.99	9	4,484.05	9	4,122.61	9	3,761.16	9	3,399.72	9	3,038.28	9	2,676.83
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,195.31	1/4	4,837.49	1/4	4,476.52	1/4	4,115.08	1/4	3,753.63	1/4	3,392.19	1/4	3,030.74	1/4	2,669.30
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,188.43	1/2	4,829.99	1/2	4,468.99	1/2	4,107.55	1/2	3,746.10	1/2	3,384.66	1/2	3,023.21	1/2	2,661.77
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,181.00	3/4	4,822.49	3/4	4,461.46	3/4	4,100.02	3/4	3,738.57	3/4	3,377.13	3/4	3,015.68	3/4	2,654.24
10		10		10		10	5,173.56	10	4,814.99	10	4,453.93	10	4,092.49	10	3,731.04	10	3,369.60	10	3,008.15	10	2,646.71
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,166.13	1/4	4,807.48	1/4	4,446.40	1/4	4,084.96	1/4	3,723.51	1/4	3,362.07	1/4	3,000.62	1/4	2,639.18
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,158.70	1/2	4,799.98	1/2	4,438.87	1/2	4,077.43	1/2	3,715.98	1/2	3,354.54	1/2	2,993.09	1/2	2,631.65
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,151.27	3/4	4,792.48	3/4	4,431.34	3/4	4,069.90	3/4	3,708.45	3/4	3,347.01	3/4	2,985.56	3/4	2,624.12
11		11		11		11	5,143.84	11	4,784.98	11	4,423.81	11	4,062.37	11	3,700.92	11	3,339.48	11	2,978.03	11	2,616.58
1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,136.40	1/4	4,777.48	1/4	4,416.28	1/4	4,054.84	1/4	3,693.39	1/4	3,331.95	1/4	2,970.50	1/4	2,609.05
1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,128.97	1/2	4,769.98	1/2	4,408.75	1/2	4,047.31	1/2	3,685.86	1/2	3,324.42	1/2	2,962.97	1/2	2,601.52
3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,121.54	3/4	4,762.48	3/4	4,401.22	3/4	4,039.78	3/4	3,678.33	3/4	3,316.89	3/4	2,955.44	3/4	2,593.98

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 39'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,586.45	0	2,224.88	0	1,863.30	0	1,501.73	0	1,145.09	0	794.98	0	433.41	0	73.73	0		0	
1/4	2,578.92	1/4	2,217.34	1/4	1,855.77	1/4	1,494.19	1/4	1,137.90	1/4	787.44	1/4	425.88	1/4	66.98	1/4		1/4	
1/2	2,571.38	1/2	2,209.81	1/2	1,848.24	1/2	1,486.66	1/2	1,130.71	1/2	779.91	1/2	418.35	1/2	60.24	1/2		1/2	
3/4	2,563.85	3/4	2,202.28	3/4	1,840.70	3/4	1,479.13	3/4	1,123.52	3/4	772.38	3/4	410.81	3/4	54.74	3/4		3/4	
1	2,556.32	1	2,194.74	1	1,833.17	1	1,471.60	1	1,116.33	1	764.85	1	403.28	1	49.25	1		1	
1/4	2,548.79	1/4	2,187.21	1/4	1,825.64	1/4	1,464.06	1/4	1,109.14	1/4	757.31	1/4	395.75	1/4	43.76	1/4		1/4	
1/2	2,541.25	1/2	2,179.68	1/2	1,818.10	1/2	1,456.53	1/2	1,101.95	1/2	749.78	1/2	388.22	1/2	38.27	1/2		1/2	
3/4	2,533.72	3/4	2,172.15	3/4	1,810.57	3/4	1,449.00	3/4	1,094.76	3/4	742.25	3/4	380.68	3/4	34.03	3/4		3/4	
2	2,526.19	2	2,164.61	2	1,803.04	2	1,441.46	2	1,087.57	2	734.72	2	373.15	2	29.80	2		2	
1/4	2,518.65	1/4	2,157.08	1/4	1,795.51	1/4	1,433.93	1/4	1,080.38	1/4	727.18	1/4	365.62	1/4	25.56	1/4		1/4	
1/2	2,511.12	1/2	2,149.55	1/2	1,787.97	1/2	1,426.40	1/2	1,073.19	1/2	719.65	1/2	358.09	1/2	21.33	1/2		1/2	
3/4	2,503.59	3/4	2,142.01	3/4	1,780.44	3/4	1,418.87	3/4	1,066.00	3/4	712.12	3/4	350.55	3/4		3/4		3/4	
3	2,496.06	3	2,134.48	3	1,772.91	3	1,411.33	3	1,058.81	3	704.59	3	343.02	3		3		3	
1/4	2,488.52	1/4	2,126.95	1/4	1,765.37	1/4	1,403.80	1/4	1,051.63	1/4	697.05	1/4	335.49	1/4		1/4		1/4	
1/2	2,480.99	1/2	2,119.42	1/2	1,757.84	1/2	1,396.27	1/2	1,044.44	1/2	689.52	1/2	327.96	1/2		1/2		1/2	
3/4	2,473.46	3/4	2,111.88	3/4	1,750.31	3/4	1,388.73	3/4	1,037.25	3/4	681.99	3/4	320.42	3/4		3/4		3/4	
4	2,465.92	4	2,104.35	4	1,742.78	4	1,381.20	4	1,030.06	4	674.46	4	312.89	4		4		4	
1/4	2,458.39	1/4	2,096.82	1/4	1,735.24	1/4	1,373.67	1/4	1,022.87	1/4	666.92	1/4	305.36	1/4		1/4		1/4	
1/2	2,450.86	1/2	2,089.28	1/2	1,727.71	1/2	1,366.14	1/2	1,015.68	1/2	659.39	1/2	297.83	1/2		1/2		1/2	
3/4	2,443.33	3/4	2,081.75	3/4	1,720.18	3/4	1,358.60	3/4	1,008.49	3/4	651.86	3/4	290.29	3/4		3/4		3/4	
5	2,435.79	5	2,074.22	5	1,712.64	5	1,351.07	5	1,001.30	5	644.32	5	282.76	5		5		5	
1/4	2,428.26	1/4	2,066.69	1/4	1,705.11	1/4	1,343.54	1/4	994.11	1/4	636.79	1/4	275.23	1/4		1/4		1/4	
1/2	2,420.73	1/2	2,059.15	1/2	1,697.58	1/2	1,336.00	1/2	986.92	1/2	629.26	1/2	267.69	1/2		1/2		1/2	
3/4	2,413.20	3/4	2,051.62	3/4	1,690.05	3/4	1,328.47	3/4	979.73	3/4	621.73	3/4	260.16	3/4		3/4		3/4	
6	2,405.66	6	2,044.09	6	1,682.51	6	1,320.94	6	972.54	6	614.19	6	252.63	6		6		6	
1/4	2,398.13	1/4	2,036.56	1/4	1,674.98	1/4	1,313.41	1/4	965.35	1/4	606.66	1/4	245.10	1/4		1/4		1/4	
1/2	2,390.60	1/2	2,029.02	1/2	1,667.45	1/2	1,305.87	1/2	958.16	1/2	599.13	1/2	237.56	1/2		1/2		1/2	
3/4	2,383.06	3/4	2,021.49	3/4	1,659.92	3/4	1,298.34	3/4	950.97	3/4	591.60	3/4	230.03	3/4		3/4		3/4	
7	2,375.53	7	2,013.96	7	1,652.38	7	1,290.81	7	943.78	7	584.06	7	222.50	7		7		7	
1/4	2,368.00	1/4	2,006.42	1/4	1,644.85	1/4	1,283.28	1/4	936.59	1/4	576.53	1/4	214.97	1/4		1/4		1/4	
1/2	2,360.47	1/2	1,998.89	1/2	1,637.32	1/2	1,275.74	1/2	929.40	1/2	569.00	1/2	207.43	1/2		1/2		1/2	
3/4	2,352.93	3/4	1,991.36	3/4	1,629.78	3/4	1,268.25	3/4	922.16	3/4	561.47	3/4	199.90	3/4		3/4		3/4	
8	2,345.40	8	1,983.83	8	1,622.25	8	1,260.76	8	914.92	8	553.93	8	192.37	8		8		8	
1/4	2,337.87	1/4	1,976.29	1/4	1,614.72	1/4	1,253.27	1/4	907.68	1/4	546.40	1/4	184.84	1/4		1/4		1/4	
1/2	2,330.33	1/2	1,968.76	1/2	1,607.19	1/2	1,245.78	1/2	900.43	1/2	538.87	1/2	177.30	1/2		1/2		1/2	
3/4	2,322.80	3/4	1,961.23	3/4	1,599.65	3/4	1,238.58	3/4	892.90	3/4	531.34	3/4	169.77	3/4		3/4		3/4	
9	2,315.27	9	1,953.69	9	1,592.12	9	1,231.38	9	885.37	9	523.80	9	162.24	9		9		9	
1/4	2,307.74	1/4	1,946.16	1/4	1,584.59	1/4	1,224.18	1/4	877.84	1/4	516.27	1/4	154.71	1/4		1/4		1/4	
1/2	2,300.20	1/2	1,938.63	1/2	1,577.05	1/2	1,216.98	1/2	870.30	1/2	508.74	1/2	147.17	1/2		1/2		1/2	
3/4	2,292.67	3/4	1,931.10	3/4	1,569.52	3/4	1,209.79	3/4	862.77	3/4	501.21	3/4	139.64	3/4		3/4		3/4	
10	2,285.14	10	1,923.56	10	1,561.99	10	1,202.60	10	855.24	10	493.67	10	132.11	10		10		10	
1/4	2,277.60	1/4	1,916.03	1/4	1,554.46	1/4	1,195.41	1/4	847.71	1/4	486.14	1/4	124.58	1/4		1/4		1/4	
1/2	2,270.07	1/2	1,908.50	1/2	1,546.92	1/2	1,188.22	1/2	840.17	1/2	478.61	1/2	117.04	1/2		1/2		1/2	
3/4	2,262.54	3/4	1,900.96	3/4	1,539.39	3/4	1,181.03	3/4	832.64	3/4	471.08	3/4	109.59	3/4		3/4		3/4	
11	2,255.01	11	1,893.43	11	1,531.86	11	1,173.84	11	825.11	11	463.54	11	102.13	11		11		11	
1/4	2,247.47	1/4	1,885.90	1/4	1,524.32	1/4	1,166.65	1/4	817.57	1/4	456.01	1/4	94.68	1/4		1/4		1/4	
1/2	2,239.94	1/2	1,878.37	1/2	1,516.79	1/2	1,159.46	1/2	810.04	1/2	448.48	1/2	87.23	1/2		1/2		1/2	
3/4	2,232.41	3/4	1,870.83	3/4	1,509.26	3/4	1,152.28	3/4	802.51	3/4	440.94	3/4	80.48	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0	4,370.82	0	4,178.39	0	3,984.81	0	3,791.13	0	3,597.45	0	3,316.33	0	2,957.89
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,366.83	1/4	4,174.37	1/4	3,980.78	1/4	3,787.10	1/4	3,593.42	1/4	3,308.88	1/4	2,950.41
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,362.85	1/2	4,170.35	1/2	3,976.74	1/2	3,783.06	1/2	3,589.38	1/2	3,304.43	1/2	2,942.92
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,358.87	3/4	4,166.33	3/4	3,972.71	3/4	3,779.03	3/4	3,585.35	3/4	3,293.98	3/4	2,935.44
1		1		1		1	4,354.89	1	4,162.31	1	3,968.67	1	3,774.99	1	3,581.31	1	3,289.53	1	2,927.95
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,350.91	1/4	4,158.29	1/4	3,964.64	1/4	3,770.96	1/4	3,577.28	1/4	3,279.09	1/4	2,920.47
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,346.92	1/2	4,154.27	1/2	3,960.60	1/2	3,766.92	1/2	3,573.24	1/2	3,271.64	1/2	2,912.99
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,342.94	3/4	4,150.25	3/4	3,956.57	3/4	3,762.89	3/4	3,569.21	3/4	3,264.19	3/4	2,905.50
2		2		2		2	4,338.96	2	4,146.21	2	3,952.53	2	3,758.85	2	3,565.17	2	3,256.74	2	2,898.02
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,334.98	1/4	4,142.18	1/4	3,948.50	1/4	3,754.82	1/4	3,561.14	1/4	3,249.29	1/4	2,890.54
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,331.00	1/2	4,138.14	1/2	3,944.46	1/2	3,750.78	1/2	3,557.10	1/2	3,241.84	1/2	2,883.05
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,327.01	3/4	4,134.11	3/4	3,940.43	3/4	3,746.75	3/4	3,553.07	3/4	3,234.39	3/4	2,875.57
3		3		3		3	4,323.03	3	4,130.07	3	3,936.39	3	3,742.71	3	3,549.03	3	3,226.94	3	2,868.09
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,319.04	1/4	4,126.04	1/4	3,932.36	1/4	3,738.68	1/4	3,545.00	1/4	3,219.49	1/4	2,860.60
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,315.05	1/2	4,122.00	1/2	3,928.32	1/2	3,734.64	1/2	3,540.96	1/2	3,212.04	1/2	2,853.12
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,311.07	3/4	4,117.97	3/4	3,924.29	3/4	3,730.61	3/4	3,536.93	3/4	3,204.59	3/4	2,845.63
4		4		4		4	4,307.05	4	4,113.93	4	3,920.25	4	3,726.57	4	3,532.89	4	3,197.14	4	2,838.15
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,303.03	1/4	4,109.90	1/4	3,916.22	1/4	3,722.54	1/4	3,528.86	1/4	3,189.69	1/4	2,830.67
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,299.01	1/2	4,105.86	1/2	3,912.18	1/2	3,718.50	1/2	3,524.82	1/2	3,182.24	1/2	2,823.18
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,294.99	3/4	4,101.83	3/4	3,908.15	3/4	3,714.47	3/4	3,520.79	3/4	3,174.79	3/4	2,815.70
5		5		5		5	4,290.96	5	4,097.79	5	3,904.11	5	3,710.43	5	3,516.32	5	3,167.34	5	2,808.22
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,286.94	1/4	4,093.76	1/4	3,900.08	1/4	3,706.40	1/4	3,511.86	1/4	3,159.89	1/4	2,800.73
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,282.92	1/2	4,089.72	1/2	3,896.04	1/2	3,702.36	1/2	3,507.40	1/2	3,152.43	1/2	2,793.24
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,278.90	3/4	4,085.69	3/4	3,892.01	3/4	3,698.33	3/4	3,502.93	3/4	3,144.98	3/4	2,785.76
6		6		6		6	4,274.88	6	4,081.65	6	3,887.97	6	3,694.29	6	3,495.47	6	3,137.50	6	2,778.26
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,270.86	1/4	4,077.62	1/4	3,883.94	1/4	3,690.26	1/4	3,488.00	1/4	3,130.01	1/4	2,770.76
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,266.84	1/2	4,073.58	1/2	3,879.90	1/2	3,686.22	1/2	3,480.54	1/2	3,122.53	1/2	2,763.26
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,433.56	3/4	4,262.82	3/4	4,069.55	3/4	3,875.87	3/4	3,682.19	3/4	3,473.07	3/4	3,115.04
7		7		7		7	4,432.53	7	4,258.80	7	4,065.51	7	3,871.83	7	3,678.15	7	3,465.61	7	3,107.56
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,431.51	1/4	4,254.78	1/4	4,061.48	1/4	3,867.80	1/4	3,674.12	1/4	3,458.14	1/4	3,100.08
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,430.48	1/2	4,250.76	1/2	4,057.44	1/2	3,863.76	1/2	3,670.08	1/2	3,450.68	1/2	3,092.59
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,429.45	3/4	4,246.74	3/4	4,053.41	3/4	3,859.73	3/4	3,666.05	3/4	3,443.21	3/4	3,085.11
8		8		8		8	4,427.19	8	4,242.72	8	4,049.37	8	3,855.69	8	3,662.01	8	3,435.75	8	3,077.63
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,424.93	1/4	4,238.70	1/4	4,045.34	1/4	3,851.66	1/4	3,657.98	1/4	3,428.28	1/4	3,070.14
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,422.66	1/2	4,234.68	1/2	4,041.30	1/2	3,847.62	1/2	3,653.94	1/2	3,420.82	1/2	3,062.66
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,420.40	3/4	4,230.66	3/4	4,037.27	3/4	3,843.59	3/4	3,649.91	3/4	3,413.35	3/4	3,055.18
9		9		9		9	4,416.96	9	4,226.64	9	4,033.23	9	3,839.55	9	3,645.87	9	3,405.89	9	3,047.69
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,413.53	1/4	4,222.62	1/4	4,029.20	1/4	3,835.52	1/4	3,641.84	1/4	3,398.42	1/4	3,040.21
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,410.09	1/2	4,218.60	1/2	4,025.16	1/2	3,831.48	1/2	3,637.80	1/2	3,390.96	1/2	3,032.72
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,406.65	3/4	4,214.58	3/4	4,021.13	3/4	3,827.45	3/4	3,633.77	3/4	3,383.49	3/4	3,025.24
10		10		10		10	4,402.67	10	4,210.56	10	4,017.09	10	3,823.41	10	3,629.73	10	3,376.03	10	3,017.76
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,398.69	1/4	4,206.54	1/4	4,013.06	1/4	3,819.38	1/4	3,625.70	1/4	3,368.56	1/4	3,010.27
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,394.71	1/2	4,202.52	1/2	4,009.02	1/2	3,815.34	1/2	3,621.66	1/2	3,361.10	1/2	3,002.79
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,390.73	3/4	4,198.50	3/4	4,004.99	3/4	3,811.31	3/4	3,617.63	3/4	3,353.63	3/4	2,995.31
11		11		11		11	4,386.74	11	4,194.48	11	4,000.95	11	3,807.27	11	3,613.59	11	3,346.17	11	2,987.82
1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,382.76	1/4	4,190.45	1/4	3,996.92	1/4	3,803.24	1/4	3,609.56	1/4	3,338.71	1/4	2,980.34
1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,378.78	1/2	4,186.43	1/2	3,992.88	1/2	3,799.20	1/2	3,605.52	1/2	3,331.24	1/2	2,972.86
3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,374.80	3/4	4,182.41	3/4	3,988.85	3/4	3,795.17	3/4	3,601.49	3/4	3,323.78	3/4	2,965.37

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 54'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30112"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-02 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,598.34	0	2,238.45	0	1,878.51	0	1,518.54	0	1,158.63	0	798.96	0	439.00	0	80.13	0		0	
1/4	2,590.84	1/4	2,230.95	1/4	1,871.02	1/4	1,511.04	1/4	1,151.14	1/4	791.46	1/4	431.50	1/4	73.42	1/4		1/4	
1/2	2,583.34	1/2	2,223.45	1/2	1,863.52	1/2	1,503.54	1/2	1,143.65	1/2	783.96	1/2	424.00	1/2	66.70	1/2		1/2	
3/4	2,575.85	3/4	2,215.96	3/4	1,856.02	3/4	1,496.04	3/4	1,136.16	3/4	776.46	3/4	416.50	3/4	59.98	3/4		3/4	
1	2,568.35	1	2,208.46	1	1,848.52	1	1,488.54	1	1,128.67	1	768.97	1	409.00	1	54.51	1		1	
1/4	2,560.85	1/4	2,200.96	1/4	1,841.02	1/4	1,481.04	1/4	1,121.18	1/4	761.47	1/4	401.50	1/4	49.04	1/4		1/4	
1/2	2,553.35	1/2	2,193.46	1/2	1,833.52	1/2	1,473.54	1/2	1,113.69	1/2	753.97	1/2	394.01	1/2	43.58	1/2		1/2	
3/4	2,545.85	3/4	2,185.96	3/4	1,826.02	3/4	1,466.04	3/4	1,106.20	3/4	746.47	3/4	386.51	3/4	38.11	3/4		3/4	
2	2,538.36	2	2,178.47	2	1,818.52	2	1,458.54	2	1,098.71	2	738.97	2	379.01	2	33.89	2		2	
1/4	2,530.86	1/4	2,170.97	1/4	1,811.02	1/4	1,451.04	1/4	1,091.22	1/4	731.47	1/4	371.51	1/4	29.67	1/4		1/4	
1/2	2,523.36	1/2	2,163.47	1/2	1,803.52	1/2	1,443.54	1/2	1,083.73	1/2	723.97	1/2	364.01	1/2	25.46	1/2		1/2	
3/4	2,515.86	3/4	2,155.97	3/4	1,796.02	3/4	1,436.04	3/4	1,076.24	3/4	716.47	3/4	356.51	3/4	21.24	3/4		3/4	
3	2,508.37	3	2,148.48	3	1,788.52	3	1,428.54	3	1,068.75	3	708.97	3	349.01	3		3		3	
1/4	2,500.87	1/4	2,140.98	1/4	1,781.02	1/4	1,421.05	1/4	1,061.26	1/4	701.47	1/4	341.51	1/4		1/4		1/4	
1/2	2,493.37	1/2	2,133.48	1/2	1,773.52	1/2	1,413.55	1/2	1,053.76	1/2	693.97	1/2	334.01	1/2		1/2		1/2	
3/4	2,485.87	3/4	2,125.98	3/4	1,766.02	3/4	1,406.05	3/4	1,046.27	3/4	686.47	3/4	326.51	3/4		3/4		3/4	
4	2,478.38	4	2,118.49	4	1,758.52	4	1,398.55	4	1,038.78	4	678.98	4	319.01	4		4		4	
1/4	2,470.88	1/4	2,110.99	1/4	1,751.02	1/4	1,391.05	1/4	1,031.29	1/4	671.48	1/4	311.51	1/4		1/4		1/4	
1/2	2,463.38	1/2	2,103.49	1/2	1,743.52	1/2	1,383.55	1/2	1,023.80	1/2	663.98	1/2	304.02	1/2		1/2		1/2	
3/4	2,455.88	3/4	2,095.99	3/4	1,736.02	3/4	1,376.05	3/4	1,016.31	3/4	656.48	3/4	296.52	3/4		3/4		3/4	
5	2,448.38	5	2,088.49	5	1,728.52	5	1,368.55	5	1,008.82	5	648.98	5	289.02	5		5		5	
1/4	2,440.89	1/4	2,081.00	1/4	1,721.03	1/4	1,361.05	1/4	1,001.33	1/4	641.48	1/4	281.52	1/4		1/4		1/4	
1/2	2,433.39	1/2	2,073.50	1/2	1,713.53	1/2	1,353.55	1/2	993.84	1/2	633.98	1/2	274.02	1/2		1/2		1/2	
3/4	2,425.89	3/4	2,066.00	3/4	1,706.03	3/4	1,346.05	3/4	986.35	3/4	626.48	3/4	266.52	3/4		3/4		3/4	
6	2,418.39	6	2,058.50	6	1,698.53	6	1,338.55	6	978.86	6	618.98	6	259.02	6		6		6	
1/4	2,410.90	1/4	2,051.00	1/4	1,691.03	1/4	1,331.05	1/4	971.37	1/4	611.48	1/4	251.52	1/4		1/4		1/4	
1/2	2,403.40	1/2	2,043.50	1/2	1,683.53	1/2	1,323.55	1/2	963.88	1/2	603.98	1/2	244.02	1/2		1/2		1/2	
3/4	2,395.90	3/4	2,036.00	3/4	1,676.03	3/4	1,316.05	3/4	956.39	3/4	596.48	3/4	236.52	3/4		3/4		3/4	
7	2,388.40	7	2,028.50	7	1,668.53	7	1,308.55	7	948.90	7	588.98	7	229.02	7		7		7	
1/4	2,380.91	1/4	2,021.01	1/4	1,661.03	1/4	1,301.05	1/4	941.41	1/4	581.49	1/4	221.52	1/4		1/4		1/4	
1/2	2,373.41	1/2	2,013.51	1/2	1,653.53	1/2	1,293.55	1/2	933.92	1/2	573.99	1/2	214.02	1/2		1/2		1/2	
3/4	2,365.91	3/4	2,006.01	3/4	1,646.03	3/4	1,286.05	3/4	926.43	3/4	566.49	3/4	206.53	3/4		3/4		3/4	
8	2,358.41	8	1,998.51	8	1,638.53	8	1,278.55	8	918.94	8	558.99	8	199.03	8		8		8	
1/4	2,350.91	1/4	1,991.01	1/4	1,631.03	1/4	1,271.06	1/4	911.44	1/4	551.49	1/4	191.53	1/4		1/4		1/4	
1/2	2,343.42	1/2	1,983.51	1/2	1,623.53	1/2	1,263.56	1/2	903.95	1/2	543.99	1/2	184.03	1/2		1/2		1/2	
3/4	2,335.92	3/4	1,976.01	3/4	1,616.03	3/4	1,256.06	3/4	896.45	3/4	536.49	3/4	176.53	3/4		3/4		3/4	
9	2,328.42	9	1,968.51	9	1,608.53	9	1,248.56	9	888.95	9	528.99	9	169.03	9		9		9	
1/4	2,320.92	1/4	1,961.01	1/4	1,601.03	1/4	1,241.06	1/4	881.45	1/4	521.49	1/4	161.53	1/4		1/4		1/4	
1/2	2,313.43	1/2	1,953.51	1/2	1,593.53	1/2	1,233.56	1/2	873.95	1/2	513.99	1/2	154.03	1/2		1/2		1/2	
3/4	2,305.93	3/4	1,946.01	3/4	1,586.03	3/4	1,226.06	3/4	866.46	3/4	506.49	3/4	146.53	3/4		3/4		3/4	
10	2,298.43	10	1,938.51	10	1,578.53	10	1,218.56	10	858.96	10	498.99	10	139.03	10		10		10	
1/4	2,290.93	1/4	1,931.01	1/4	1,571.04	1/4	1,211.07	1/4	851.46	1/4	491.50	1/4	131.53	1/4		1/4		1/4	
1/2	2,283.43	1/2	1,923.51	1/2	1,563.54	1/2	1,203.57	1/2	843.96	1/2	484.00	1/2	124.03	1/2		1/2		1/2	
3/4	2,275.94	3/4	1,916.01	3/4	1,556.04	3/4	1,196.08	3/4	836.46	3/4	476.50	3/4	116.54	3/4		3/4		3/4	
11	2,268.44	11	1,908.51	11	1,548.54	11	1,188.59	11	828.96	11	469.00	11	109.11	11		11		11	
1/4	2,260.94	1/4	1,901.01	1/4	1,541.04	1/4	1,181.10	1/4	821.46	1/4	461.50	1/4	101.69	1/4		1/4		1/4	
1/2	2,253.44	1/2	1,893.51	1/2	1,533.54	1/2	1,173.61	1/2	813.96	1/2	454.00	1/2	94.27	1/2		1/2		1/2	
3/4	2,245.95	3/4	1,886.01	3/4	1,526.04	3/4	1,166.12	3/4	806.46	3/4	446.50	3/4	86.85	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-03"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0	4,347.23	0	4,155.52	0	3,962.62	0	3,769.61	0	3,576.61	0	3,299.57	0	2,941.96
1/4		1/4		1/4		1/4	4,343.26	1/4	4,151.51	1/4	3,958.60	1/4	3,765.59	1/4	3,572.58	1/4	3,292.14	1/4	2,934.50
1/2		1/2		1/2		1/2	4,339.29	1/2	4,147.50	1/2	3,954.58	1/2	3,761.57	1/2	3,568.56	1/2	3,284.70	1/2	2,927.03
3/4		3/4		3/4		3/4	4,335.32	3/4	4,143.50	3/4	3,950.56	3/4	3,757.55	3/4	3,564.54	3/4	3,277.27	3/4	2,919.57
1		1		1		1	4,331.36	1	4,139.49	1	3,946.54	1	3,753.53	1	3,560.52	1	3,273.83	1	2,912.11
1/4		1/4		1/4		1/4	4,327.39	1/4	4,135.48	1/4	3,942.52	1/4	3,749.51	1/4	3,556.50	1/4	3,262.39	1/4	2,904.65
1/2		1/2		1/2		1/2	4,323.42	1/2	4,131.48	1/2	3,938.50	1/2	3,745.49	1/2	3,552.48	1/2	3,254.96	1/2	2,897.18
3/4		3/4		3/4		3/4	4,319.45	3/4	4,127.47	3/4	3,934.47	3/4	3,741.47	3/4	3,548.46	3/4	3,247.52	3/4	2,889.72
2		2		2		2	4,315.48	2	4,123.46	2	3,930.45	2	3,737.45	2	3,544.44	2	3,240.09	2	2,882.26
1/4		1/4		1/4		1/4	4,311.52	1/4	4,119.44	1/4	3,926.43	1/4	3,733.42	1/4	3,540.42	1/4	3,232.65	1/4	2,874.79
1/2		1/2		1/2		1/2	4,307.55	1/2	4,115.42	1/2	3,922.41	1/2	3,729.40	1/2	3,536.40	1/2	3,225.22	1/2	2,867.32
3/4		3/4		3/4		3/4	4,303.58	3/4	4,111.40	3/4	3,918.39	3/4	3,725.38	3/4	3,532.37	3/4	3,217.78	3/4	2,859.85
3		3		3		3	4,299.61	3	4,107.38	3	3,914.37	3	3,721.36	3	3,528.35	3	3,210.35	3	2,852.38
1/4		1/4		1/4		1/4	4,295.64	1/4	4,103.36	1/4	3,910.35	1/4	3,717.34	1/4	3,524.33	1/4	3,202.91	1/4	2,844.91
1/2		1/2		1/2		1/2	4,291.67	1/2	4,099.34	1/2	3,906.33	1/2	3,713.32	1/2	3,520.31	1/2	3,195.48	1/2	2,837.44
3/4		3/4		3/4		3/4	4,287.69	3/4	4,095.31	3/4	3,902.31	3/4	3,709.30	3/4	3,516.29	3/4	3,188.04	3/4	2,829.97
4		4		4		4	4,283.72	4	4,091.29	4	3,898.29	4	3,705.28	4	3,512.27	4	3,180.61	4	2,822.50
1/4		1/4		1/4		1/4	4,279.71	1/4	4,087.27	1/4	3,894.26	1/4	3,701.26	1/4	3,508.25	1/4	3,173.17	1/4	2,815.03
1/2		1/2		1/2		1/2	4,275.71	1/2	4,083.25	1/2	3,890.24	1/2	3,697.24	1/2	3,504.23	1/2	3,165.73	1/2	2,807.56
3/4		3/4		3/4		3/4	4,271.70	3/4	4,079.23	3/4	3,886.22	3/4	3,693.21	3/4	3,500.21	3/4	3,158.30	3/4	2,800.09
5		5		5		5	4,267.70	5	4,075.21	5	3,882.20	5	3,689.19	5	3,496.19	5	3,150.86	5	2,792.62
1/4		1/4		1/4		1/4	4,263.69	1/4	4,071.19	1/4	3,878.18	1/4	3,685.17	1/4	3,491.74	1/4	3,143.42	1/4	2,785.15
1/2		1/2		1/2		1/2	4,259.68	1/2	4,067.17	1/2	3,874.16	1/2	3,681.15	1/2	3,487.29	1/2	3,135.98	1/2	2,777.68
3/4		3/4		3/4		3/4	4,255.68	3/4	4,063.15	3/4	3,870.14	3/4	3,677.13	3/4	3,482.84	3/4	3,128.54	3/4	2,770.21
6		6		6		6	4,251.67	6	4,059.13	6	3,866.12	6	3,673.11	6	3,478.39	6	3,121.10	6	2,762.74
1/4		1/4		1/4		1/4	4,247.66	1/4	4,055.10	1/4	3,862.10	1/4	3,669.09	1/4	3,474.93	1/4	3,113.64	1/4	2,755.25
1/2		1/2		1/2		1/2	4,243.66	1/2	4,051.08	1/2	3,858.08	1/2	3,665.07	1/2	3,463.48	1/2	3,106.17	1/2	2,747.77
3/4		3/4		3/4		3/4	4,239.65	3/4	4,047.06	3/4	3,854.05	3/4	3,661.05	3/4	3,456.03	3/4	3,098.70	3/4	2,740.29
7		7		7	4,405.71	7	4,235.64	7	4,043.04	7	3,850.03	7	3,657.03	7	3,448.58	7	3,091.23	7	2,732.80
1/4		1/4		1/4	4,404.70	1/4	4,231.64	1/4	4,039.02	1/4	3,846.01	1/4	3,653.00	1/4	3,441.13	1/4	3,083.76	1/4	2,725.32
1/2		1/2		1/2	4,403.69	1/2	4,227.63	1/2	4,035.00	1/2	3,841.99	1/2	3,648.98	1/2	3,433.68	1/2	3,076.29	1/2	2,717.84
3/4		3/4		3/4	4,402.67	3/4	4,223.62	3/4	4,030.98	3/4	3,837.97	3/4	3,644.96	3/4	3,426.23	3/4	3,068.82	3/4	2,710.36
8		8		8	4,401.66	8	4,219.62	8	4,026.96	8	3,833.95	8	3,640.94	8	3,418.78	8	3,061.35	8	2,702.87
1/4		1/4		1/4	4,399.41	1/4	4,215.61	1/4	4,022.94	1/4	3,829.93	1/4	3,636.92	1/4	3,411.33	1/4	3,053.89	1/4	2,695.39
1/2		1/2		1/2	4,397.16	1/2	4,211.61	1/2	4,018.92	1/2	3,825.91	1/2	3,632.90	1/2	3,403.88	1/2	3,046.43	1/2	2,687.91
3/4		3/4		3/4	4,394.91	3/4	4,207.60	3/4	4,014.89	3/4	3,821.89	3/4	3,628.88	3/4	3,396.43	3/4	3,038.97	3/4	2,680.43
9		9		9	4,392.66	9	4,203.59	9	4,010.87	9	3,817.87	9	3,624.86	9	3,388.97	9	3,031.50	9	2,672.94
1/4		1/4		1/4	4,389.24	1/4	4,199.59	1/4	4,006.85	1/4	3,813.84	1/4	3,620.84	1/4	3,381.52	1/4	3,024.04	1/4	2,665.46
1/2		1/2		1/2	4,385.82	1/2	4,195.58	1/2	4,002.83	1/2	3,809.82	1/2	3,616.82	1/2	3,374.07	1/2	3,016.58	1/2	2,657.98
3/4		3/4		3/4	4,382.39	3/4	4,191.57	3/4	3,998.81	3/4	3,805.80	3/4	3,612.79	3/4	3,366.62	3/4	3,009.12	3/4	2,650.50
10		10		10	4,378.97	10	4,187.57	10	3,994.79	10	3,801.78	10	3,608.77	10	3,359.17	10	3,001.66	10	2,643.01
1/4		1/4		1/4	4,375.00	1/4	4,183.56	1/4	3,990.77	1/4	3,797.76	1/4	3,604.75	1/4	3,351.72	1/4	2,994.19	1/4	2,635.53
1/2		1/2		1/2	4,371.04	1/2	4,179.55	1/2	3,986.75	1/2	3,793.74	1/2	3,600.73	1/2	3,344.27	1/2	2,986.73	1/2	2,628.05
3/4		3/4		3/4	4,367.07	3/4	4,175.55	3/4	3,982.73	3/4	3,789.72	3/4	3,596.71	3/4	3,336.82	3/4	2,979.27	3/4	2,620.57
11		11		11	4,363.10	11	4,171.54	11	3,978.71	11	3,785.70	11	3,592.69	11	3,329.37	11	2,971.81	11	2,613.08
1/4		1/4		1/4	4,359.13	1/4	4,167.54	1/4	3,974.68	1/4	3,781.68	1/4	3,588.67	1/4	3,321.92	1/4	2,964.35	1/4	2,605.60
1/2		1/2		1/2	4,355.16	1/2	4,163.53	1/2	3,970.66	1/2	3,777.66	1/2	3,584.65	1/2	3,314.47	1/2	2,956.88	1/2	2,598.12
3/4		3/4		3/4	4,351.20	3/4	4,159.52	3/4	3,966.64	3/4	3,773.63	3/4	3,580.63	3/4	3,307.02	3/4	2,949.42	3/4	2,590.63

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH (HERMETIC CLOSED GAUGING DEVICE).
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 54'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "ALLISON JANE"

GAUGE HEIGHT 17'-03"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,583.15	0	2,223.93	0	1,864.67	0	1,505.37	0	1,149.05	0	805.24	0	445.84	0	86.73	0		0	
1/4	2,575.67	1/4	2,216.45	1/4	1,857.19	1/4	1,497.89	1/4	1,141.90	1/4	797.76	1/4	438.35	1/4	80.03	1/4		1/4	
1/2	2,568.18	1/2	2,208.97	1/2	1,849.70	1/2	1,490.41	1/2	1,134.75	1/2	790.27	1/2	430.86	1/2	73.33	1/2		1/2	
3/4	2,560.70	3/4	2,201.48	3/4	1,842.22	3/4	1,482.94	3/4	1,127.60	3/4	782.78	3/4	423.38	3/4	66.63	3/4		3/4	
1	2,553.22	1	2,194.00	1	1,834.73	1	1,475.46	1	1,120.45	1	775.29	1	415.89	1	59.94	1		1	
1/4	2,545.73	1/4	2,186.51	1/4	1,827.25	1/4	1,468.04	1/4	1,113.30	1/4	767.81	1/4	408.40	1/4	54.48	1/4		1/4	
1/2	2,538.25	1/2	2,179.03	1/2	1,819.76	1/2	1,460.61	1/2	1,106.15	1/2	760.32	1/2	400.91	1/2	49.02	1/2		1/2	
3/4	2,530.76	3/4	2,171.55	3/4	1,812.28	3/4	1,453.19	3/4	1,099.00	3/4	752.83	3/4	393.43	3/4	43.56	3/4		3/4	
2	2,523.28	2	2,164.06	2	1,804.79	2	1,445.76	2	1,091.85	2	745.34	2	385.94	2	38.11	2		2	
1/4	2,515.80	1/4	2,156.58	1/4	1,797.31	1/4	1,438.34	1/4	1,084.70	1/4	737.86	1/4	378.45	1/4	33.89	1/4		1/4	
1/2	2,508.31	1/2	2,149.10	1/2	1,789.82	1/2	1,430.92	1/2	1,077.55	1/2	730.37	1/2	370.96	1/2	29.67	1/2		1/2	
3/4	2,500.83	3/4	2,141.61	3/4	1,782.33	3/4	1,423.49	3/4	1,070.40	3/4	722.88	3/4	363.48	3/4	25.45	3/4		3/4	
3	2,493.35	3	2,134.13	3	1,774.85	3	1,416.07	3	1,063.25	3	715.39	3	355.99	3	21.24	3		3	
1/4	2,485.86	1/4	2,126.64	1/4	1,767.36	1/4	1,408.64	1/4	1,056.10	1/4	707.91	1/4	348.50	1/4		1/4		1/4	
1/2	2,478.38	1/2	2,119.16	1/2	1,759.88	1/2	1,401.22	1/2	1,048.95	1/2	700.42	1/2	341.01	1/2		1/2		1/2	
3/4	2,470.89	3/4	2,111.68	3/4	1,752.39	3/4	1,393.80	3/4	1,041.80	3/4	692.93	3/4	333.53	3/4		3/4		3/4	
4	2,463.41	4	2,104.19	4	1,744.91	4	1,386.37	4	1,034.65	4	685.44	4	326.04	4		4		4	
1/4	2,455.93	1/4	2,096.71	1/4	1,737.42	1/4	1,378.95	1/4	1,027.50	1/4	677.96	1/4	318.55	1/4		1/4		1/4	
1/2	2,448.44	1/2	2,089.23	1/2	1,729.94	1/2	1,371.53	1/2	1,020.35	1/2	670.47	1/2	311.06	1/2		1/2		1/2	
3/4	2,440.96	3/4	2,081.74	3/4	1,722.45	3/4	1,364.10	3/4	1,013.20	3/4	662.98	3/4	303.58	3/4		3/4		3/4	
5	2,433.48	5	2,074.26	5	1,714.96	5	1,356.68	5	1,006.05	5	655.49	5	296.09	5		5		5	
1/4	2,425.99	1/4	2,066.78	1/4	1,707.48	1/4	1,349.25	1/4	998.90	1/4	648.00	1/4	288.60	1/4		1/4		1/4	
1/2	2,418.51	1/2	2,059.29	1/2	1,699.99	1/2	1,341.83	1/2	991.75	1/2	640.52	1/2	281.11	1/2		1/2		1/2	
3/4	2,411.03	3/4	2,051.81	3/4	1,692.51	3/4	1,334.41	3/4	984.60	3/4	633.03	3/4	273.62	3/4		3/4		3/4	
6	2,403.54	6	2,044.32	6	1,685.02	6	1,326.98	6	977.45	6	625.54	6	266.14	6		6		6	
1/4	2,396.06	1/4	2,036.84	1/4	1,677.54	1/4	1,319.56	1/4	970.30	1/4	618.05	1/4	258.65	1/4		1/4		1/4	
1/2	2,388.57	1/2	2,029.35	1/2	1,670.05	1/2	1,312.14	1/2	963.15	1/2	610.57	1/2	251.16	1/2		1/2		1/2	
3/4	2,381.09	3/4	2,021.87	3/4	1,662.57	3/4	1,304.71	3/4	956.00	3/4	603.08	3/4	243.67	3/4		3/4		3/4	
7	2,373.61	7	2,014.38	7	1,655.08	7	1,297.29	7	948.85	7	595.59	7	236.19	7		7		7	
1/4	2,366.12	1/4	2,006.90	1/4	1,647.60	1/4	1,289.86	1/4	941.70	1/4	588.10	1/4	228.70	1/4		1/4		1/4	
1/2	2,358.64	1/2	1,999.41	1/2	1,640.11	1/2	1,282.44	1/2	934.55	1/2	580.62	1/2	221.21	1/2		1/2		1/2	
3/4	2,351.16	3/4	1,991.93	3/4	1,632.62	3/4	1,275.02	3/4	927.40	3/4	573.13	3/4	213.72	3/4		3/4		3/4	
8	2,343.67	8	1,984.44	8	1,625.14	8	1,267.59	8	920.25	8	565.64	8	206.24	8		8		8	
1/4	2,336.19	1/4	1,976.96	1/4	1,617.65	1/4	1,260.17	1/4	913.09	1/4	558.15	1/4	198.75	1/4		1/4		1/4	
1/2	2,328.70	1/2	1,969.47	1/2	1,610.17	1/2	1,252.75	1/2	905.93	1/2	550.67	1/2	191.26	1/2		1/2		1/2	
3/4	2,321.22	3/4	1,961.99	3/4	1,602.68	3/4	1,245.33	3/4	898.78	3/4	543.18	3/4	183.77	3/4		3/4		3/4	
9	2,313.74	9	1,954.50	9	1,595.20	9	1,237.91	9	891.62	9	535.69	9	176.29	9		9		9	
1/4	2,306.25	1/4	1,947.02	1/4	1,587.71	1/4	1,230.50	1/4	884.45	1/4	528.20	1/4	168.80	1/4		1/4		1/4	
1/2	2,298.77	1/2	1,939.53	1/2	1,580.23	1/2	1,223.09	1/2	877.27	1/2	520.72	1/2	161.31	1/2		1/2		1/2	
3/4	2,291.29	3/4	1,932.04	3/4	1,572.74	3/4	1,215.68	3/4	870.09	3/4	513.23	3/4	153.82	3/4		3/4		3/4	
10	2,283.80	10	1,924.56	10	1,565.25	10	1,208.28	10	862.92	10	505.74	10	146.33	10		10		10	
1/4	2,276.32	1/4	1,917.07	1/4	1,557.77	1/4	1,200.87	1/4	855.74	1/4	498.25	1/4	138.84	1/4		1/4		1/4	
1/2	2,268.83	1/2	1,909.59	1/2	1,550.28	1/2	1,193.46	1/2	848.56	1/2	490.77	1/2	131.35	1/2		1/2		1/2	
3/4	2,261.35	3/4	1,902.10	3/4	1,542.80	3/4	1,186.05	3/4	841.38	3/4	483.28	3/4	123.85	3/4		3/4		3/4	
11	2,253.87	11	1,894.62	11	1,535.31	11	1,178.65	11	834.20	11	475.79	11	116.36	11		11		11	
1/4	2,246.38	1/4	1,887.13	1/4	1,527.83	1/4	1,171.25	1/4	826.96	1/4	468.30	1/4	108.95	1/4		1/4		1/4	
1/2	2,238.90	1/2	1,879.65	1/2	1,520.34	1/2	1,163.85	1/2	819.72	1/2	460.81	1/2	101.54	1/2		1/2		1/2	
3/4	2,231.42	3/4	1,872.16	3/4	1,512.86	3/4	1,156.45	3/4	812.48	3/4	453.33	3/4	94.14	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/10/2012 CL - SW
RE CALCULATED: 04/30/2014 SW
NAME CHANGE: 03/29/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30112"

ULLAGE TRIM TABLE (HERMETIC)
FORMERLY "ALLISON JANE"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-1/8	01-1/8
1 STBD	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8	- 01-1/8	01-1/8
2 PORT	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8	- 01-1/8	01-1/8
2 STBD	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8	- 01-1/8	01-1/8
3 PORT	00-1/2	- 00-1/2	01-1/8	- 01-1/8	01-5/8	- 01-5/8	02-1/8	- 02-1/8	02-3/4	- 02-3/4	03-1/4	- 03-1/4
3 STBD	00-1/2	- 00-1/2	01-1/8	- 01-1/8	01-5/8	- 01-5/8	02-1/8	- 02-1/8	02-3/4	- 02-3/4	03-1/4	- 03-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 253'-03"

March 29, 2023

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>