



BARGE "CTC 30105"

INNAGE TRIM TABLE

FORMERLY "C-1399"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	- 00-5/8	00-5/8	- 01-2/8	01-2/8	- 01-7/8	01-7/8	- 02-5/8	02-5/8	- 03-2/8	03-2/8	- 03-7/8	03-7/8
3 STBD	- 00-5/8	00-5/8	- 01-2/8	01-2/8	- 01-7/8	01-7/8	- 02-5/8	02-5/8	- 03-2/8	03-2/8	- 03-7/8	03-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 253'-09"

May 5, 2026

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CTC 30105"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.36	0	354.93	0	715.91	0	1,077.90	0	1,439.90	0	1,802.15	0	2,164.39	0	2,526.64	0	2,888.78	0	3,250.89
1/4	25.60	1/4	362.33	1/4	723.45	1/4	1,085.44	1/4	1,447.45	1/4	1,809.69	1/4	2,171.94	1/4	2,534.18	1/4	2,896.33	1/4	3,258.44
1/2	29.83	1/2	369.73	1/2	731.00	1/2	1,092.97	1/2	1,454.99	1/2	1,817.24	1/2	2,179.49	1/2	2,541.73	1/2	2,903.87	1/2	3,265.98
3/4	34.06	3/4	377.13	3/4	738.55	3/4	1,100.51	3/4	1,462.54	3/4	1,824.79	3/4	2,187.03	3/4	2,549.28	3/4	2,911.41	3/4	3,273.53
1	38.29	1	384.52	1	746.09	1	1,108.04	1	1,470.09	1	1,832.33	1	2,194.58	1	2,556.83	1	2,918.96	1	3,281.07
1/4	43.77	1/4	391.92	1/4	753.64	1/4	1,115.58	1/4	1,477.63	1/4	1,839.88	1/4	2,202.13	1/4	2,564.37	1/4	2,926.50	1/4	3,288.61
1/2	49.26	1/2	399.32	1/2	761.19	1/2	1,123.11	1/2	1,485.18	1/2	1,847.43	1/2	2,209.67	1/2	2,571.92	1/2	2,934.05	1/2	3,296.16
3/4	54.75	3/4	406.72	3/4	768.73	3/4	1,130.64	3/4	1,492.73	3/4	1,854.97	3/4	2,217.22	3/4	2,579.47	3/4	2,941.59	3/4	3,303.70
2	60.24	2	414.12	2	776.28	2	1,138.18	2	1,500.27	2	1,862.52	2	2,224.77	2	2,587.01	2	2,949.13	2	3,311.25
1/4	66.98	1/4	421.65	1/4	783.83	1/4	1,145.71	1/4	1,507.82	1/4	1,870.07	1/4	2,232.31	1/4	2,594.56	1/4	2,956.68	1/4	3,318.79
1/2	73.73	1/2	429.18	1/2	791.37	1/2	1,153.25	1/2	1,515.37	1/2	1,877.61	1/2	2,239.86	1/2	2,602.11	1/2	2,964.22	1/2	3,326.33
3/4	80.47	3/4	436.70	3/4	798.92	3/4	1,160.78	3/4	1,522.91	3/4	1,885.16	3/4	2,247.41	3/4	2,609.65	3/4	2,971.77	3/4	3,333.88
3	87.22	3	444.23	3	806.46	3	1,168.32	3	1,530.46	3	1,892.71	3	2,254.95	3	2,617.20	3	2,979.31	3	3,341.42
1/4	94.67	1/4	451.78	1/4	814.01	1/4	1,175.85	1/4	1,538.01	1/4	1,900.25	1/4	2,262.50	1/4	2,624.74	1/4	2,986.85	1/4	3,348.97
1/2	102.12	1/2	459.33	1/2	821.56	1/2	1,183.39	1/2	1,545.55	1/2	1,907.80	1/2	2,270.05	1/2	2,632.29	1/2	2,994.40	1/2	3,356.51
3/4	109.58	3/4	466.87	3/4	829.10	3/4	1,190.92	3/4	1,553.10	3/4	1,915.35	3/4	2,277.59	3/4	2,639.83	3/4	3,001.94	3/4	3,364.05
4	117.03	4	474.42	4	836.65	4	1,198.46	4	1,560.65	4	1,922.89	4	2,285.14	4	2,647.37	4	3,009.49	4	3,371.60
1/4	124.56	1/4	481.97	1/4	844.20	1/4	1,205.99	1/4	1,568.19	1/4	1,930.44	1/4	2,292.69	1/4	2,654.92	1/4	3,017.03	1/4	3,379.14
1/2	132.09	1/2	489.51	1/2	851.74	1/2	1,213.52	1/2	1,575.74	1/2	1,937.99	1/2	2,300.23	1/2	2,662.46	1/2	3,024.57	1/2	3,386.69
3/4	139.62	3/4	497.06	3/4	859.29	3/4	1,221.06	3/4	1,583.29	3/4	1,945.53	3/4	2,307.78	3/4	2,670.01	3/4	3,032.12	3/4	3,394.23
5	147.16	5	504.60	5	866.84	5	1,228.59	5	1,590.83	5	1,953.08	5	2,315.33	5	2,677.55	5	3,039.66	5	3,401.77
1/4	154.69	1/4	512.15	1/4	874.38	1/4	1,236.14	1/4	1,598.38	1/4	1,960.63	1/4	2,322.87	1/4	2,685.09	1/4	3,047.21	1/4	3,409.32
1/2	162.22	1/2	519.70	1/2	881.93	1/2	1,243.68	1/2	1,605.93	1/2	1,968.17	1/2	2,330.42	1/2	2,692.64	1/2	3,054.75	1/2	3,416.86
3/4	169.75	3/4	527.24	3/4	889.48	3/4	1,251.23	3/4	1,613.48	3/4	1,975.72	3/4	2,337.97	3/4	2,700.18	3/4	3,062.29	3/4	3,424.41
6	177.28	6	534.79	6	897.02	6	1,258.78	6	1,621.02	6	1,983.27	6	2,345.51	6	2,707.73	6	3,069.84	6	3,431.95
1/4	184.70	1/4	542.34	1/4	904.57	1/4	1,266.32	1/4	1,628.57	1/4	1,990.82	1/4	2,353.06	1/4	2,715.27	1/4	3,077.38	1/4	3,439.49
1/2	192.11	1/2	549.88	1/2	912.12	1/2	1,273.87	1/2	1,636.12	1/2	1,998.36	1/2	2,360.61	1/2	2,722.81	1/2	3,084.93	1/2	3,447.04
3/4	199.53	3/4	557.43	3/4	919.66	3/4	1,281.42	3/4	1,643.66	3/4	2,005.91	3/4	2,368.16	3/4	2,730.36	3/4	3,092.47	3/4	3,454.58
7	206.95	7	564.98	7	927.21	7	1,288.96	7	1,651.21	7	2,013.46	7	2,375.70	7	2,737.90	7	3,100.01	7	3,462.13
1/4	214.35	1/4	572.52	1/4	934.74	1/4	1,296.51	1/4	1,658.76	1/4	2,021.00	1/4	2,383.25	1/4	2,745.45	1/4	3,107.56	1/4	3,469.67
1/2	221.74	1/2	580.07	1/2	942.28	1/2	1,304.06	1/2	1,666.30	1/2	2,028.55	1/2	2,390.80	1/2	2,752.99	1/2	3,115.10	1/2	3,477.21
3/4	229.14	3/4	587.62	3/4	949.82	3/4	1,311.60	3/4	1,673.85	3/4	2,036.10	3/4	2,398.34	3/4	2,760.53	3/4	3,122.65	3/4	3,484.76
8	236.54	8	595.16	8	957.35	8	1,319.15	8	1,681.40	8	2,043.64	8	2,405.89	8	2,768.08	8	3,130.19	8	3,492.30
1/4	243.94	1/4	602.71	1/4	964.89	1/4	1,326.70	1/4	1,688.94	1/4	2,051.19	1/4	2,413.44	1/4	2,775.62	1/4	3,137.73	1/4	3,499.85
1/2	251.34	1/2	610.26	1/2	972.42	1/2	1,334.24	1/2	1,696.49	1/2	2,058.74	1/2	2,420.98	1/2	2,783.17	1/2	3,145.28	1/2	3,507.39
3/4	258.74	3/4	617.80	3/4	979.95	3/4	1,341.79	3/4	1,704.04	3/4	2,066.28	3/4	2,428.53	3/4	2,790.71	3/4	3,152.82	3/4	3,514.93
9	266.14	9	625.35	9	987.49	9	1,349.34	9	1,711.58	9	2,073.83	9	2,436.08	9	2,798.25	9	3,160.37	9	3,522.48
1/4	273.54	1/4	632.90	1/4	995.02	1/4	1,356.88	1/4	1,719.13	1/4	2,081.38	1/4	2,443.62	1/4	2,805.80	1/4	3,167.91	1/4	3,530.02
1/2	280.94	1/2	640.44	1/2	1,002.56	1/2	1,364.43	1/2	1,726.68	1/2	2,088.92	1/2	2,451.17	1/2	2,813.34	1/2	3,175.45	1/2	3,537.57
3/4	288.34	3/4	647.99	3/4	1,010.09	3/4	1,371.98	3/4	1,734.22	3/4	2,096.47	3/4	2,458.72	3/4	2,820.89	3/4	3,183.00	3/4	3,545.11
10	295.74	10	655.53	10	1,017.63	10	1,379.52	10	1,741.77	10	2,104.02	10	2,466.26	10	2,828.43	10	3,190.54	10	3,552.65
1/4	303.13	1/4	663.08	1/4	1,025.16	1/4	1,387.07	1/4	1,749.32	1/4	2,111.56	1/4	2,473.81	1/4	2,835.97	1/4	3,198.09	1/4	3,560.20
1/2	310.53	1/2	670.63	1/2	1,032.70	1/2	1,394.62	1/2	1,756.86	1/2	2,119.11	1/2	2,481.36	1/2	2,843.52	1/2	3,205.63	1/2	3,567.74
3/4	317.93	3/4	678.17	3/4	1,040.23	3/4	1,402.16	3/4	1,764.41	3/4	2,126.66	3/4	2,488.90	3/4	2,851.06	3/4	3,213.17	3/4	3,575.29
11	325.33	11	685.72	11	1,047.77	11	1,409.71	11	1,771.96	11	2,134.20	11	2,496.45	11	2,858.61	11	3,220.72	11	3,582.83
1/4	332.73	1/4	693.27	1/4	1,055.30	1/4	1,417.26	1/4	1,779.50	1/4	2,141.75	1/4	2,504.00	1/4	2,866.15	1/4	3,228.26	1/4	3,590.37
1/2	340.13	1/2	700.81	1/2	1,062.83	1/2	1,424.81	1/2	1,787.05	1/2	2,149.30	1/2	2,511.54	1/2	2,873.69	1/2	3,235.81	1/2	3,597.92
3/4	347.53	3/4	708.36	3/4	1,070.37	3/4	1,432.35	3/4	1,794.60	3/4	2,156.84	3/4	2,519.09	3/4	2,881.24	3/4	3,243.35	3/4	3,605.46

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,613.01	0	3,975.12	0	4,336.54	0	4,684.55	0	5,014.28	0		0		0					
1/4	3,620.55	1/4	3,982.66	1/4	4,343.96	1/4	4,691.59	1/4	5,021.67	1/4		1/4		1/4					0
1/2	3,628.09	1/2	3,990.21	1/2	4,351.38	1/2	4,698.64	1/2	5,029.06	1/2		1/2		1/2					1/2
3/4	3,635.64	3/4	3,997.75	3/4	4,358.81	3/4	4,705.68	3/4	5,036.46	3/4		3/4		3/4					3/4
1	3,643.18	1	4,005.29	1	4,366.23	1	4,712.72	1	5,043.85	1		1		1					1
1/4	3,650.73	1/4	4,012.84	1/4	4,373.63	1/4	4,719.71	1/4	5,051.30	1/4		1/4		1/4					1/4
1/2	3,658.27	1/2	4,020.38	1/2	4,381.02	1/2	4,726.69	1/2	5,058.74	1/2		1/2		1/2					1/2
3/4	3,665.81	3/4	4,027.93	3/4	4,388.41	3/4	4,733.68	3/4	5,066.19	3/4		3/4		3/4					3/4
2	3,673.36	2	4,035.47	2	4,395.81	2	4,740.66	2	5,073.63	2		2		2					2
1/4	3,680.90	1/4	4,043.01	1/4	4,403.17	1/4	4,747.61	1/4	5,081.08	1/4		1/4		1/4					1/4
1/2	3,688.45	1/2	4,050.56	1/2	4,410.53	1/2	4,754.57	1/2	5,088.53	1/2		1/2		1/2					1/2
3/4	3,695.99	3/4	4,058.10	3/4	4,417.90	3/4	4,761.52	3/4	5,095.97	3/4		3/4		3/4					3/4
3	3,703.53	3	4,065.65	3	4,425.26	3	4,768.47	3	5,103.42	3		3		3					3
1/4	3,711.08	1/4	4,073.19	1/4	4,432.59	1/4	4,775.39	1/4	5,110.86	1/4		1/4		1/4					1/4
1/2	3,718.62	1/2	4,080.73	1/2	4,439.92	1/2	4,782.31	1/2	5,118.31	1/2		1/2		1/2					1/2
3/4	3,726.17	3/4	4,088.28	3/4	4,447.25	3/4	4,789.23	3/4	5,125.76	3/4		3/4		3/4					3/4
4	3,733.71	4	4,095.82	4	4,454.58	4	4,796.15	4	5,133.20	4		4		4					4
1/4	3,741.25	1/4	4,103.37	1/4	4,461.88	1/4	4,803.04	1/4	5,140.65	1/4		1/4		1/4					1/4
1/2	3,748.80	1/2	4,110.91	1/2	4,469.17	1/2	4,809.92	1/2	5,148.09	1/2		1/2		1/2					1/2
3/4	3,756.34	3/4	4,118.45	3/4	4,476.47	3/4	4,816.81	3/4	5,155.54	3/4		3/4		3/4					3/4
5	3,763.89	5	4,126.00	5	4,483.77	5	4,823.70	5	5,162.99	5		5		5					5
1/4	3,771.43	1/4	4,133.54	1/4	4,491.03	1/4	4,830.55	1/4	5,170.29	1/4		1/4		1/4					1/4
1/2	3,778.97	1/2	4,141.09	1/2	4,498.30	1/2	4,837.40	1/2	5,177.60	1/2		1/2		1/2					1/2
3/4	3,786.52	3/4	4,148.63	3/4	4,505.56	3/4	4,844.26	3/4	5,184.91	3/4		3/4		3/4					3/4
6	3,794.06	6	4,156.17	6	4,512.83	6	4,851.11	6	5,192.22	6		6		6					6
1/4	3,801.61	1/4	4,163.72	1/4	4,520.07	1/4	4,857.93	1/4	5,198.55	1/4		1/4		1/4					1/4
1/2	3,809.15	1/2	4,171.26	1/2	4,527.30	1/2	4,864.76	1/2	5,204.87	1/2		1/2		1/2					1/2
3/4	3,816.69	3/4	4,178.81	3/4	4,534.54	3/4	4,871.58	3/4	5,211.20	3/4		3/4		3/4					3/4
7	3,824.24	7	4,186.35	7	4,541.77	7	4,878.40	7	5,217.52	7		7		7					7
1/4	3,831.78	1/4	4,193.89	1/4	4,548.97	1/4	4,885.20	1/4	5,222.63	1/4		1/4		1/4					1/4
1/2	3,839.33	1/2	4,201.44	1/2	4,556.18	1/2	4,891.99	1/2	5,227.75	1/2		1/2		1/2					1/2
3/4	3,846.87	3/4	4,208.98	3/4	4,563.38	3/4	4,898.78	3/4	5,232.86	3/4		3/4		3/4					3/4
8	3,854.41	8	4,216.53	8	4,570.58	8	4,905.57	8	5,237.97	8		8		8					8
1/4	3,861.96	1/4	4,224.07	1/4	4,577.75	1/4	4,912.34	1/4		1/4		1/4		1/4					1/4
1/2	3,869.50	1/2	4,231.60	1/2	4,584.92	1/2	4,919.10	1/2		1/2		1/2		1/2					1/2
3/4	3,877.05	3/4	4,239.14	3/4	4,592.09	3/4	4,925.86	3/4		3/4		3/4		3/4					3/4
9	3,884.59	9	4,246.68	9	4,599.26	9	4,932.62	9		9		9		9					9
1/4	3,892.13	1/4	4,254.20	1/4	4,606.39	1/4	4,939.35	1/4		1/4		1/4		1/4					1/4
1/2	3,899.68	1/2	4,261.72	1/2	4,613.53	1/2	4,946.09	1/2		1/2		1/2		1/2					1/2
3/4	3,907.22	3/4	4,269.25	3/4	4,620.67	3/4	4,952.82	3/4		3/4		3/4		3/4					3/4
10	3,914.77	10	4,276.77	10	4,627.81	10	4,959.55	10		10		10		10					10
1/4	3,922.31	1/4	4,284.25	1/4	4,634.91	1/4	4,966.25	1/4		1/4		1/4		1/4					1/4
1/2	3,929.85	1/2	4,291.74	1/2	4,642.02	1/2	4,972.94	1/2		1/2		1/2		1/2					1/2
3/4	3,937.40	3/4	4,299.23	3/4	4,649.13	3/4	4,979.64	3/4		3/4		3/4		3/4					3/4
11	3,944.94	11	4,306.72	11	4,656.24	11	4,986.34	11		11		11		11					11
1/4	3,952.49	1/4	4,314.17	1/4	4,663.31	1/4	4,993.32	1/4		1/4		1/4		1/4					1/4
1/2	3,960.03	1/2	4,321.63	1/2	4,670.39	1/2	5,000.31	1/2		1/2		1/2		1/2					1/2
3/4	3,967.57	3/4	4,329.08	3/4	4,677.47	3/4	5,007.29	3/4		3/4		3/4		3/4					3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.39	0	355.31	0	716.69	0	1,078.15	0	1,439.58	0	1,802.22	0	2,164.86	0	2,527.50	0	2,889.85	0	3,252.35
1/4	25.62	1/4	362.72	1/4	724.24	1/4	1,085.66	1/4	1,447.13	1/4	1,809.77	1/4	2,172.41	1/4	2,535.05	1/4	2,897.40	1/4	3,259.90
1/2	29.86	1/2	370.13	1/2	731.80	1/2	1,093.16	1/2	1,454.69	1/2	1,817.33	1/2	2,179.97	1/2	2,542.61	1/2	2,904.95	1/2	3,267.46
3/4	34.09	3/4	377.54	3/4	739.35	3/4	1,100.66	3/4	1,462.24	3/4	1,824.88	3/4	2,187.52	3/4	2,550.16	3/4	2,912.50	3/4	3,275.01
1	38.33	1	384.94	1	746.90	1	1,108.17	1	1,469.80	1	1,832.44	1	2,195.08	1	2,557.72	1	2,920.05	1	3,282.56
1/4	43.82	1/4	392.35	1/4	754.46	1/4	1,115.67	1/4	1,477.35	1/4	1,839.99	1/4	2,202.63	1/4	2,565.27	1/4	2,927.61	1/4	3,290.11
1/2	49.32	1/2	399.76	1/2	762.01	1/2	1,123.17	1/2	1,484.91	1/2	1,847.55	1/2	2,210.19	1/2	2,572.83	1/2	2,935.16	1/2	3,297.66
3/4	54.81	3/4	407.16	3/4	769.57	3/4	1,130.68	3/4	1,492.46	3/4	1,855.10	3/4	2,217.74	3/4	2,580.38	3/4	2,942.71	3/4	3,305.22
2	60.30	2	414.57	2	777.12	2	1,138.18	2	1,500.02	2	1,862.66	2	2,225.30	2	2,587.94	2	2,950.26	2	3,312.77
1/4	67.05	1/4	422.11	1/4	784.68	1/4	1,145.68	1/4	1,507.57	1/4	1,870.21	1/4	2,232.85	1/4	2,595.49	1/4	2,957.82	1/4	3,320.32
1/2	73.81	1/2	429.64	1/2	792.23	1/2	1,153.19	1/2	1,515.13	1/2	1,877.77	1/2	2,240.41	1/2	2,603.05	1/2	2,965.37	1/2	3,327.87
3/4	80.56	3/4	437.18	3/4	799.79	3/4	1,160.69	3/4	1,522.68	3/4	1,885.32	3/4	2,247.96	3/4	2,610.60	3/4	2,972.92	3/4	3,335.43
3	87.31	3	444.72	3	807.34	3	1,168.19	3	1,530.24	3	1,892.88	3	2,255.52	3	2,618.16	3	2,980.47	3	3,342.98
1/4	94.77	1/4	452.27	1/4	814.90	1/4	1,175.70	1/4	1,537.79	1/4	1,900.43	1/4	2,263.07	1/4	2,625.71	1/4	2,988.02	1/4	3,350.53
1/2	102.23	1/2	459.83	1/2	822.45	1/2	1,183.20	1/2	1,545.35	1/2	1,907.99	1/2	2,270.63	1/2	2,633.26	1/2	2,995.58	1/2	3,358.08
3/4	109.70	3/4	467.38	3/4	830.01	3/4	1,190.70	3/4	1,552.90	3/4	1,915.54	3/4	2,278.18	3/4	2,640.82	3/4	3,003.13	3/4	3,365.63
4	117.16	4	474.94	4	837.56	4	1,198.21	4	1,560.46	4	1,923.10	4	2,285.74	4	2,648.37	4	3,010.68	4	3,373.19
1/4	124.70	1/4	482.49	1/4	845.12	1/4	1,205.71	1/4	1,568.01	1/4	1,930.65	1/4	2,293.29	1/4	2,655.91	1/4	3,018.23	1/4	3,380.74
1/2	132.24	1/2	490.04	1/2	852.67	1/2	1,213.21	1/2	1,575.57	1/2	1,938.21	1/2	2,300.85	1/2	2,663.45	1/2	3,025.79	1/2	3,388.29
3/4	139.78	3/4	497.60	3/4	860.23	3/4	1,220.72	3/4	1,583.12	3/4	1,945.76	3/4	2,308.40	3/4	2,671.00	3/4	3,033.34	3/4	3,395.84
5	147.32	5	505.15	5	867.78	5	1,228.22	5	1,590.68	5	1,953.32	5	2,315.96	5	2,678.54	5	3,040.89	5	3,403.40
1/4	154.86	1/4	512.71	1/4	875.33	1/4	1,235.73	1/4	1,598.23	1/4	1,960.87	1/4	2,323.51	1/4	2,686.08	1/4	3,048.44	1/4	3,410.95
1/2	162.40	1/2	520.26	1/2	882.89	1/2	1,243.25	1/2	1,605.79	1/2	1,968.43	1/2	2,331.07	1/2	2,693.62	1/2	3,055.99	1/2	3,418.50
3/4	169.94	3/4	527.82	3/4	890.44	3/4	1,250.76	3/4	1,613.34	3/4	1,975.98	3/4	2,338.62	3/4	2,701.16	3/4	3,063.55	3/4	3,426.05
6	177.48	6	535.37	6	898.00	6	1,258.28	6	1,620.90	6	1,983.54	6	2,346.18	6	2,708.70	6	3,071.10	6	3,433.60
1/4	184.90	1/4	542.93	1/4	905.52	1/4	1,265.83	1/4	1,628.45	1/4	1,991.09	1/4	2,353.73	1/4	2,716.24	1/4	3,078.65	1/4	3,441.16
1/2	192.32	1/2	550.48	1/2	913.04	1/2	1,273.38	1/2	1,636.01	1/2	1,998.65	1/2	2,361.29	1/2	2,723.78	1/2	3,086.20	1/2	3,448.71
3/4	199.75	3/4	558.04	3/4	920.56	3/4	1,280.93	3/4	1,643.56	3/4	2,006.20	3/4	2,368.84	3/4	2,731.32	3/4	3,093.76	3/4	3,456.26
7	207.17	7	565.59	7	928.08	7	1,288.48	7	1,651.12	7	2,013.76	7	2,376.40	7	2,738.86	7	3,101.31	7	3,463.81
1/4	214.58	1/4	573.15	1/4	935.59	1/4	1,296.03	1/4	1,658.67	1/4	2,021.31	1/4	2,383.95	1/4	2,746.40	1/4	3,108.86	1/4	3,471.37
1/2	221.99	1/2	580.70	1/2	943.09	1/2	1,303.59	1/2	1,666.23	1/2	2,028.87	1/2	2,391.51	1/2	2,753.94	1/2	3,116.41	1/2	3,478.92
3/4	229.39	3/4	588.26	3/4	950.60	3/4	1,311.14	3/4	1,673.78	3/4	2,036.42	3/4	2,399.06	3/4	2,761.48	3/4	3,123.96	3/4	3,486.47
8	236.80	8	595.81	8	958.10	8	1,318.70	8	1,681.34	8	2,043.98	8	2,406.62	8	2,769.02	8	3,131.52	8	3,494.02
1/4	244.21	1/4	603.37	1/4	965.60	1/4	1,326.25	1/4	1,688.89	1/4	2,051.53	1/4	2,414.17	1/4	2,776.57	1/4	3,139.07	1/4	3,501.57
1/2	251.61	1/2	610.92	1/2	973.11	1/2	1,333.81	1/2	1,696.45	1/2	2,059.09	1/2	2,421.73	1/2	2,784.12	1/2	3,146.62	1/2	3,509.13
3/4	259.02	3/4	618.47	3/4	980.61	3/4	1,341.36	3/4	1,704.00	3/4	2,066.64	3/4	2,429.28	3/4	2,791.67	3/4	3,154.17	3/4	3,516.68
9	266.43	9	626.03	9	988.11	9	1,348.92	9	1,711.56	9	2,074.20	9	2,436.84	9	2,799.22	9	3,161.73	9	3,524.23
1/4	273.84	1/4	633.58	1/4	995.62	1/4	1,356.47	1/4	1,719.11	1/4	2,081.75	1/4	2,444.39	1/4	2,806.77	1/4	3,169.28	1/4	3,531.78
1/2	281.24	1/2	641.14	1/2	1,003.12	1/2	1,364.03	1/2	1,726.67	1/2	2,089.31	1/2	2,451.95	1/2	2,814.32	1/2	3,176.83	1/2	3,539.34
3/4	288.65	3/4	648.69	3/4	1,010.62	3/4	1,371.58	3/4	1,734.22	3/4	2,096.86	3/4	2,459.50	3/4	2,821.88	3/4	3,184.38	3/4	3,546.89
10	296.06	10	656.25	10	1,018.13	10	1,379.14	10	1,741.78	10	2,104.42	10	2,467.06	10	2,829.43	10	3,191.93	10	3,554.44
1/4	303.46	1/4	663.80	1/4	1,025.63	1/4	1,386.69	1/4	1,749.33	1/4	2,111.97	1/4	2,474.61	1/4	2,836.98	1/4	3,199.49	1/4	3,561.99
1/2	310.87	1/2	671.36	1/2	1,033.13	1/2	1,394.25	1/2	1,756.89	1/2	2,119.53	1/2	2,482.17	1/2	2,844.53	1/2	3,207.04	1/2	3,569.54
3/4	318.28	3/4	678.91	3/4	1,040.64	3/4	1,401.80	3/4	1,764.44	3/4	2,127.08	3/4	2,489.72	3/4	2,852.08	3/4	3,214.59	3/4	3,577.10
11	325.69	11	686.47	11	1,048.14	11	1,409.36	11	1,772.00	11	2,134.64	11	2,497.28	11	2,859.64	11	3,222.14	11	3,584.65
1/4	333.09	1/4	694.02	1/4	1,055.64	1/4	1,416.91	1/4	1,779.55	1/4	2,142.19	1/4	2,504.83	1/4	2,867.19	1/4	3,229.69	1/4	3,592.20
1/2	340.50	1/2	701.58	1/2	1,063.15	1/2	1,424.47	1/2	1,787.11	1/2	2,149.75	1/2	2,512.39	1/2	2,874.74	1/2	3,237.25	1/2	3,599.75
3/4	347.91	3/4	709.13	3/4	1,070.65	3/4	1,432.02	3/4	1,794.66	3/4	2,157.30	3/4	2,519.94	3/4	2,882.29	3/4	3,244.80	3/4	3,607.30

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,614.86	0	3,977.36	0	4,339.18	0	4,687.57	0	5,017.65	0		0		0					
1/4	3,622.41	1/4	3,984.91	1/4	4,346.62	1/4	4,694.62	1/4	5,025.06	1/4		1/4		1/4					
1/2	3,629.96	1/2	3,992.47	1/2	4,354.05	1/2	4,701.67	1/2	5,032.46	1/2		1/2		1/2					
3/4	3,637.51	3/4	4,000.02	3/4	4,361.48	3/4	4,708.73	3/4	5,039.86	3/4		3/4		3/4					
1	3,645.07	1	4,007.57	1	4,368.91	1	4,715.78	1	5,047.26	1		1		1					
1/4	3,652.62	1/4	4,015.12	1/4	4,376.31	1/4	4,722.77	1/4	5,054.71	1/4		1/4		1/4					
1/2	3,660.17	1/2	4,022.68	1/2	4,383.71	1/2	4,729.76	1/2	5,062.17	1/2		1/2		1/2					
3/4	3,667.72	3/4	4,030.23	3/4	4,391.12	3/4	4,736.76	3/4	5,069.62	3/4		3/4		3/4					
2	3,675.27	2	4,037.78	2	4,398.52	2	4,743.75	2	5,077.08	2		2		2					
1/4	3,682.83	1/4	4,045.33	1/4	4,405.89	1/4	4,750.71	1/4	5,084.53	1/4		1/4		1/4					
1/2	3,690.38	1/2	4,052.88	1/2	4,413.26	1/2	4,757.66	1/2	5,091.98	1/2		1/2		1/2					
3/4	3,697.93	3/4	4,060.44	3/4	4,420.63	3/4	4,764.62	3/4	5,099.44	3/4		3/4		3/4					
3	3,705.48	3	4,067.99	3	4,428.00	3	4,771.58	3	5,106.89	3		3		3					
1/4	3,713.04	1/4	4,075.54	1/4	4,435.34	1/4	4,778.51	1/4	5,114.35	1/4		1/4		1/4					
1/2	3,720.59	1/2	4,083.09	1/2	4,442.68	1/2	4,785.44	1/2	5,121.80	1/2		1/2		1/2					
3/4	3,728.14	3/4	4,090.65	3/4	4,450.02	3/4	4,792.36	3/4	5,129.25	3/4		3/4		3/4					
4	3,735.69	4	4,098.20	4	4,457.36	4	4,799.29	4	5,136.71	4		4		4					
1/4	3,743.24	1/4	4,105.75	1/4	4,464.66	1/4	4,806.19	1/4	5,144.16	1/4		1/4		1/4					
1/2	3,750.80	1/2	4,113.30	1/2	4,471.97	1/2	4,813.08	1/2	5,151.62	1/2		1/2		1/2					
3/4	3,758.35	3/4	4,120.85	3/4	4,479.27	3/4	4,819.98	3/4	5,159.07	3/4		3/4		3/4					
5	3,765.90	5	4,128.41	5	4,486.57	5	4,826.87	5	5,166.52	5		5		5					
1/4	3,773.45	1/4	4,135.96	1/4	4,493.85	1/4	4,833.73	1/4	5,173.84	1/4		1/4		1/4					
1/2	3,781.01	1/2	4,143.51	1/2	4,501.12	1/2	4,840.59	1/2	5,181.15	1/2		1/2		1/2					
3/4	3,788.56	3/4	4,151.06	3/4	4,508.39	3/4	4,847.45	3/4	5,188.47	3/4		3/4		3/4					
6	3,796.11	6	4,158.62	6	4,515.67	6	4,854.31	6	5,195.78	6		6		6					
1/4	3,803.66	1/4	4,166.17	1/4	4,522.91	1/4	4,861.14	1/4	5,202.11	1/4		1/4		1/4					
1/2	3,811.21	1/2	4,173.72	1/2	4,530.15	1/2	4,867.97	1/2	5,208.45	1/2		1/2		1/2					
3/4	3,818.77	3/4	4,181.27	3/4	4,537.40	3/4	4,874.80	3/4	5,214.78	3/4		3/4		3/4					
7	3,826.32	7	4,188.82	7	4,544.64	7	4,881.63	7	5,221.11	7		7		7					
1/4	3,833.87	1/4	4,196.38	1/4	4,551.85	1/4	4,888.43	1/4	5,226.23	1/4		1/4		1/4					
1/2	3,841.42	1/2	4,203.93	1/2	4,559.06	1/2	4,895.23	1/2	5,231.35	1/2		1/2		1/2					
3/4	3,848.98	3/4	4,211.48	3/4	4,566.27	3/4	4,902.03	3/4	5,236.46	3/4		3/4		3/4					
8	3,856.53	8	4,219.03	8	4,573.48	8	4,908.83	8	5,241.58	8		8		8					
1/4	3,864.08	1/4	4,226.58	1/4	4,580.66	1/4	4,915.60	1/4		1/4		1/4		1/4					
1/2	3,871.63	1/2	4,234.13	1/2	4,587.83	1/2	4,922.37	1/2		1/2		1/2		1/2					
3/4	3,879.18	3/4	4,241.68	3/4	4,595.01	3/4	4,929.14	3/4		3/4		3/4		3/4					
9	3,886.74	9	4,249.23	9	4,602.19	9	4,935.91	9		9		9		9					
1/4	3,894.29	1/4	4,256.76	1/4	4,609.33	1/4	4,942.65	1/4		1/4		1/4		1/4					
1/2	3,901.84	1/2	4,264.29	1/2	4,616.48	1/2	4,949.39	1/2		1/2		1/2		1/2					
3/4	3,909.39	3/4	4,271.82	3/4	4,623.62	3/4	4,956.13	3/4		3/4		3/4		3/4					
10	3,916.95	10	4,279.35	10	4,630.77	10	4,962.87	10		10		10		10					
1/4	3,924.50	1/4	4,286.84	1/4	4,637.88	1/4	4,969.57	1/4		1/4		1/4		1/4					
1/2	3,932.05	1/2	4,294.34	1/2	4,645.00	1/2	4,976.28	1/2		1/2		1/2		1/2					
3/4	3,939.60	3/4	4,301.84	3/4	4,652.11	3/4	4,982.98	3/4		3/4		3/4		3/4					
11	3,947.15	11	4,309.33	11	4,659.23	11	4,989.68	11		11		11		11					
1/4	3,954.71	1/4	4,316.80	1/4	4,666.32	1/4	4,996.68	1/4		1/4		1/4		1/4					
1/2	3,962.26	1/2	4,324.26	1/2	4,673.40	1/2	5,003.67	1/2		1/2		1/2		1/2					
3/4	3,969.81	3/4	4,331.72	3/4	4,680.49	3/4	5,010.66	3/4		3/4		3/4		3/4					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.32	0	354.24	0	714.53	0	1,075.83	0	1,437.13	0	1,798.69	0	2,160.24	0	2,521.80	0	2,883.25	0	3,244.68
1/4	25.55	1/4	361.62	1/4	722.06	1/4	1,083.35	1/4	1,444.67	1/4	1,806.22	1/4	2,167.78	1/4	2,529.33	1/4	2,890.78	1/4	3,252.21
1/2	29.77	1/2	369.01	1/2	729.59	1/2	1,090.87	1/2	1,452.20	1/2	1,813.75	1/2	2,175.31	1/2	2,536.86	1/2	2,898.31	1/2	3,259.74
3/4	33.99	3/4	376.39	3/4	737.12	3/4	1,098.39	3/4	1,459.73	3/4	1,821.29	3/4	2,182.84	3/4	2,544.40	3/4	2,905.84	3/4	3,267.27
1	38.22	1	383.78	1	744.65	1	1,105.91	1	1,467.26	1	1,828.82	1	2,190.37	1	2,551.93	1	2,913.37	1	3,274.80
1/4	43.69	1/4	391.16	1/4	752.19	1/4	1,113.43	1/4	1,474.80	1/4	1,836.35	1/4	2,197.91	1/4	2,559.46	1/4	2,920.90	1/4	3,282.33
1/2	49.17	1/2	398.54	1/2	759.72	1/2	1,120.95	1/2	1,482.33	1/2	1,843.88	1/2	2,205.44	1/2	2,566.99	1/2	2,928.43	1/2	3,289.86
3/4	54.64	3/4	405.93	3/4	767.25	3/4	1,128.47	3/4	1,489.86	3/4	1,851.42	3/4	2,212.97	3/4	2,574.53	3/4	2,935.96	3/4	3,297.39
2	60.12	2	413.31	2	774.78	2	1,135.99	2	1,497.39	2	1,858.95	2	2,220.50	2	2,582.06	2	2,943.49	2	3,304.92
1/4	66.85	1/4	420.83	1/4	782.31	1/4	1,143.51	1/4	1,504.93	1/4	1,866.48	1/4	2,228.04	1/4	2,589.59	1/4	2,951.02	1/4	3,312.45
1/2	73.59	1/2	428.34	1/2	789.85	1/2	1,151.03	1/2	1,512.46	1/2	1,874.01	1/2	2,235.57	1/2	2,597.12	1/2	2,958.55	1/2	3,319.98
3/4	80.32	3/4	435.86	3/4	797.38	3/4	1,158.55	3/4	1,519.99	3/4	1,881.55	3/4	2,243.10	3/4	2,604.66	3/4	2,966.08	3/4	3,327.51
3	87.05	3	443.37	3	804.91	3	1,166.07	3	1,527.52	3	1,889.08	3	2,250.63	3	2,612.19	3	2,973.61	3	3,335.04
1/4	94.49	1/4	450.90	1/4	812.44	1/4	1,173.59	1/4	1,535.06	1/4	1,896.61	1/4	2,258.17	1/4	2,619.72	1/4	2,981.14	1/4	3,342.57
1/2	101.93	1/2	458.43	1/2	819.97	1/2	1,181.12	1/2	1,542.59	1/2	1,904.14	1/2	2,265.70	1/2	2,627.25	1/2	2,988.67	1/2	3,350.10
3/4	109.37	3/4	465.97	3/4	827.51	3/4	1,188.64	3/4	1,550.12	3/4	1,911.68	3/4	2,273.23	3/4	2,634.78	3/4	2,996.20	3/4	3,357.63
4	116.81	4	473.50	4	835.04	4	1,196.16	4	1,557.65	4	1,919.21	4	2,280.76	4	2,642.30	4	3,003.73	4	3,365.16
1/4	124.32	1/4	481.03	1/4	842.57	1/4	1,203.68	1/4	1,565.19	1/4	1,926.74	1/4	2,288.30	1/4	2,649.83	1/4	3,011.26	1/4	3,372.68
1/2	131.84	1/2	488.56	1/2	850.10	1/2	1,211.20	1/2	1,572.72	1/2	1,934.27	1/2	2,295.83	1/2	2,657.36	1/2	3,018.79	1/2	3,380.21
3/4	139.36	3/4	496.09	3/4	857.64	3/4	1,218.72	3/4	1,580.25	3/4	1,941.81	3/4	2,303.36	3/4	2,664.89	3/4	3,026.32	3/4	3,387.74
5	146.88	5	503.63	5	865.17	5	1,226.24	5	1,587.78	5	1,949.34	5	2,310.89	5	2,672.42	5	3,033.85	5	3,395.27
1/4	154.39	1/4	511.16	1/4	872.70	1/4	1,233.77	1/4	1,595.31	1/4	1,956.87	1/4	2,318.43	1/4	2,679.95	1/4	3,041.38	1/4	3,402.80
1/2	161.91	1/2	518.69	1/2	880.23	1/2	1,241.30	1/2	1,602.85	1/2	1,964.40	1/2	2,325.96	1/2	2,687.48	1/2	3,048.91	1/2	3,410.33
3/4	169.43	3/4	526.22	3/4	887.76	3/4	1,248.83	3/4	1,610.38	3/4	1,971.93	3/4	2,333.49	3/4	2,695.01	3/4	3,056.44	3/4	3,417.86
6	176.95	6	533.76	6	895.30	6	1,256.36	6	1,617.91	6	1,979.47	6	2,341.02	6	2,702.54	6	3,063.97	6	3,425.39
1/4	184.35	1/4	541.29	1/4	902.83	1/4	1,263.89	1/4	1,625.44	1/4	1,987.00	1/4	2,348.55	1/4	2,710.07	1/4	3,071.50	1/4	3,432.92
1/2	191.75	1/2	548.82	1/2	910.36	1/2	1,271.42	1/2	1,632.98	1/2	1,994.53	1/2	2,356.09	1/2	2,717.60	1/2	3,079.03	1/2	3,440.45
3/4	199.15	3/4	556.35	3/4	917.89	3/4	1,278.95	3/4	1,640.51	3/4	2,002.06	3/4	2,363.62	3/4	2,725.13	3/4	3,086.56	3/4	3,447.98
7	206.55	7	563.88	7	925.42	7	1,286.49	7	1,648.04	7	2,009.60	7	2,371.15	7	2,732.66	7	3,094.09	7	3,455.51
1/4	213.93	1/4	571.42	1/4	932.95	1/4	1,294.02	1/4	1,655.57	1/4	2,017.13	1/4	2,378.68	1/4	2,740.19	1/4	3,101.62	1/4	3,463.04
1/2	221.32	1/2	578.95	1/2	940.47	1/2	1,301.55	1/2	1,663.11	1/2	2,024.66	1/2	2,386.22	1/2	2,747.72	1/2	3,109.15	1/2	3,470.57
3/4	228.70	3/4	586.48	3/4	947.99	3/4	1,309.08	3/4	1,670.64	3/4	2,032.19	3/4	2,393.75	3/4	2,755.25	3/4	3,116.67	3/4	3,478.10
8	236.09	8	594.01	8	955.51	8	1,316.62	8	1,678.17	8	2,039.73	8	2,401.28	8	2,762.78	8	3,124.20	8	3,485.63
1/4	243.47	1/4	601.54	1/4	963.03	1/4	1,324.15	1/4	1,685.70	1/4	2,047.26	1/4	2,408.81	1/4	2,770.31	1/4	3,131.73	1/4	3,493.16
1/2	250.86	1/2	609.08	1/2	970.55	1/2	1,331.68	1/2	1,693.24	1/2	2,054.79	1/2	2,416.35	1/2	2,777.84	1/2	3,139.26	1/2	3,500.69
3/4	258.24	3/4	616.61	3/4	978.07	3/4	1,339.21	3/4	1,700.77	3/4	2,062.32	3/4	2,423.88	3/4	2,785.37	3/4	3,146.79	3/4	3,508.22
9	265.62	9	624.14	9	985.59	9	1,346.75	9	1,708.30	9	2,069.86	9	2,431.41	9	2,792.90	9	3,154.32	9	3,515.75
1/4	273.01	1/4	631.67	1/4	993.11	1/4	1,354.28	1/4	1,715.83	1/4	2,077.39	1/4	2,438.94	1/4	2,800.43	1/4	3,161.85	1/4	3,523.28
1/2	280.39	1/2	639.20	1/2	1,000.63	1/2	1,361.81	1/2	1,723.37	1/2	2,084.92	1/2	2,446.48	1/2	2,807.96	1/2	3,169.38	1/2	3,530.81
3/4	287.78	3/4	646.74	3/4	1,008.15	3/4	1,369.34	3/4	1,730.90	3/4	2,092.45	3/4	2,454.01	3/4	2,815.49	3/4	3,176.91	3/4	3,538.34
10	295.16	10	654.27	10	1,015.67	10	1,376.88	10	1,738.43	10	2,099.99	10	2,461.54	10	2,823.02	10	3,184.44	10	3,545.87
1/4	302.55	1/4	661.80	1/4	1,023.19	1/4	1,384.41	1/4	1,745.96	1/4	2,107.52	1/4	2,469.07	1/4	2,830.55	1/4	3,191.97	1/4	3,553.40
1/2	309.93	1/2	669.33	1/2	1,030.71	1/2	1,391.94	1/2	1,753.50	1/2	2,115.05	1/2	2,476.61	1/2	2,838.08	1/2	3,199.50	1/2	3,560.93
3/4	317.32	3/4	676.86	3/4	1,038.23	3/4	1,399.47	3/4	1,761.03	3/4	2,122.58	3/4	2,484.14	3/4	2,845.61	3/4	3,207.03	3/4	3,568.46
11	324.70	11	684.40	11	1,045.75	11	1,407.00	11	1,768.56	11	2,130.12	11	2,491.67	11	2,853.14	11	3,214.56	11	3,575.99
1/4	332.08	1/4	691.93	1/4	1,053.27	1/4	1,414.54	1/4	1,776.09	1/4	2,137.65	1/4	2,499.20	1/4	2,860.67	1/4	3,222.09	1/4	3,583.52
1/2	339.47	1/2	699.46	1/2	1,060.79	1/2	1,422.07	1/2	1,783.62	1/2	2,145.18	1/2	2,506.74	1/2	2,868.19	1/2	3,229.62	1/2	3,591.05
3/4	346.85	3/4	706.99	3/4	1,068.31	3/4	1,429.60	3/4	1,791.16	3/4	2,152.71	3/4	2,514.27	3/4	2,875.72	3/4	3,237.15	3/4	3,598.58

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,606.11	0	3,967.53	0	4,328.24	0	4,675.58	0	5,004.67	0		0		0					0
1/4	3,613.64	1/4	3,975.06	1/4	4,335.65	1/4	4,682.62	1/4	5,012.05	1/4		1/4		1/4				1/4	1/4
1/2	3,621.16	1/2	3,982.59	1/2	4,343.06	1/2	4,689.65	1/2	5,019.43	1/2		1/2		1/2				1/2	1/2
3/4	3,628.69	3/4	3,990.12	3/4	4,350.47	3/4	4,696.68	3/4	5,026.81	3/4		3/4		3/4				3/4	3/4
1	3,636.22	1	3,997.65	1	4,357.88	1	4,703.71	1	5,034.19	1		1		1				1	1
1/4	3,643.75	1/4	4,005.18	1/4	4,365.26	1/4	4,710.68	1/4	5,041.62	1/4		1/4		1/4				1/4	1/4
1/2	3,651.28	1/2	4,012.71	1/2	4,372.64	1/2	4,717.65	1/2	5,049.05	1/2		1/2		1/2				1/2	1/2
3/4	3,658.81	3/4	4,020.24	3/4	4,380.02	3/4	4,724.62	3/4	5,056.48	3/4		3/4		3/4				3/4	3/4
2	3,666.34	2	4,027.77	2	4,387.40	2	4,731.59	2	5,063.91	2		2		2				2	2
1/4	3,673.87	1/4	4,035.30	1/4	4,394.75	1/4	4,738.53	1/4	5,071.35	1/4		1/4		1/4				1/4	1/4
1/2	3,681.40	1/2	4,042.83	1/2	4,402.10	1/2	4,745.47	1/2	5,078.78	1/2		1/2		1/2				1/2	1/2
3/4	3,688.93	3/4	4,050.36	3/4	4,409.45	3/4	4,752.40	3/4	5,086.21	3/4		3/4		3/4				3/4	3/4
3	3,696.46	3	4,057.89	3	4,416.80	3	4,759.34	3	5,093.64	3		3		3				3	3
1/4	3,703.99	1/4	4,065.42	1/4	4,424.11	1/4	4,766.25	1/4	5,101.07	1/4		1/4		1/4				1/4	1/4
1/2	3,711.52	1/2	4,072.95	1/2	4,431.43	1/2	4,773.16	1/2	5,108.50	1/2		1/2		1/2				1/2	1/2
3/4	3,719.05	3/4	4,080.48	3/4	4,438.74	3/4	4,780.06	3/4	5,115.93	3/4		3/4		3/4				3/4	3/4
4	3,726.58	4	4,088.01	4	4,446.06	4	4,786.97	4	5,123.36	4		4		4				4	4
1/4	3,734.11	1/4	4,095.54	1/4	4,453.34	1/4	4,793.84	1/4	5,130.80	1/4		1/4		1/4				1/4	1/4
1/2	3,741.64	1/2	4,103.07	1/2	4,460.63	1/2	4,800.72	1/2	5,138.23	1/2		1/2		1/2				1/2	1/2
3/4	3,749.17	3/4	4,110.60	3/4	4,467.91	3/4	4,807.59	3/4	5,145.66	3/4		3/4		3/4				3/4	3/4
5	3,756.70	5	4,118.13	5	4,475.19	5	4,814.47	5	5,153.09	5		5		5				5	5
1/4	3,764.23	1/4	4,125.65	1/4	4,482.44	1/4	4,821.31	1/4	5,160.38	1/4		1/4		1/4				1/4	1/4
1/2	3,771.76	1/2	4,133.18	1/2	4,489.69	1/2	4,828.15	1/2	5,167.68	1/2		1/2		1/2				1/2	1/2
3/4	3,779.29	3/4	4,140.71	3/4	4,496.94	3/4	4,834.99	3/4	5,174.97	3/4		3/4		3/4				3/4	3/4
6	3,786.82	6	4,148.24	6	4,504.20	6	4,841.83	6	5,182.27	6		6		6				6	6
1/4	3,794.35	1/4	4,155.77	1/4	4,511.42	1/4	4,848.63	1/4	5,188.58	1/4		1/4		1/4				1/4	1/4
1/2	3,801.88	1/2	4,163.30	1/2	4,518.64	1/2	4,855.44	1/2	5,194.90	1/2		1/2		1/2				1/2	1/2
3/4	3,809.41	3/4	4,170.83	3/4	4,525.86	3/4	4,862.25	3/4	5,201.21	3/4		3/4		3/4				3/4	3/4
7	3,816.94	7	4,178.36	7	4,533.08	7	4,869.06	7	5,207.52	7		7		7				7	7
1/4	3,824.47	1/4	4,185.89	1/4	4,540.27	1/4	4,875.84	1/4	5,212.62	1/4		1/4		1/4				1/4	1/4
1/2	3,832.00	1/2	4,193.42	1/2	4,547.46	1/2	4,882.62	1/2	5,217.73	1/2		1/2		1/2				1/2	1/2
3/4	3,839.53	3/4	4,200.95	3/4	4,554.65	3/4	4,889.40	3/4	5,222.83	3/4		3/4		3/4				3/4	3/4
8	3,847.06	8	4,208.48	8	4,561.84	8	4,896.18	8	5,227.93	8		8		8				8	8
1/4	3,854.59	1/4	4,216.00	1/4	4,568.99	1/4	4,902.93	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,862.12	1/2	4,223.52	1/2	4,576.15	1/2	4,909.68	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,869.64	3/4	4,231.04	3/4	4,583.30	3/4	4,916.43	3/4		3/4		3/4		3/4				3/4	3/4
9	3,877.17	9	4,238.56	9	4,590.46	9	4,923.18	9		9		9		9				9	9
1/4	3,884.70	1/4	4,246.07	1/4	4,597.58	1/4	4,929.90	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,892.23	1/2	4,253.57	1/2	4,604.70	1/2	4,936.61	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,899.76	3/4	4,261.08	3/4	4,611.83	3/4	4,943.33	3/4		3/4		3/4		3/4				3/4	3/4
10	3,907.29	10	4,268.59	10	4,618.95	10	4,950.05	10		10		10		10				10	10
1/4	3,914.82	1/4	4,276.06	1/4	4,626.05	1/4	4,956.74	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,922.35	1/2	4,283.53	1/2	4,633.14	1/2	4,963.42	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,929.88	3/4	4,291.01	3/4	4,640.23	3/4	4,970.10	3/4		3/4		3/4		3/4				3/4	3/4
11	3,937.41	11	4,298.48	11	4,647.33	11	4,976.79	11		11		11		11				11	11
1/4	3,944.94	1/4	4,305.92	1/4	4,654.39	1/4	4,983.76	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,952.47	1/2	4,313.36	1/2	4,661.46	1/2	4,990.73	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,960.00	3/4	4,320.80	3/4	4,668.52	3/4	4,997.70	3/4		3/4		3/4		3/4				3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.32	0	354.17	0	714.38	0	1,067.84	0	1,420.96	0	1,782.45	0	2,143.93	0	2,505.41	0	2,865.08	0	3,226.43
1/4	25.54	1/4	361.55	1/4	721.91	1/4	1,075.03	1/4	1,428.49	1/4	1,789.98	1/4	2,151.46	1/4	2,512.94	1/4	2,872.61	1/4	3,233.96
1/2	29.76	1/2	368.94	1/2	729.44	1/2	1,082.21	1/2	1,436.03	1/2	1,797.51	1/2	2,158.99	1/2	2,520.48	1/2	2,880.14	1/2	3,241.49
3/4	33.99	3/4	376.32	3/4	736.97	3/4	1,089.40	3/4	1,443.56	3/4	1,805.04	3/4	2,166.52	3/4	2,528.01	3/4	2,887.67	3/4	3,249.02
1	38.21	1	383.70	1	744.50	1	1,096.59	1	1,451.09	1	1,812.57	1	2,174.05	1	2,535.54	1	2,895.19	1	3,256.54
1/4	43.68	1/4	391.08	1/4	752.03	1/4	1,103.78	1/4	1,458.62	1/4	1,820.10	1/4	2,181.58	1/4	2,543.07	1/4	2,902.72	1/4	3,264.07
1/2	49.16	1/2	398.47	1/2	759.57	1/2	1,110.97	1/2	1,466.15	1/2	1,827.63	1/2	2,189.12	1/2	2,550.60	1/2	2,910.25	1/2	3,271.60
3/4	54.63	3/4	405.85	3/4	767.10	3/4	1,118.15	3/4	1,473.68	3/4	1,835.16	3/4	2,196.65	3/4	2,558.13	3/4	2,917.78	3/4	3,279.13
2	60.11	2	413.23	2	774.63	2	1,125.34	2	1,481.21	2	1,842.69	2	2,204.18	2	2,565.66	2	2,925.31	2	3,286.66
1/4	66.84	1/4	420.75	1/4	782.16	1/4	1,132.53	1/4	1,488.74	1/4	1,850.23	1/4	2,211.71	1/4	2,573.19	1/4	2,932.84	1/4	3,294.18
1/2	73.57	1/2	428.26	1/2	789.69	1/2	1,139.72	1/2	1,496.27	1/2	1,857.76	1/2	2,219.24	1/2	2,580.72	1/2	2,940.36	1/2	3,301.71
3/4	80.30	3/4	435.77	3/4	797.22	3/4	1,146.90	3/4	1,503.80	3/4	1,865.29	3/4	2,226.77	3/4	2,588.25	3/4	2,947.89	3/4	3,309.24
3	87.03	3	443.28	3	804.75	3	1,154.09	3	1,511.33	3	1,872.82	3	2,234.30	3	2,595.78	3	2,955.42	3	3,316.77
1/4	94.47	1/4	450.81	1/4	812.28	1/4	1,161.28	1/4	1,518.87	1/4	1,880.35	1/4	2,241.83	1/4	2,603.31	1/4	2,962.95	1/4	3,324.30
1/2	101.91	1/2	458.34	1/2	819.81	1/2	1,168.47	1/2	1,526.40	1/2	1,887.88	1/2	2,249.36	1/2	2,610.83	1/2	2,970.48	1/2	3,331.82
3/4	109.34	3/4	465.87	3/4	827.34	3/4	1,175.66	3/4	1,533.93	3/4	1,895.41	3/4	2,256.89	3/4	2,618.36	3/4	2,978.00	3/4	3,339.35
4	116.78	4	473.40	4	834.87	4	1,182.84	4	1,541.46	4	1,902.94	4	2,264.42	4	2,625.89	4	2,985.53	4	3,346.88
1/4	124.30	1/4	480.93	1/4	842.40	1/4	1,190.03	1/4	1,548.99	1/4	1,910.47	1/4	2,271.96	1/4	2,633.32	1/4	2,993.06	1/4	3,354.41
1/2	131.81	1/2	488.46	1/2	849.93	1/2	1,197.22	1/2	1,556.52	1/2	1,918.00	1/2	2,279.49	1/2	2,640.76	1/2	3,000.59	1/2	3,361.94
3/4	139.33	3/4	495.99	3/4	857.46	3/4	1,204.41	3/4	1,564.05	3/4	1,925.53	3/4	2,287.02	3/4	2,648.19	3/4	3,008.12	3/4	3,369.46
5	146.85	5	503.52	5	864.99	5	1,211.59	5	1,571.58	5	1,933.06	5	2,294.55	5	2,655.63	5	3,015.64	5	3,376.99
1/4	154.36	1/4	511.06	1/4	872.52	1/4	1,218.79	1/4	1,579.11	1/4	1,940.60	1/4	2,302.08	1/4	2,663.05	1/4	3,023.17	1/4	3,384.52
1/2	161.88	1/2	518.59	1/2	880.05	1/2	1,225.99	1/2	1,586.64	1/2	1,948.13	1/2	2,309.61	1/2	2,670.47	1/2	3,030.70	1/2	3,392.05
3/4	169.39	3/4	526.12	3/4	887.59	3/4	1,233.19	3/4	1,594.17	3/4	1,955.66	3/4	2,317.14	3/4	2,677.89	3/4	3,038.23	3/4	3,399.58
6	176.91	6	533.65	6	895.12	6	1,240.39	6	1,601.71	6	1,963.19	6	2,324.67	6	2,685.31	6	3,045.76	6	3,407.11
1/4	184.31	1/4	541.18	1/4	902.36	1/4	1,247.88	1/4	1,609.24	1/4	1,970.72	1/4	2,332.20	1/4	2,692.73	1/4	3,053.28	1/4	3,414.63
1/2	191.71	1/2	548.71	1/2	909.60	1/2	1,255.37	1/2	1,616.77	1/2	1,978.25	1/2	2,339.73	1/2	2,700.16	1/2	3,060.81	1/2	3,422.16
3/4	199.11	3/4	556.24	3/4	916.84	3/4	1,262.86	3/4	1,624.30	3/4	1,985.78	3/4	2,347.26	3/4	2,707.58	3/4	3,068.34	3/4	3,429.69
7	206.51	7	563.77	7	924.08	7	1,270.35	7	1,631.83	7	1,993.31	7	2,354.80	7	2,715.00	7	3,075.87	7	3,437.22
1/4	213.89	1/4	571.30	1/4	931.27	1/4	1,277.88	1/4	1,639.36	1/4	2,000.84	1/4	2,362.33	1/4	2,722.42	1/4	3,083.40	1/4	3,444.75
1/2	221.27	1/2	578.83	1/2	938.46	1/2	1,285.41	1/2	1,646.89	1/2	2,008.37	1/2	2,369.86	1/2	2,729.84	1/2	3,090.93	1/2	3,452.27
3/4	228.66	3/4	586.36	3/4	945.64	3/4	1,292.94	3/4	1,654.42	3/4	2,015.90	3/4	2,377.39	3/4	2,737.26	3/4	3,098.45	3/4	3,459.80
8	236.04	8	593.89	8	952.83	8	1,300.47	8	1,661.95	8	2,023.44	8	2,384.92	8	2,744.69	8	3,105.98	8	3,467.33
1/4	243.42	1/4	601.42	1/4	960.02	1/4	1,308.00	1/4	1,669.48	1/4	2,030.97	1/4	2,392.45	1/4	2,752.20	1/4	3,113.51	1/4	3,474.86
1/2	250.81	1/2	608.95	1/2	967.21	1/2	1,315.53	1/2	1,677.01	1/2	2,038.50	1/2	2,399.98	1/2	2,759.72	1/2	3,121.04	1/2	3,482.39
3/4	258.19	3/4	616.48	3/4	974.40	3/4	1,323.06	3/4	1,684.55	3/4	2,046.03	3/4	2,407.51	3/4	2,767.23	3/4	3,128.57	3/4	3,489.91
9	265.57	9	624.01	9	981.58	9	1,330.59	9	1,692.08	9	2,053.56	9	2,415.04	9	2,774.74	9	3,136.09	9	3,497.44
1/4	272.95	1/4	631.55	1/4	988.77	1/4	1,338.12	1/4	1,699.61	1/4	2,061.09	1/4	2,422.57	1/4	2,782.27	1/4	3,143.62	1/4	3,504.97
1/2	280.34	1/2	639.08	1/2	995.96	1/2	1,345.65	1/2	1,707.14	1/2	2,068.62	1/2	2,430.10	1/2	2,789.80	1/2	3,151.15	1/2	3,512.50
3/4	287.72	3/4	646.61	3/4	1,003.15	3/4	1,353.19	3/4	1,714.67	3/4	2,076.15	3/4	2,437.64	3/4	2,797.33	3/4	3,158.68	3/4	3,520.03
10	295.10	10	654.14	10	1,010.34	10	1,360.72	10	1,722.20	10	2,083.68	10	2,445.17	10	2,804.86	10	3,166.21	10	3,527.55
1/4	302.49	1/4	661.67	1/4	1,017.52	1/4	1,368.25	1/4	1,729.73	1/4	2,091.21	1/4	2,452.70	1/4	2,812.39	1/4	3,173.73	1/4	3,535.08
1/2	309.87	1/2	669.20	1/2	1,024.71	1/2	1,375.78	1/2	1,737.26	1/2	2,098.74	1/2	2,460.23	1/2	2,819.91	1/2	3,181.26	1/2	3,542.61
3/4	317.25	3/4	676.73	3/4	1,031.90	3/4	1,383.31	3/4	1,744.79	3/4	2,106.28	3/4	2,467.76	3/4	2,827.44	3/4	3,188.79	3/4	3,550.14
11	324.64	11	684.26	11	1,039.09	11	1,390.84	11	1,752.32	11	2,113.81	11	2,475.29	11	2,834.97	11	3,196.32	11	3,557.67
1/4	332.02	1/4	691.79	1/4	1,046.28	1/4	1,398.37	1/4	1,759.85	1/4	2,121.34	1/4	2,482.82	1/4	2,842.50	1/4	3,203.85	1/4	3,565.20
1/2	339.40	1/2	699.32	1/2	1,053.46	1/2	1,405.90	1/2	1,767.39	1/2	2,128.87	1/2	2,490.35	1/2	2,850.03	1/2	3,211.37	1/2	3,572.72
3/4	346.79	3/4	706.85	3/4	1,060.65	3/4	1,413.43	3/4	1,774.92	3/4	2,136.40	3/4	2,497.88	3/4	2,857.55	3/4	3,218.90	3/4	3,580.25

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,587.78	0	3,949.13	0	4,309.78	0	4,657.05	0	4,986.08	0		0		0					
1/4	3,595.31	1/4	3,956.66	1/4	4,317.18	1/4	4,664.08	1/4	4,993.46	1/4		1/4		1/4					
1/2	3,602.84	1/2	3,964.18	1/2	4,324.59	1/2	4,671.11	1/2	5,000.84	1/2		1/2		1/2					
3/4	3,610.36	3/4	3,971.71	3/4	4,332.00	3/4	4,678.14	3/4	5,008.22	3/4		3/4		3/4					
1	3,617.89	1	3,979.24	1	4,339.41	1	4,685.17	1	5,015.60	1		1		1					
1/4	3,625.42	1/4	3,986.77	1/4	4,346.79	1/4	4,692.14	1/4	5,023.03	1/4		1/4		1/4					
1/2	3,632.95	1/2	3,994.30	1/2	4,354.16	1/2	4,699.11	1/2	5,030.46	1/2		1/2		1/2					
3/4	3,640.48	3/4	4,001.83	3/4	4,361.54	3/4	4,706.08	3/4	5,037.89	3/4		3/4		3/4					
2	3,648.00	2	4,009.35	2	4,368.92	2	4,713.05	2	5,045.31	2		2		2					
1/4	3,655.53	1/4	4,016.88	1/4	4,376.27	1/4	4,719.99	1/4	5,052.74	1/4		1/4		1/4					
1/2	3,663.06	1/2	4,024.41	1/2	4,383.62	1/2	4,726.92	1/2	5,060.17	1/2		1/2		1/2					
3/4	3,670.59	3/4	4,031.94	3/4	4,390.96	3/4	4,733.86	3/4	5,067.60	3/4		3/4		3/4					
3	3,678.12	3	4,039.47	3	4,398.31	3	4,740.79	3	5,075.03	3		3		3					
1/4	3,685.65	1/4	4,046.99	1/4	4,405.63	1/4	4,747.70	1/4	5,082.46	1/4		1/4		1/4					
1/2	3,693.17	1/2	4,054.52	1/2	4,412.94	1/2	4,754.61	1/2	5,089.89	1/2		1/2		1/2					
3/4	3,700.70	3/4	4,062.05	3/4	4,420.26	3/4	4,761.51	3/4	5,097.32	3/4		3/4		3/4					
4	3,708.23	4	4,069.58	4	4,427.57	4	4,768.42	4	5,104.75	4		4		4					
1/4	3,715.76	1/4	4,077.11	1/4	4,434.85	1/4	4,775.29	1/4	5,112.18	1/4		1/4		1/4					
1/2	3,723.29	1/2	4,084.63	1/2	4,442.13	1/2	4,782.16	1/2	5,119.61	1/2		1/2		1/2					
3/4	3,730.81	3/4	4,092.16	3/4	4,449.41	3/4	4,789.04	3/4	5,127.04	3/4		3/4		3/4					
5	3,738.34	5	4,099.69	5	4,456.69	5	4,795.91	5	5,134.47	5		5		5					
1/4	3,745.87	1/4	4,107.22	1/4	4,463.95	1/4	4,802.75	1/4	5,141.77	1/4		1/4		1/4					
1/2	3,753.40	1/2	4,114.75	1/2	4,471.20	1/2	4,809.59	1/2	5,149.06	1/2		1/2		1/2					
3/4	3,760.93	3/4	4,122.27	3/4	4,478.45	3/4	4,816.43	3/4	5,156.35	3/4		3/4		3/4					
6	3,768.45	6	4,129.80	6	4,485.70	6	4,823.26	6	5,163.64	6		6		6					
1/4	3,775.98	1/4	4,137.33	1/4	4,492.92	1/4	4,830.07	1/4	5,169.95	1/4		1/4		1/4					
1/2	3,783.51	1/2	4,144.86	1/2	4,500.14	1/2	4,836.88	1/2	5,176.27	1/2		1/2		1/2					
3/4	3,791.04	3/4	4,152.39	3/4	4,507.36	3/4	4,843.69	3/4	5,182.58	3/4		3/4		3/4					
7	3,798.57	7	4,159.92	7	4,514.58	7	4,850.50	7	5,188.89	7		7		7					
1/4	3,806.09	1/4	4,167.44	1/4	4,521.77	1/4	4,857.28	1/4	5,193.99	1/4		1/4		1/4					
1/2	3,813.62	1/2	4,174.97	1/2	4,528.95	1/2	4,864.05	1/2	5,199.09	1/2		1/2		1/2					
3/4	3,821.15	3/4	4,182.50	3/4	4,536.14	3/4	4,870.83	3/4	5,204.19	3/4		3/4		3/4					
8	3,828.68	8	4,190.03	8	4,543.33	8	4,877.61	8	5,209.29	8		8		8					
1/4	3,836.21	1/4	4,197.55	1/4	4,550.48	1/4	4,884.36	1/4		1/4		1/4		1/4					
1/2	3,843.74	1/2	4,205.07	1/2	4,557.63	1/2	4,891.11	1/2		1/2		1/2		1/2					
3/4	3,851.26	3/4	4,212.59	3/4	4,564.79	3/4	4,897.86	3/4		3/4		3/4		3/4					
9	3,858.79	9	4,220.11	9	4,571.94	9	4,904.60	9		9		9		9					
1/4	3,866.32	1/4	4,227.62	1/4	4,579.06	1/4	4,911.32	1/4		1/4		1/4		1/4					
1/2	3,873.85	1/2	4,235.12	1/2	4,586.19	1/2	4,918.04	1/2		1/2		1/2		1/2					
3/4	3,881.38	3/4	4,242.63	3/4	4,593.31	3/4	4,924.76	3/4		3/4		3/4		3/4					
10	3,888.90	10	4,250.13	10	4,600.43	10	4,931.47	10		10		10		10					
1/4	3,896.43	1/4	4,257.60	1/4	4,607.52	1/4	4,938.16	1/4		1/4		1/4		1/4					
1/2	3,903.96	1/2	4,265.08	1/2	4,614.62	1/2	4,944.84	1/2		1/2		1/2		1/2					
3/4	3,911.49	3/4	4,272.55	3/4	4,621.71	3/4	4,951.52	3/4		3/4		3/4		3/4					
11	3,919.02	11	4,280.02	11	4,628.80	11	4,958.21	11		11		11		11					
1/4	3,926.54	1/4	4,287.46	1/4	4,635.86	1/4	4,965.18	1/4		1/4		1/4		1/4					
1/2	3,934.07	1/2	4,294.90	1/2	4,642.93	1/2	4,972.15	1/2		1/2		1/2		1/2					
3/4	3,941.60	3/4	4,302.34	3/4	4,649.99	3/4	4,979.12	3/4		3/4		3/4		3/4					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.26	0	353.10	0	712.23	0	1,072.42	0	1,432.66	0	1,793.06	0	2,153.44	0	2,513.75	0	2,873.88	0	3,233.13
1/4	25.47	1/4	360.46	1/4	719.74	1/4	1,079.92	1/4	1,440.16	1/4	1,800.57	1/4	2,160.94	1/4	2,521.26	1/4	2,881.38	1/4	3,240.59
1/2	29.68	1/2	367.82	1/2	727.25	1/2	1,087.42	1/2	1,447.67	1/2	1,808.08	1/2	2,168.45	1/2	2,528.77	1/2	2,888.87	1/2	3,248.04
3/4	33.89	3/4	375.18	3/4	734.76	3/4	1,094.92	3/4	1,455.18	3/4	1,815.58	3/4	2,175.96	3/4	2,536.27	3/4	2,896.36	3/4	3,255.50
1	38.10	1	382.54	1	742.27	1	1,102.41	1	1,462.69	1	1,823.09	1	2,183.46	1	2,543.78	1	2,903.85	1	3,262.96
1/4	43.56	1/4	389.90	1/4	749.77	1/4	1,109.91	1/4	1,470.20	1/4	1,830.60	1/4	2,190.97	1/4	2,551.29	1/4	2,911.35	1/4	3,270.42
1/2	49.01	1/2	397.26	1/2	757.28	1/2	1,117.41	1/2	1,477.71	1/2	1,838.11	1/2	2,198.48	1/2	2,558.79	1/2	2,918.84	1/2	3,277.88
3/4	54.47	3/4	404.62	3/4	764.79	3/4	1,124.91	3/4	1,485.21	3/4	1,845.62	3/4	2,205.98	3/4	2,566.30	3/4	2,926.33	3/4	3,285.34
2	59.93	2	411.98	2	772.30	2	1,132.41	2	1,492.72	2	1,853.13	2	2,213.49	2	2,573.81	2	2,933.82	2	3,292.79
1/4	66.64	1/4	419.47	1/4	779.81	1/4	1,139.91	1/4	1,500.23	1/4	1,860.63	1/4	2,221.00	1/4	2,581.31	1/4	2,941.31	1/4	3,300.25
1/2	73.36	1/2	426.96	1/2	787.31	1/2	1,147.41	1/2	1,507.74	1/2	1,868.14	1/2	2,228.50	1/2	2,588.82	1/2	2,948.81	1/2	3,307.71
3/4	80.07	3/4	434.45	3/4	794.82	3/4	1,154.91	3/4	1,515.25	3/4	1,875.65	3/4	2,236.01	3/4	2,596.33	3/4	2,956.30	3/4	3,315.17
3	86.78	3	441.94	3	802.33	3	1,162.41	3	1,522.76	3	1,883.16	3	2,243.52	3	2,603.83	3	2,963.79	3	3,322.63
1/4	94.19	1/4	449.45	1/4	809.84	1/4	1,169.90	1/4	1,530.27	1/4	1,890.67	1/4	2,251.02	1/4	2,611.34	1/4	2,971.28	1/4	3,330.10
1/2	101.61	1/2	456.96	1/2	817.35	1/2	1,177.40	1/2	1,537.77	1/2	1,898.18	1/2	2,258.53	1/2	2,618.84	1/2	2,978.78	1/2	3,337.57
3/4	109.02	3/4	464.47	3/4	824.85	3/4	1,184.90	3/4	1,545.28	3/4	1,905.69	3/4	2,266.04	3/4	2,626.35	3/4	2,986.27	3/4	3,345.04
4	116.44	4	471.97	4	832.36	4	1,192.40	4	1,552.79	4	1,913.19	4	2,273.54	4	2,633.86	4	2,993.76	4	3,352.51
1/4	123.93	1/4	479.48	1/4	839.87	1/4	1,199.91	1/4	1,560.30	1/4	1,920.70	1/4	2,281.05	1/4	2,641.36	1/4	3,001.25	1/4	3,359.99
1/2	131.42	1/2	486.99	1/2	847.38	1/2	1,207.41	1/2	1,567.81	1/2	1,928.21	1/2	2,288.56	1/2	2,648.87	1/2	3,008.75	1/2	3,367.46
3/4	138.92	3/4	494.50	3/4	854.89	3/4	1,214.92	3/4	1,575.32	3/4	1,935.72	3/4	2,296.06	3/4	2,656.37	3/4	3,016.24	3/4	3,374.94
5	146.41	5	502.01	5	862.40	5	1,222.42	5	1,582.82	5	1,943.23	5	2,303.57	5	2,663.88	5	3,023.73	5	3,382.41
1/4	153.90	1/4	509.51	1/4	869.90	1/4	1,229.93	1/4	1,590.33	1/4	1,950.74	1/4	2,311.08	1/4	2,671.38	1/4	3,031.22	1/4	3,389.88
1/2	161.40	1/2	517.02	1/2	877.41	1/2	1,237.44	1/2	1,597.84	1/2	1,958.24	1/2	2,318.58	1/2	2,678.89	1/2	3,038.72	1/2	3,397.36
3/4	168.89	3/4	524.53	3/4	884.92	3/4	1,244.95	3/4	1,605.35	3/4	1,965.75	3/4	2,326.09	3/4	2,686.39	3/4	3,046.21	3/4	3,404.83
6	176.38	6	532.04	6	892.43	6	1,252.45	6	1,612.86	6	1,973.26	6	2,333.60	6	2,693.90	6	3,053.70	6	3,412.31
1/4	183.76	1/4	539.55	1/4	899.93	1/4	1,259.96	1/4	1,620.37	1/4	1,980.77	1/4	2,341.10	1/4	2,701.40	1/4	3,061.19	1/4	3,419.78
1/2	191.14	1/2	547.05	1/2	907.43	1/2	1,267.47	1/2	1,627.87	1/2	1,988.28	1/2	2,348.61	1/2	2,708.91	1/2	3,068.69	1/2	3,427.25
3/4	198.52	3/4	554.56	3/4	914.94	3/4	1,274.98	3/4	1,635.38	3/4	1,995.79	3/4	2,356.11	3/4	2,716.41	3/4	3,076.18	3/4	3,434.73
7	205.89	7	562.07	7	922.44	7	1,282.49	7	1,642.89	7	2,003.29	7	2,363.62	7	2,723.92	7	3,083.67	7	3,442.20
1/4	213.25	1/4	569.58	1/4	929.94	1/4	1,290.00	1/4	1,650.40	1/4	2,010.80	1/4	2,371.13	1/4	2,731.42	1/4	3,091.16	1/4	3,449.67
1/2	220.61	1/2	577.09	1/2	937.44	1/2	1,297.50	1/2	1,657.91	1/2	2,018.31	1/2	2,378.63	1/2	2,738.93	1/2	3,098.66	1/2	3,457.15
3/4	227.97	3/4	584.60	3/4	944.94	3/4	1,305.01	3/4	1,665.42	3/4	2,025.82	3/4	2,386.14	3/4	2,746.43	3/4	3,106.15	3/4	3,464.62
8	235.33	8	592.10	8	952.44	8	1,312.52	8	1,672.92	8	2,033.33	8	2,393.65	8	2,753.94	8	3,113.64	8	3,472.10
1/4	242.69	1/4	599.61	1/4	959.94	1/4	1,320.03	1/4	1,680.43	1/4	2,040.84	1/4	2,401.15	1/4	2,761.45	1/4	3,121.13	1/4	3,479.57
1/2	250.05	1/2	607.12	1/2	967.43	1/2	1,327.54	1/2	1,687.94	1/2	2,048.34	1/2	2,408.66	1/2	2,768.95	1/2	3,128.62	1/2	3,487.04
3/4	257.42	3/4	614.63	3/4	974.93	3/4	1,335.05	3/4	1,695.45	3/4	2,055.85	3/4	2,416.17	3/4	2,776.46	3/4	3,136.12	3/4	3,494.52
9	264.78	9	622.14	9	982.43	9	1,342.56	9	1,702.96	9	2,063.36	9	2,423.67	9	2,783.97	9	3,143.61	9	3,501.99
1/4	272.14	1/4	629.64	1/4	989.93	1/4	1,350.06	1/4	1,710.47	1/4	2,070.86	1/4	2,431.18	1/4	2,791.46	1/4	3,151.07	1/4	3,506.46
1/2	279.50	1/2	637.15	1/2	997.43	1/2	1,357.57	1/2	1,717.98	1/2	2,078.37	1/2	2,438.69	1/2	2,798.96	1/2	3,158.54	1/2	3,510.93
3/4	286.86	3/4	644.66	3/4	1,004.93	3/4	1,365.08	3/4	1,725.48	3/4	2,085.88	3/4	2,446.19	3/4	2,806.45	3/4	3,166.00	3/4	3,515.40
10	294.22	10	652.17	10	1,012.43	10	1,372.59	10	1,732.99	10	2,093.38	10	2,453.70	10	2,813.94	10	3,173.46	10	3,519.88
1/4	301.58	1/4	659.68	1/4	1,019.93	1/4	1,380.10	1/4	1,740.50	1/4	2,100.89	1/4	2,461.21	1/4	2,821.44	1/4	3,180.92	1/4	3,523.92
1/2	308.94	1/2	667.18	1/2	1,027.43	1/2	1,387.61	1/2	1,748.01	1/2	2,108.40	1/2	2,468.71	1/2	2,828.93	1/2	3,188.38	1/2	3,527.96
3/4	316.30	3/4	674.69	3/4	1,034.92	3/4	1,395.11	3/4	1,755.52	3/4	2,115.90	3/4	2,476.22	3/4	2,836.42	3/4	3,195.84	3/4	3,532.00
11	323.66	11	682.20	11	1,042.42	11	1,402.62	11	1,763.03	11	2,123.41	11	2,483.73	11	2,843.91	11	3,203.30	11	3,536.05
1/4	331.02	1/4	689.71	1/4	1,049.92	1/4	1,410.13	1/4	1,770.53	1/4	2,130.92	1/4	2,491.23	1/4	2,851.41	1/4	3,210.75	1/4	3,540.09
1/2	338.38	1/2	697.22	1/2	1,057.42	1/2	1,417.64	1/2	1,778.04	1/2	2,138.42	1/2	2,498.74	1/2	2,858.90	1/2	3,218.21	1/2	3,544.13
3/4	345.74	3/4	704.73	3/4	1,064.92	3/4	1,425.15	3/4	1,785.55	3/4	2,145.93	3/4	2,506.25	3/4	2,866.39	3/4	3,225.67	3/4	3,548.17

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 56'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,552.21	0	3,746.25	0	3,939.58	0	4,119.58	0	4,282.10	0		0		0					
1/4	3,556.26	1/4	3,750.29	1/4	3,943.51	1/4	4,123.13	1/4	4,286.04	1/4		1/4		1/4					
1/2	3,560.30	1/2	3,754.33	1/2	3,947.43	1/2	4,126.67	1/2	4,289.97	1/2		1/2		1/2					
3/4	3,564.34	3/4	3,758.37	3/4	3,951.35	3/4	4,130.22	3/4	4,293.91	3/4		3/4		3/4					
1	3,568.38	1	3,762.41	1	3,955.27	1	4,133.76	1	4,297.85	1		1		1					
1/4	3,572.43	1/4	3,766.46	1/4	3,959.17	1/4	4,137.26	1/4	4,301.84	1/4		1/4		1/4					
1/2	3,576.47	1/2	3,770.50	1/2	3,963.06	1/2	4,140.76	1/2	4,305.83	1/2		1/2		1/2					
3/4	3,580.51	3/4	3,774.54	3/4	3,966.95	3/4	4,144.26	3/4	4,309.81	3/4		3/4		3/4					
2	3,584.55	2	3,778.58	2	3,970.85	2	4,147.76	2	4,313.80	2		2		2					
1/4	3,588.60	1/4	3,782.63	1/4	3,974.71	1/4	4,151.22	1/4	4,317.79	1/4		1/4		1/4					
1/2	3,592.64	1/2	3,786.67	1/2	3,978.57	1/2	4,154.69	1/2	4,321.78	1/2		1/2		1/2					
3/4	3,596.68	3/4	3,790.71	3/4	3,982.43	3/4	4,158.15	3/4	4,325.77	3/4		3/4		3/4					
3	3,600.72	3	3,794.75	3	3,986.30	3	4,161.62	3	4,329.76	3		3		3					
1/4	3,604.76	1/4	3,798.80	1/4	3,990.13	1/4	4,165.06	1/4	4,333.75	1/4		1/4		1/4					
1/2	3,608.81	1/2	3,802.84	1/2	3,993.96	1/2	4,168.49	1/2	4,337.74	1/2		1/2		1/2					
3/4	3,612.85	3/4	3,806.88	3/4	3,997.79	3/4	4,171.93	3/4	4,341.73	3/4		3/4		3/4					
4	3,616.89	4	3,810.92	4	4,001.62	4	4,175.37	4	4,345.72	4		4		4					
1/4	3,620.93	1/4	3,814.96	1/4	4,005.41	1/4	4,178.77	1/4	4,349.71	1/4		1/4		1/4					
1/2	3,624.98	1/2	3,819.01	1/2	4,009.21	1/2	4,182.17	1/2	4,353.70	1/2		1/2		1/2					
3/4	3,629.02	3/4	3,823.05	3/4	4,013.00	3/4	4,185.57	3/4	4,357.69	3/4		3/4		3/4					
5	3,633.06	5	3,827.09	5	4,016.80	5	4,188.98	5	4,361.68	5		5		5					
1/4	3,637.10	1/4	3,831.13	1/4	4,020.56	1/4	4,192.35	1/4	4,365.53	1/4		1/4		1/4					
1/2	3,641.15	1/2	3,835.18	1/2	4,024.33	1/2	4,195.72	1/2	4,369.39	1/2		1/2		1/2					
3/4	3,645.19	3/4	3,839.22	3/4	4,028.09	3/4	4,199.09	3/4	4,373.24	3/4		3/4		3/4					
6	3,649.23	6	3,843.26	6	4,031.86	6	4,202.46	6	4,377.10	6		6		6					
1/4	3,653.27	1/4	3,847.30	1/4	4,035.59	1/4	4,205.79	1/4	4,379.97	1/4		1/4		1/4					
1/2	3,657.31	1/2	3,851.34	1/2	4,039.33	1/2	4,209.13	1/2	4,382.85	1/2		1/2		1/2					
3/4	3,661.36	3/4	3,855.39	3/4	4,043.07	3/4	4,212.47	3/4	4,385.72	3/4		3/4		3/4					
7	3,665.40	7	3,859.43	7	4,046.80	7	4,215.81	7	4,388.60	7		7		7					
1/4	3,669.44	1/4	3,863.47	1/4	4,050.50	1/4	4,219.12	1/4	4,390.25	1/4		1/4		1/4					
1/2	3,673.48	1/2	3,867.51	1/2	4,054.21	1/2	4,222.43	1/2	4,391.91	1/2		1/2		1/2					
3/4	3,677.53	3/4	3,871.56	3/4	4,057.91	3/4	4,225.74	3/4	4,393.57	3/4		3/4		3/4					
8	3,681.57	8	3,875.60	8	4,061.61	8	4,229.05	8	4,395.22	8		8		8					
1/4	3,685.61	1/4	3,879.64	1/4	4,065.28	1/4	4,232.33	1/4		1/4		1/4		1/4					
1/2	3,689.65	1/2	3,883.67	1/2	4,068.95	1/2	4,235.60	1/2		1/2		1/2		1/2					
3/4	3,693.70	3/4	3,887.71	3/4	4,072.62	3/4	4,238.88	3/4		3/4		3/4		3/4					
9	3,697.74	9	3,891.75	9	4,076.28	9	4,242.16	9		9		9		9					
1/4	3,701.78	1/4	3,895.77	1/4	4,079.92	1/4	4,245.41	1/4		1/4		1/4		1/4					
1/2	3,705.82	1/2	3,899.79	1/2	4,083.56	1/2	4,248.65	1/2		1/2		1/2		1/2					
3/4	3,709.86	3/4	3,903.81	3/4	4,087.20	3/4	4,251.90	3/4		3/4		3/4		3/4					
10	3,713.91	10	3,907.82	10	4,090.84	10	4,255.15	10		10		10		10					
1/4	3,717.95	1/4	3,911.81	1/4	4,094.44	1/4	4,258.36	1/4		1/4		1/4		1/4					
1/2	3,721.99	1/2	3,915.80	1/2	4,098.05	1/2	4,261.57	1/2		1/2		1/2		1/2					
3/4	3,726.03	3/4	3,919.78	3/4	4,101.66	3/4	4,264.78	3/4		3/4		3/4		3/4					
11	3,730.08	11	3,923.77	11	4,105.27	11	4,267.99	11		11		11		11					
1/4	3,734.12	1/4	3,927.73	1/4	4,108.85	1/4	4,271.52	1/4		1/4		1/4		1/4					
1/2	3,738.16	1/2	3,931.68	1/2	4,112.43	1/2	4,275.05	1/2		1/2		1/2		1/2					
3/4	3,742.20	3/4	3,935.63	3/4	4,116.00	3/4	4,278.57	3/4		3/4		3/4		3/4					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.22	0	351.95	0	709.89	0	1,057.55	0	1,410.16	0	1,768.73	0	2,127.79	0	2,486.80	0	2,843.92	0	3,201.67
1/4	25.42	1/4	359.29	1/4	717.37	1/4	1,064.69	1/4	1,417.58	1/4	1,776.21	1/4	2,135.27	1/4	2,494.28	1/4	2,851.38	1/4	3,209.10
1/2	29.63	1/2	366.63	1/2	724.86	1/2	1,071.84	1/2	1,425.00	1/2	1,783.69	1/2	2,142.75	1/2	2,501.76	1/2	2,858.85	1/2	3,216.53
3/4	33.83	3/4	373.96	3/4	732.34	3/4	1,078.99	3/4	1,432.42	3/4	1,791.17	3/4	2,150.23	3/4	2,509.24	3/4	2,866.31	3/4	3,223.96
1	38.03	1	381.30	1	739.82	1	1,086.13	1	1,439.84	1	1,798.65	1	2,157.71	1	2,516.72	1	2,873.78	1	3,231.39
1/4	43.47	1/4	388.63	1/4	747.30	1/4	1,093.28	1/4	1,447.26	1/4	1,806.13	1/4	2,165.19	1/4	2,524.20	1/4	2,881.23	1/4	3,238.83
1/2	48.91	1/2	395.97	1/2	754.79	1/2	1,100.42	1/2	1,454.68	1/2	1,813.62	1/2	2,172.67	1/2	2,531.68	1/2	2,888.69	1/2	3,246.26
3/4	54.35	3/4	403.30	3/4	762.27	3/4	1,107.57	3/4	1,462.10	3/4	1,821.10	3/4	2,180.15	3/4	2,539.15	3/4	2,896.15	3/4	3,253.69
2	59.79	2	410.64	2	769.75	2	1,114.72	2	1,469.52	2	1,828.58	2	2,187.63	2	2,546.63	2	2,903.61	2	3,261.12
1/4	66.47	1/4	418.10	1/4	777.24	1/4	1,121.86	1/4	1,476.99	1/4	1,836.06	1/4	2,195.11	1/4	2,554.11	1/4	2,911.07	1/4	3,268.55
1/2	73.15	1/2	425.57	1/2	784.72	1/2	1,129.01	1/2	1,484.46	1/2	1,843.54	1/2	2,202.59	1/2	2,561.59	1/2	2,918.53	1/2	3,275.98
3/4	79.82	3/4	433.03	3/4	792.20	3/4	1,136.15	3/4	1,491.94	3/4	1,851.02	3/4	2,210.07	3/4	2,569.07	3/4	2,925.98	3/4	3,283.41
3	86.50	3	440.50	3	799.69	3	1,143.30	3	1,499.41	3	1,858.50	3	2,217.54	3	2,576.55	3	2,933.44	3	3,290.84
1/4	93.89	1/4	447.98	1/4	806.92	1/4	1,150.69	1/4	1,506.89	1/4	1,865.98	1/4	2,225.02	1/4	2,584.03	1/4	2,940.90	1/4	3,298.29
1/2	101.28	1/2	455.46	1/2	814.16	1/2	1,158.09	1/2	1,514.37	1/2	1,873.46	1/2	2,232.50	1/2	2,591.51	1/2	2,948.36	1/2	3,305.73
3/4	108.67	3/4	462.95	3/4	821.39	3/4	1,165.48	3/4	1,521.85	3/4	1,880.95	3/4	2,239.98	3/4	2,598.99	3/4	2,955.81	3/4	3,313.18
4	116.06	4	470.43	4	828.63	4	1,172.88	4	1,529.33	4	1,888.43	4	2,247.46	4	2,606.46	4	2,963.27	4	3,320.62
1/4	123.53	1/4	477.91	1/4	835.80	1/4	1,180.28	1/4	1,536.81	1/4	1,895.91	1/4	2,254.94	1/4	2,613.85	1/4	2,970.73	1/4	3,328.07
1/2	131.01	1/2	485.40	1/2	842.98	1/2	1,187.68	1/2	1,544.30	1/2	1,903.39	1/2	2,262.42	1/2	2,621.23	1/2	2,978.19	1/2	3,335.51
3/4	138.48	3/4	492.88	3/4	850.15	3/4	1,195.09	3/4	1,551.78	3/4	1,910.87	3/4	2,269.90	3/4	2,628.62	3/4	2,985.64	3/4	3,342.96
5	145.96	5	500.36	5	857.33	5	1,202.49	5	1,559.26	5	1,918.35	5	2,277.38	5	2,636.00	5	2,993.10	5	3,350.41
1/4	153.42	1/4	507.85	1/4	864.50	1/4	1,209.89	1/4	1,566.74	1/4	1,925.83	1/4	2,284.86	1/4	2,643.37	1/4	3,000.56	1/4	3,357.85
1/2	160.89	1/2	515.33	1/2	871.67	1/2	1,217.30	1/2	1,574.22	1/2	1,933.31	1/2	2,292.34	1/2	2,650.75	1/2	3,008.02	1/2	3,365.30
3/4	168.36	3/4	522.81	3/4	878.84	3/4	1,224.70	3/4	1,581.70	3/4	1,940.79	3/4	2,299.82	3/4	2,658.12	3/4	3,015.47	3/4	3,372.75
6	175.83	6	530.29	6	886.02	6	1,232.10	6	1,589.18	6	1,948.28	6	2,307.30	6	2,665.49	6	3,022.93	6	3,380.19
1/4	183.18	1/4	537.78	1/4	893.17	1/4	1,239.52	1/4	1,596.66	1/4	1,955.76	1/4	2,314.78	1/4	2,672.86	1/4	3,030.39	1/4	3,387.64
1/2	190.54	1/2	545.26	1/2	900.32	1/2	1,246.94	1/2	1,604.14	1/2	1,963.24	1/2	2,322.26	1/2	2,680.23	1/2	3,037.85	1/2	3,395.09
3/4	197.89	3/4	552.74	3/4	907.47	3/4	1,254.35	3/4	1,611.63	3/4	1,970.72	3/4	2,329.73	3/4	2,687.60	3/4	3,045.31	3/4	3,402.53
7	205.24	7	560.23	7	914.62	7	1,261.77	7	1,619.11	7	1,978.20	7	2,337.21	7	2,694.98	7	3,052.76	7	3,409.98
1/4	212.58	1/4	567.71	1/4	921.77	1/4	1,269.19	1/4	1,626.59	1/4	1,985.68	1/4	2,344.69	1/4	2,702.35	1/4	3,060.23	1/4	3,417.43
1/2	219.91	1/2	575.19	1/2	928.92	1/2	1,276.61	1/2	1,634.07	1/2	1,993.16	1/2	2,352.17	1/2	2,709.72	1/2	3,067.69	1/2	3,424.87
3/4	227.25	3/4	582.68	3/4	936.06	3/4	1,284.03	3/4	1,641.55	3/4	2,000.64	3/4	2,359.65	3/4	2,717.09	3/4	3,075.16	3/4	3,432.32
8	234.58	8	590.16	8	943.21	8	1,291.45	8	1,649.03	8	2,008.12	8	2,367.13	8	2,724.46	8	3,082.62	8	3,439.77
1/4	241.92	1/4	597.64	1/4	950.36	1/4	1,298.87	1/4	1,656.51	1/4	2,015.60	1/4	2,374.61	1/4	2,731.93	1/4	3,090.09	1/4	3,447.21
1/2	249.25	1/2	605.13	1/2	957.50	1/2	1,306.29	1/2	1,663.99	1/2	2,023.08	1/2	2,382.09	1/2	2,739.39	1/2	3,097.55	1/2	3,454.66
3/4	256.59	3/4	612.61	3/4	964.65	3/4	1,313.71	3/4	1,671.47	3/4	2,030.56	3/4	2,389.57	3/4	2,746.86	3/4	3,105.02	3/4	3,462.11
9	263.93	9	620.09	9	971.79	9	1,321.13	9	1,678.96	9	2,038.04	9	2,397.05	9	2,754.33	9	3,112.48	9	3,469.55
1/4	271.26	1/4	627.57	1/4	978.94	1/4	1,328.55	1/4	1,686.44	1/4	2,045.52	1/4	2,404.53	1/4	2,761.79	1/4	3,119.92	1/4	3,474.00
1/2	278.60	1/2	635.06	1/2	986.09	1/2	1,335.97	1/2	1,693.92	1/2	2,053.00	1/2	2,412.01	1/2	2,769.26	1/2	3,127.35	1/2	3,478.45
3/4	285.93	3/4	642.54	3/4	993.23	3/4	1,343.39	3/4	1,701.40	3/4	2,060.48	3/4	2,419.49	3/4	2,776.73	3/4	3,134.79	3/4	3,482.90
10	293.27	10	650.02	10	1,000.38	10	1,350.80	10	1,708.88	10	2,067.96	10	2,426.97	10	2,784.19	10	3,142.22	10	3,487.35
1/4	300.60	1/4	657.51	1/4	1,007.52	1/4	1,358.22	1/4	1,716.36	1/4	2,075.44	1/4	2,434.44	1/4	2,791.66	1/4	3,149.65	1/4	3,491.37
1/2	307.94	1/2	664.99	1/2	1,014.67	1/2	1,365.64	1/2	1,723.84	1/2	2,082.92	1/2	2,441.92	1/2	2,799.12	1/2	3,157.08	1/2	3,495.39
3/4	315.28	3/4	672.47	3/4	1,021.82	3/4	1,373.06	3/4	1,731.32	3/4	2,090.40	3/4	2,449.40	3/4	2,806.59	3/4	3,164.52	3/4	3,499.41
11	322.61	11	679.96	11	1,028.96	11	1,380.48	11	1,738.80	11	2,097.88	11	2,456.88	11	2,814.05	11	3,171.95	11	3,503.43
1/4	329.95	1/4	687.44	1/4	1,036.11	1/4	1,387.90	1/4	1,746.29	1/4	2,105.36	1/4	2,464.36	1/4	2,821.52	1/4	3,179.38	1/4	3,507.45
1/2	337.28	1/2	694.92	1/2	1,043.25	1/2	1,395.32	1/2	1,753.77	1/2	2,112.83	1/2	2,471.84	1/2	2,828.99	1/2	3,186.81	1/2	3,511.47
3/4	344.62	3/4	702.41	3/4	1,050.40	3/4	1,402.74	3/4	1,761.25	3/4	2,120.31	3/4	2,479.32	3/4	2,836.45	3/4	3,194.24	3/4	3,515.49

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE
 GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 56'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "C-1399"

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,519.51	0	3,712.51	0	3,904.81	0	4,083.80	0	4,245.33	0		0		0					0
1/4	3,523.53	1/4	3,716.53	1/4	3,908.71	1/4	4,087.32	1/4	4,249.25	1/4		1/4		1/4				1/4	1/4
1/2	3,527.55	1/2	3,720.55	1/2	3,912.61	1/2	4,090.85	1/2	4,253.16	1/2		1/2		1/2				1/2	1/2
3/4	3,531.58	3/4	3,724.57	3/4	3,916.52	3/4	4,094.37	3/4	4,257.08	3/4		3/4		3/4				3/4	3/4
1	3,535.60	1	3,728.59	1	3,920.42	1	4,097.89	1	4,260.99	1		1		1				1	1
1/4	3,539.62	1/4	3,732.61	1/4	3,924.29	1/4	4,101.37	1/4	4,264.96	1/4		1/4		1/4				1/4	1/4
1/2	3,543.64	1/2	3,736.63	1/2	3,928.16	1/2	4,104.85	1/2	4,268.93	1/2		1/2		1/2				1/2	1/2
3/4	3,547.66	3/4	3,740.65	3/4	3,932.03	3/4	4,108.33	3/4	4,272.90	3/4		3/4		3/4				3/4	3/4
2	3,551.68	2	3,744.67	2	3,935.90	2	4,111.80	2	4,276.86	2		2		2				2	2
1/4	3,555.70	1/4	3,748.69	1/4	3,939.74	1/4	4,115.25	1/4	4,280.83	1/4		1/4		1/4				1/4	1/4
1/2	3,559.72	1/2	3,752.71	1/2	3,943.59	1/2	4,118.70	1/2	4,284.80	1/2		1/2		1/2				1/2	1/2
3/4	3,563.74	3/4	3,756.73	3/4	3,947.43	3/4	4,122.14	3/4	4,288.77	3/4		3/4		3/4				3/4	3/4
3	3,567.76	3	3,760.76	3	3,951.27	3	4,125.59	3	4,292.73	3		3		3				3	3
1/4	3,571.78	1/4	3,764.78	1/4	3,955.08	1/4	4,129.00	1/4	4,296.70	1/4		1/4		1/4				1/4	1/4
1/2	3,575.80	1/2	3,768.80	1/2	3,958.89	1/2	4,132.42	1/2	4,300.67	1/2		1/2		1/2				1/2	1/2
3/4	3,579.82	3/4	3,772.82	3/4	3,962.69	3/4	4,135.83	3/4	4,304.64	3/4		3/4		3/4				3/4	3/4
4	3,583.84	4	3,776.84	4	3,966.50	4	4,139.25	4	4,308.61	4		4		4				4	4
1/4	3,587.87	1/4	3,780.86	1/4	3,970.28	1/4	4,142.63	1/4	4,312.57	1/4		1/4		1/4				1/4	1/4
1/2	3,591.89	1/2	3,784.88	1/2	3,974.05	1/2	4,146.02	1/2	4,316.54	1/2		1/2		1/2				1/2	1/2
3/4	3,595.91	3/4	3,788.90	3/4	3,977.83	3/4	4,149.40	3/4	4,320.51	3/4		3/4		3/4				3/4	3/4
5	3,599.93	5	3,792.92	5	3,981.60	5	4,152.78	5	4,324.48	5		5		5				5	5
1/4	3,603.95	1/4	3,796.94	1/4	3,985.34	1/4	4,156.13	1/4	4,328.31	1/4		1/4		1/4				1/4	1/4
1/2	3,607.97	1/2	3,800.96	1/2	3,989.09	1/2	4,159.48	1/2	4,332.14	1/2		1/2		1/2				1/2	1/2
3/4	3,611.99	3/4	3,804.98	3/4	3,992.83	3/4	4,162.83	3/4	4,335.98	3/4		3/4		3/4				3/4	3/4
6	3,616.01	6	3,809.00	6	3,996.58	6	4,166.18	6	4,339.81	6		6		6				6	6
1/4	3,620.03	1/4	3,813.02	1/4	4,000.29	1/4	4,169.49	1/4	4,342.66	1/4		1/4		1/4				1/4	1/4
1/2	3,624.05	1/2	3,817.05	1/2	4,004.01	1/2	4,172.81	1/2	4,345.52	1/2		1/2		1/2				1/2	1/2
3/4	3,628.07	3/4	3,821.07	3/4	4,007.72	3/4	4,176.13	3/4	4,348.38	3/4		3/4		3/4				3/4	3/4
7	3,632.09	7	3,825.09	7	4,011.43	7	4,179.45	7	4,351.23	7		7		7				7	7
1/4	3,636.11	1/4	3,829.11	1/4	4,015.12	1/4	4,182.74	1/4	4,352.87	1/4		1/4		1/4				1/4	1/4
1/2	3,640.13	1/2	3,833.13	1/2	4,018.80	1/2	4,186.03	1/2	4,354.51	1/2		1/2		1/2				1/2	1/2
3/4	3,644.16	3/4	3,837.15	3/4	4,022.48	3/4	4,189.32	3/4	4,356.15	3/4		3/4		3/4				3/4	3/4
8	3,648.18	8	3,841.17	8	4,026.16	8	4,192.60	8	4,357.79	8		8		8				8	8
1/4	3,652.20	1/4	3,845.19	1/4	4,029.81	1/4	4,195.86	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,656.22	1/2	3,849.20	1/2	4,033.46	1/2	4,199.12	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,660.24	3/4	3,853.22	3/4	4,037.10	3/4	4,202.38	3/4		3/4		3/4		3/4				3/4	3/4
9	3,664.26	9	3,857.23	9	4,040.75	9	4,205.64	9		9		9		9				9	9
1/4	3,668.28	1/4	3,861.23	1/4	4,044.37	1/4	4,208.86	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,672.30	1/2	3,865.23	1/2	4,047.98	1/2	4,212.09	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,676.32	3/4	3,869.23	3/4	4,051.60	3/4	4,215.32	3/4		3/4		3/4		3/4				3/4	3/4
10	3,680.34	10	3,873.22	10	4,055.22	10	4,218.54	10		10		10		10				10	10
1/4	3,684.36	1/4	3,877.19	1/4	4,058.81	1/4	4,221.73	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,688.38	1/2	3,881.15	1/2	4,062.39	1/2	4,224.92	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,692.40	3/4	3,885.12	3/4	4,065.98	3/4	4,228.12	3/4		3/4		3/4		3/4				3/4	3/4
11	3,696.42	11	3,889.09	11	4,069.57	11	4,231.31	11		11		11		11				11	11
1/4	3,700.44	1/4	3,893.02	1/4	4,073.13	1/4	4,234.81	1/4		1/4		1/4		1/4				1/4	1/4
1/2	3,704.47	1/2	3,896.95	1/2	4,076.68	1/2	4,238.32	1/2		1/2		1/2		1/2				1/2	1/2
3/4	3,708.49	3/4	3,900.88	3/4	4,080.24	3/4	4,241.82	3/4		3/4		3/4		3/4				3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/29/2026 JS
RECALCULATED: 04/27/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FORMERLY "C-1399"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	110	0	280	0	451	0	560	0		0		0		0		0	
1/4	1	1/4	113	1/4	284	1/4	454	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	116	1/2	287	1/2	457	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	119	3/4	291	3/4	460	3/4	560	3/4		3/4		3/4		3/4		3/4	
1	3	1	123	1	295	1	463	1	560	1		1		1		1		1	
1/4	4	1/4	126	1/4	299	1/4	466	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	129	1/2	302	1/2	469	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	7	3/4	133	3/4	306	3/4	472	3/4	560	3/4		3/4		3/4		3/4		3/4	
2	8	2	136	2	310	2	476	2	560	2		2		2		2		2	
1/4	10	1/4	139	1/4	313	1/4	479	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	11	1/2	143	1/2	317	1/2	481	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	13	3/4	146	3/4	321	3/4	484	3/4	560	3/4		3/4		3/4		3/4		3/4	
3	15	3	150	3	325	3	487	3	560	3		3		3		3		3	
1/4	17	1/4	153	1/4	328	1/4	490	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	18	1/2	156	1/2	332	1/2	493	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	20	3/4	160	3/4	336	3/4	496	3/4	560	3/4		3/4		3/4		3/4		3/4	
4	22	4	163	4	339	4	499	4	560	4		4		4		4		4	
1/4	24	1/4	167	1/4	343	1/4	501	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	27	1/2	170	1/2	346	1/2	504	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	29	3/4	174	3/4	350	3/4	507	3/4	560	3/4		3/4		3/4		3/4		3/4	
5	31	5	178	5	354	5	510	5	560	5		5		5		5		5	
1/4	33	1/4	181	1/4	357	1/4	512	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	36	1/2	185	1/2	361	1/2	515	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	38	3/4	188	3/4	365	3/4	517	3/4	560	3/4		3/4		3/4		3/4		3/4	
6	40	6	192	6	368	6	520	6	560	6		6		6		6		6	
1/4	43	1/4	195	1/4	372	1/4	522	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	45	1/2	199	1/2	375	1/2	524	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	48	3/4	203	3/4	379	3/4	527	3/4	560	3/4		3/4		3/4		3/4		3/4	
7	51	7	206	7	383	7	529	7	560	7		7		7		7		7	
1/4	53	1/4	210	1/4	386	1/4	531	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	214	1/2	390	1/2	533	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	59	3/4	217	3/4	393	3/4	536	3/4	560	3/4		3/4		3/4		3/4		3/4	
8	61	8	221	8	397	8	538	8	560	8		8		8		8		8	
1/4	64	1/4	225	1/4	400	1/4	540	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	67	1/2	228	1/2	404	1/2	542	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	70	3/4	232	3/4	407	3/4	544	3/4	560	3/4		3/4		3/4		3/4		3/4	
9	73	9	236	9	411	9	546	9	560	9		9		9		9		9	
1/4	76	1/4	239	1/4	414	1/4	547	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	79	1/2	243	1/2	417	1/2	549	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	82	3/4	247	3/4	421	3/4	550	3/4	560	3/4		3/4		3/4		3/4		3/4	
10	85	10	250	10	424	10	552	10	560	10		10		10		10		10	
1/4	88	1/4	254	1/4	428	1/4	553	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	91	1/2	258	1/2	431	1/2	555	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	94	3/4	261	3/4	434	3/4	556	3/4	560	3/4		3/4		3/4		3/4		3/4	
11	97	11	265	11	438	11	557	11	560	11		11		11		11		11	
1/4	100	1/4	269	1/4	441	1/4	558	1/4	560	1/4		1/4		1/4		1/4		1/4	
1/2	103	1/2	273	1/2	444	1/2	559	1/2	560	1/2		1/2		1/2		1/2		1/2	
3/4	106	3/4	276	3/4	447	3/4	559	3/4	560	3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 01/29/2026 JS
CALCULATED: 01/30/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CTC 30105"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FORMERLY "C-1399"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	577	0	1,155	0	1,732	0	2,310	0		0		0		0		0	
1/4	12	1/4	589	1/4	1,167	1/4	1,744	1/4	2,322	1/4		1/4		1/4		1/4		1/4	
1/2	24	1/2	601	1/2	1,179	1/2	1,756	1/2	2,334	1/2		1/2		1/2		1/2		1/2	
3/4	36	3/4	613	3/4	1,191	3/4	1,768	3/4	2,346	3/4		3/4		3/4		3/4		3/4	
1	48	1	626	1	1,203	1	1,780	1	2,358	1	1	1	1	1	1	1	1	1	1
1/4	60	1/4	638	1/4	1,215	1/4	1,792	1/4	2,370	1/4		1/4		1/4		1/4		1/4	
1/2	72	1/2	650	1/2	1,227	1/2	1,804	1/2	2,382	1/2		1/2		1/2		1/2		1/2	
3/4	84	3/4	662	3/4	1,239	3/4	1,816	3/4	2,394	3/4		3/4		3/4		3/4		3/4	
2	96	2	674	2	1,251	2	1,828	2	2,406	2	2	2	2	2	2	2	2	2	2
1/4	108	1/4	686	1/4	1,263	1/4	1,840	1/4	2,418	1/4		1/4		1/4		1/4		1/4	
1/2	120	1/2	698	1/2	1,275	1/2	1,852	1/2	2,430	1/2		1/2		1/2		1/2		1/2	
3/4	132	3/4	710	3/4	1,287	3/4	1,865	3/4	2,442	3/4		3/4		3/4		3/4		3/4	
3	144	3	722	3	1,299	3	1,877	3	2,454	3	3	3	3	3	3	3	3	3	3
1/4	156	1/4	734	1/4	1,311	1/4	1,889	1/4	2,466	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	746	1/2	1,323	1/2	1,901	1/2	2,478	1/2		1/2		1/2		1/2		1/2	
3/4	180	3/4	758	3/4	1,335	3/4	1,913	3/4	2,490	3/4		3/4		3/4		3/4		3/4	
4	192	4	770	4	1,347	4	1,925	4	2,502	4	4	4	4	4	4	4	4	4	4
1/4	204	1/4	782	1/4	1,359	1/4	1,937	1/4	2,514	1/4		1/4		1/4		1/4		1/4	
1/2	217	1/2	794	1/2	1,371	1/2	1,949	1/2	2,526	1/2		1/2		1/2		1/2		1/2	
3/4	229	3/4	806	3/4	1,383	3/4	1,961	3/4	2,538	3/4		3/4		3/4		3/4		3/4	
5	241	5	818	5	1,395	5	1,973	5	2,550	5	5	5	5	5	5	5	5	5	5
1/4	253	1/4	830	1/4	1,407	1/4	1,985	1/4	2,562	1/4		1/4		1/4		1/4		1/4	
1/2	265	1/2	842	1/2	1,419	1/2	1,997	1/2	2,574	1/2		1/2		1/2		1/2		1/2	
3/4	277	3/4	854	3/4	1,431	3/4	2,009	3/4	2,586	3/4		3/4		3/4		3/4		3/4	
6	289	6	866	6	1,444	6	2,021	6	2,598	6	6	6	6	6	6	6	6	6	6
1/4	301	1/4	878	1/4	1,456	1/4	2,033	1/4	2,610	1/4		1/4		1/4		1/4		1/4	
1/2	313	1/2	890	1/2	1,468	1/2	2,045	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	325	3/4	902	3/4	1,480	3/4	2,057	3/4		3/4		3/4		3/4		3/4		3/4	
7	337	7	914	7	1,492	7	2,069	7	2,069	7	7	7	7	7	7	7	7	7	7
1/4	349	1/4	926	1/4	1,504	1/4	2,081	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	361	1/2	938	1/2	1,516	1/2	2,093	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	373	3/4	950	3/4	1,528	3/4	2,105	3/4		3/4		3/4		3/4		3/4		3/4	
8	385	8	962	8	1,540	8	2,117	8	2,117	8	8	8	8	8	8	8	8	8	8
1/4	397	1/4	974	1/4	1,552	1/4	2,129	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	409	1/2	986	1/2	1,564	1/2	2,141	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	421	3/4	998	3/4	1,576	3/4	2,153	3/4		3/4		3/4		3/4		3/4		3/4	
9	433	9	1,010	9	1,588	9	2,165	9	2,165	9	9	9	9	9	9	9	9	9	9
1/4	445	1/4	1,022	1/4	1,600	1/4	2,177	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	457	1/2	1,035	1/2	1,612	1/2	2,189	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	469	3/4	1,047	3/4	1,624	3/4	2,201	3/4		3/4		3/4		3/4		3/4		3/4	
10	481	10	1,059	10	1,636	10	2,213	10	2,213	10	10	10	10	10	10	10	10	10	10
1/4	493	1/4	1,071	1/4	1,648	1/4	2,225	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	505	1/2	1,083	1/2	1,660	1/2	2,237	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	517	3/4	1,095	3/4	1,672	3/4	2,249	3/4		3/4		3/4		3/4		3/4		3/4	
11	529	11	1,107	11	1,684	11	2,261	11	2,261	11	11	11	11	11	11	11	11	11	11
1/4	541	1/4	1,119	1/4	1,696	1/4	2,274	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	553	1/2	1,131	1/2	1,708	1/2	2,286	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	565	3/4	1,143	3/4	1,720	3/4	2,298	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 01/29/2026 JS
CALCULATED: 01/30/2026 CL
NAME CHANGE: 05/05/2026

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2026

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>